SDS SAFETY DATA SHEET

PRODUCT DESCRIPTION:	Fireout ABE Dry Powder Extinguisher
CODES:	E1DAFO, E15DAFO, E2DAFO, E25DAFO, E45DAFO, E9DAFO, EM50DA,
	EM100DA.
CATEGORY:	FIRE FIGHTING APPLIANCES – DRY POWDER AB:E
REVISION DATE:	05 DECEMBER 2024

SECTION 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Identifier:	Fireout ABE Dry Powder Chemical Fire Extinguisher		
Other Means of	Part Number Fireout ABE Dry Chemical Fire Extinguishers		
Identification:	E1DAFO 1.0kg dry chemical ABE fire extinguisher		
	E15DAFO 1.5kg dry chemical ABE fire extinguisher		
	E2DAFO 2.0kg dry chemical ABE fire extinguisher		
	E25DAFO 2.5kg dry chemical ABE fire extinguisher		
	E45DAFO 4.5kg dry chemical ABE fire extinguisher (80BE Mines App)		
	E9DAFO 9.0kg dry chemical ABE fire extinguisher		
	EM50DA 50kg ABE Mobile DCP fire extinguisher (R50KGABE)		
	EM100DA 100kg ABE Mobile DCP fire extinguisher (R100KGABE)		
Recommended use of			
the chemical and	Fire extinguishing agent.		
restrictions on use:			
Supplier Name:	Australia Wide Fire Supplies		
Address:	Unit 5/54 Pendlebury Road,		
	Cardiff NSW 2285		
Telephone Number:	+61 2 4954 0333		
Emergency Number:	Emergency 000		
	AWFS +61 2 4954 0333 (9am-5pm AET, Mon-Fri)		
Website:	www.awfs.com.au		
Email:	sales@awfs.com.au		

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

SECTION 2 – HAZARDS INFORMATION

Classification of the hazardous chemical

Classification according to the WHS Regulations Australia and the ADG Code

Classified as Dangerous – Gases Under Pressure – Compressed Gas

Label Elements

Hazard Pictograms:	
Pictogram Code:	GHS04 Gas Cylinder
Signal Word:	WARNING

Hazard Statements

H280 Contains gas under pressure; may explode when heated

Precautionary Statements	
Prevention:	
Response:	
Storage:	P410 + P403
	Protect from sunlight. Store in a well-ventilated place.

SECTION 3 – COMPOSITION/INFORM	MATION ON INGREDIENTS
Chemical identity of ingredients:	Monobasic Ammonium Phosphate NH4H2PO4
Proportion of ingredients:	90+/-3%
CAS No.:	7722-76-1
Chemical identity of ingredients:	Magnesium Aluminium Silicate (Attapulgite Clay or Fuller's Earth)
	MgxAly(SiO4)z
Proportion of ingredients:	6-8%
CAS No.:	8031-18-3
Chemical identity of ingredients:	Silica White SIO2
Proportion of ingredients:	≤3%
CAS No.:	7631-86-9
Chemical identity of ingredients:	Methyl Hydrogen Polysiloxane (mixture/preparation)
Proportion of ingredients:	≤1%
CAS No.:	63148-57-2
Chemical identity of ingredients:	Nitrogen
Proportion of ingredients:	Unknown (gas varies)
CAS No.:	7727-37-9

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

SECTION 4 – FIRST AID MEASURES	
Eye contact (symptoms, special	Mildly irritating following acute exposure.
& medical treatment):	In case of contact with eyes, rinse immediately with water for a
	minimum of 15 minutes.
	If irritation persists seek medical advice.
Skin Contact (symptoms, special	Mildly irritating following acute exposure.
& medical treatment):	In case of contact with skin, rinse immediately with plenty of
	soapy water, removed exposed clothing (if required).
	If irritation persists seek medical attention.
Inhalation (symptoms, special &	Transient cough, shortness of breath following acute exposure.
medical treatment):	Treat as a mineral dust irritant to the respiratory tract.
	In case on inhalation to the respiratory tract, immediately
	extricate from exposed area.
	If irritation persists seek medical attention.
	Chronic overexposure can lead the chronic fibrosis of the lung,
	pneumoconiosis.
Ingestion (symptoms, special &	Not an expected route of entry.
medical treatment):	In case of ingestion, immediately consume large amounts of
	water and induce vomiting.
	If irritation persists seek medical attention.
ndication of any immediate medical attention and special treatment	

Provide general supportive measures and treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES	
Suitable extinguishing	This preparation is an extinguishing media. Use extinguishing
equipment:	media suitable for surrounding area.
Specific hazards arising from the	Ammonia and / or phosphorus oxides can be evolved at very high
chemical:	temperatures.
Special protective equipment	Wear breathing apparatus and protective gloves.
and precautions for fire fighters:	Prevent, by any means available, spillage from entering drains or
	water courses.
Hazchem Code:	Not Applicable

SECTION 6 – ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective	Prevent skin and eye contact, as well as inhalation and ingestion.	
equipment and emergency	Wear appropriate PPE and clothing to minimize the risk of	
procedures:	exposure.	
Environmental precautions:	If contamination occurs in sewers or waterways, inform your	
	local water authority in accordance with regulations of that	
	jurisdiction.	
Methods and materials for	Sweep up / vacuum spill and place in closed container for	
containment and cleaning up:	disposal. Dispose of in compliance with national, regional and	
	local provisions that may be in force.	

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

SECTION 7 – HANDLING AND S	TORAGE
Precautions for Safe Handling	
Safe Handling:	Limit all unnecessary personal contact
	Wear protective clothing when risk of exposure occurs
	Use in a well-ventilated area
	• Do not eat, drink or smoke when handling
	 Always wash hands with soap and water after handling
	Avoid physical damage to containers
	Use good occupational work practice
Other Information:	Observe manufacturer's storage and handling
	recommendations contained within this MSDS
	• Store away from sources of heat or ignition / naked lights
	• Store in a cool, dry, well-ventilated area
	Store in original container or fire extinguisher
	Keep containers securely sealed when not in use
Conditions for Safe Storage, in	cluding any incompatibilities:
Storage requirements:	Observe manufacturer's storage and handling
	recommendations contained with this MSDS
	• Store away from sources of heat or ignition / naked lights
	 Store in a cool, dry, well-ventilated area
	Store in original container or fire extinguisher
	Keep containers securely sealed when not in use.
Unsuitable storage container	s: Not known.

SECTION 8 – EXPOSURE

Occupational Exposure Limits

Occupational exposure limits according to the *Workplace Exposure Standards for Airborne Contaminants*, Safe Work Australia.

Chemical Name	CAS No.	TWA ¹	STEL ²
Monobasic Ammonium Phosphate	7722-76-1	Not cla	assified
Magnesium Aluminium Silicate	8031-18-3	Not cla	assified
Fumed Silica (respirable dust)	7631-86-9	ppm: - mg/m ³ :2	ppm: - mg/m ³
Methyl Hydrogen Polysiloxane	63148-57-2	Not cla	assified
Nitrogen	7727-37-9	Not cla	assified

Substance when calculated over an eight-hour working day, for five-day working week.

¹TWA ²STEL (Short Term Exposure Limit) – means the time-weighted average maximum airborne concentration of a substance calculated over a 15 minute period.

Engineering controls:	Use in a well-ventilated area
Personal protective equipment:	Eye protection – safety goggles.
	Skin protection – chemical resistant gloves.
	Respiratory & Ingestion protection – dust mask.

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

SECTION 9 – PHYSICAL AND CHEM	ICAL PROPERTIES
Appearance (colour, physical	Light grey, solid, powder
form, shape):	
Odour:	None
Odour Threshold:	Not applicable
pH:	Data not available.
Vapour pressure:	Not applicable.
Vapour density:	Not applicable.
Boiling point/range:	Not applicable.
Freezing/melting point (specify	Not applicable.
which):	
Evaporation rate:	Data not available.
Flammability:	Not applicable.
Flammability or Explosive	Not applicable.
limits:	
Solubility (specify solvent, e.g.	Slightly water soluble, not fat soluble.
water):	
Relative density:	Not applicable.
Partition coefficient (n-	Not applicable.
octanol/water):	
Flash point and method	Not applicable.
detecting flash point:	
Ignition temperature:	Not applicable.
Decomposition temperature:	Not applicable.
Viscosity:	Not applicable.

SECTION 10 – STABILITY AND REACTIVITY		
Reactivity:	Refer to Section 7.	
Chemical stability:	Stable when stored, handled and operated in accordance with this MSDS.	
Possibility of Hazardous reactions:	See below.	
Conditions to Avoid:	Refer to Section 7.	
Incompatible materials:	Strong alkalis, magnesium, oxidizers that can release chlorine or produce Nce3 (explosive) per NFPA 10 Annex A-2-1.	
Hazardous decomposition products:	Ammonia and/or phosphorous oxides can be evolved at very high temperatures.	

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

This product has n	ot been tested for	or toxicological effects.

This product has not been tested for toxicological effects.		
Acute toxicity:	Data not available.	
Skin corrosion / irritation:	Mildly irritating following acute exposure.	
Serious eye damage / irritation:	Mildly irritating following acute exposure.	
Respiratory or skin	Transient cough, shortness of breath following acute exposure.	
sensitization:		
Germ cell mutagenicity:	Data not available.	
Carcinogenicity:	Data not available.	
Reproductive toxicity:	Data not available.	
Specific Target Organ Toxicity	Data not available.	
(STOT) – single exposure:		
Specific Organ Target Toxicity	Data not available.	
(STOT) – repeated exposure:		
Aspiration Hazard:	Data not available:	
nformation on Possible Routes of Exposure:		
Eye contact:	Mildly irritating following acute exposure.	
Skin contact:	Mildly irritating following acute exposure.	
Inhalation:	Transient cough, shortness of breath following acute exposure.	
Ingestion:	Not an expected route of entry.	
Carbo Oncet Symptome Deleted to Evenenues		

Early Onset Symptoms Related to Exposure:

Data not available.

Delayed Health Effect from Exposure:

Data not available.

Exposure Levels and Health Effects:

Data not available.

Interactive Effects:

Data not available.

Mixture of Chemicals:

Data not available.

Other Information:

No other information available.

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity:

Classification according to Registered Substances – Ecotoxilogical Information – Aquatic Toxicity, ECHA.

Substance	Endpoint	Test Duration (hr)	Species	Value
Monobasic	LC50	96	Fish	>85.9mg/L
Ammonium	EC50	72	Algae or other aquatic plants	>97.1mg/L
Phosphate	NOEC	72	Algae or other aquatic plants	3.57/L
Magnesium Aluminium Silicate	Not Classified.			
Fumed Silica (respirable dust)	Not Classified.			
Methyl Hydrogen Polysiloxane	Not Classified.			
Nitrogen	Not Classified.			

Persistence and degradability:	Data not available.
Mobility in soil:	Data not available.
Bioaccumulative potential:	Data not available.
Other adverse effects:	Data not available.

SECTION 13 – DISPOSAL CONSIDERATIONS	
Disposal methods and	Dispose of in compliance with national, regional and local
containers:	provisions that may be in force.
Physical / Chemical Properties	Not known.
that may affect disposal	
options:	
Effects of Sewerage:	Not known.
Disposal:	None.
Special precautions for landfill	
or incineration:	

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

SECTION 14 – TRANSPORT INFORMATION Labels Required: Image: Non-FLAMMABLE Non-FORMER Image: Non-FLAMMABLE Non-FORMER Image: Non-FLAMMABLE Non-FLAMMABLE Non-FORMER Image: Non-FLAMMABLE NON-FLAM

Land Transport (ADG):

Classification as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road & Rail (Ed 7.3, August 2014), National Transport Commission.

UN Number:	1044
Proper Shipping Name:	FIRE EXTINGUISHERS with compressed gas or liquefied gas.
Transport Hazzard Class:	Class 2.2
	Sub Risk Not Applicable.
Packaging Group:	Not applicable.
Environmental hazards for	Not applicable.
Transport Purposes:	
Special precautions for user:	Special Provisions: 225
Hazchem Code:	Not Applicable.

Air Transport (ICAO, IATA - DGR):

Classification as Dangerous Goods according to the *Dangerous Goods Regulations, International Air Transport Association (IATA).*

UN Number:	1044
Proper Shipping Name:	FIRE EXTINGUISHERS with compressed gas or liquefied gas.
Transport Hazard Class:	Class 2.2
	Sub Risk Not Applicable.
Packaging Group:	Not applicable.
Environmental Hazards for	Not applicable.
Transport Purposes:	
Special Precautions for user:	Special Provisions: A19
	Cargo Only Packing Instructions: 213
	Passenger and Cargo Packing Instructions: 213
Hazchem Code:	Not Applicable.

Sea Transport (IMO - IMDG):

Classification as Dangerous Goods according to the International Maritime Dangerous Goods Code (IMDG), International Maritime Organisation (IMO).

UN Number:	1044
Proper Shipping Name:	FIRE EXTINGUISHERS with compressed gas or liquefied gas.
Transport Hazard Class:	Class 2.2
	Sub Risk Not Applicable.
Packaging Group:	Not applicable.

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

Environmental Hazards for	Not applicable.
Transport Purposes:	
Special Precautions for user:	EMS Number: F-C, S-V
	Special Provisions: 225
Hazchem Code:	Not Applicable.

SECTION 15 – REGULATORY INFORMATION

Safety, health and environmental regulations / legislation for the substance or mixture All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

SECTION 16 – OTHER INFORMATION		
Revision, Date of	Rev E, 05 DECEMBER 2024	
preparation of this MSDS:		
Disclaimer	The above information is believed to be correct, but does not purport	
	to be all inclusive and shall be used only as a guide. Australia Wide	
	Fire Supplies shall not be held liable for any damage or loss resulting	
	from handling or from contact with the above product.	

End SDS

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285