SDS SAFETY DATA SHEET

PRODUCT DESCRIPTION:	Fireout CO2 Carbon Dioxide Extinguisher	
CODES:	E2CFO, E35CFO, E5CFO	
CATEGORY:	FIRE FIGHTING APPLIANCES – CO2	
REVISION DATE:	02 APRIL 2025	

SECTION 1 – IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Identifier:	Fireout CO2 Carbon Dioxide Fire Extinguisher		
Other Means of	Part Number Fireout CO2 Fire Extinguishers		
Identification:	E2CFO 2.0kg CO2 fire extinguisher – Aluminium cylinder		
	E35CFO 3.5kg CO2 fire extinguisher – Aluminium cylinder		
	E5CFO 5.0kg CO2 fire extinguisher – Aluminium cylinder		
Recommended use of			
the chemical and	Fire extinguishing agent. Vaporising gas.		
restrictions on use:	The extinguishing agent. Vaponsing gas.		
restrictions on use.			
Supplier Name:	Australia Wide Fire Supplies		
Address:	Unit 5/54 Pendlebury Road,		
1 101011 0001	Cardiff NSW 2285		
Telephone Number:	+61 2 4954 0333		
. c.cpiione itamiceii	1012 100 10000		
Emergency Number:	Emergency 000		
Lineigency Humber.	AWFS +61 2 4954 0333 (9am-5pm AET, Mon-Fri)		
Website:	www.awfs.com.au		
Email:	sales@awfs.com.au		

SECTION 2 – HAZARDS INFORMATION

Classification of the hazardous chemical

Classification according to the WHS Regulations Australia and the ADG Code
Classified as Dangerous – Gases Under Pressure – Compressed Gas

Label Elements

Hazard Pictograms:	
Pictogram Code:	GHS04 Gas Cylinder
Signal Word:	WARNING

Hazard Statements

H280 Contains gas under pressure; may explode when heated

Precautionary Statements	
Prevention:	
Response:	
Storage:	P410 + P403
	Protect from sunlight. Store in a well-ventilated place.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS		
Chemical identity of ingredients:	Carbon Dioxide CO2	
Proportion of ingredients:	100%	
CAS No.:	124-38-9	
Chemical identity of ingredients:		
Proportion of ingredients:		
CAS No.:		
Chemical identity of ingredients:		
Proportion of ingredients:		
CAS No.:		
Chemical identity of ingredients:		
Proportion of ingredients:		
CAS No.:		
Chemical identity of ingredients:		
Proportion of ingredients:		
CAS No.:		

SECTION 4 – FIRST AID MEASURES	
Eye contact (symptoms, special & medical treatment):	No adverse effects expected from normal use of this product.
Skin Contact (symptoms, special & medical treatment):	In the case of frostbite spray with water for 15 minutes. Apply sterile dressing. Obtain medical assistance.
Inhalation (symptoms, special & medical treatment):	In high concentrations may cause asphyxiation. Symptoms may include loss of mobility / consciousness. Victim may not be aware of asphyxiation. Under such circumstance seek immediate medical attention.
Ingestion (symptoms, special & medical treatment):	Not an expected route of entry. In case of ingestion, immediately consume large amounts of water and induce vomiting. If irritation persists seek medical attention.

Indication of any immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES			
Suitable extinguishing	This preparation is an extinguishing media. Use extinguishing		
equipment:	media suitable for surround area.		
Specific hazards arising from the	Ammonia and / or phosphorus oxides can be evolved at very high		
chemical:	temperatures.		
Special protective equipment	Wear breathing apparatus and protective gloves.		
and precautions for fire fighters:	s: Prevent, by any means available, spillage from entering drains o		
	water courses.		
Hazchem Code:	Not Applicable		

SECTION 6 – ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective	Evacuate area.		
equipment and emergency	Ensure adequate air ventilation. Monitor oxygen levels.		
procedures:	Wear self-contained breathing apparatus in confined spaces.		
Environmental precautions:	Refer section 12.		
Methods and materials for	Not applicable.		
containment and cleaning up:			

SECTION 7 – HANDLING AND STO	RAGE	
Precautions for Safe Handling		
Safe Handling:	 As a high-pressure vessel caution should be taken to prevent damage to cylinder. Wear protective clothing when risk of exposure occurs 	
	Use in a well-ventilated area	
	Do not eat, drink or smoke when handling	
	 Always wash hands with soap and water after handling 	
	 Avoid physical damage to containers 	
	Use good occupational work practice	
Other Information:	Observe manufacturer's storage and handling	
	recommendations contained within this MSDS	
	 Store away from sources of heat or ignition / naked lights 	
	Store in a cool, dry, well-ventilated area	
	Store in original container or fire extinguisher	
	Keep containers securely sealed when not in use	
Conditions for Safe Storage, inclu	ding any incompatibilities:	
Storage requirements:	 Observe manufacturer's storage and handling recommendations contained with this MSDS 	
	 Store away from sources of heat or ignition / naked lights 	
	Store in a cool, dry, well-ventilated area	
	Store in original container or fire extinguisher	
	Keep containers securely sealed when not in use.	
Other Information:	Do Not Store at temperatures exceeding 50 Degrees C.	
	Store in cool, dry, well-ventilated area.	

ues: Carbon dioxide: ILV (EU) -8H – (mg.m ³): 9,000	
Carbon dioxide: ILV (EU) -8H – (ppm): 5,000	
Carbon dioxide: TLV© - TWA (ppm): 5,000	
Carbon dioxide: TLV© - STEL (ppm): 30,000	

Occupational Exposure Limits

Occupational exposure limits according to the *Workplace Exposure Standards for Airborne Contaminants*, Safe Work Australia.

Chemical Name	CAS No.	TWA ¹	STEL ²
Carbon Dioxide	124-38-9	ppm: - 5,000	ppm: - 30,000
		mg/m ^{3:} 9,000	mg/m³: - 54,000

¹TWA (8-hour Time Weighted Average)-means the maximum average airborne concentration of a substance when calculated over an eighthour working day, for a five-day working week. ²STEL (Short Term Exposure Limit) – means the time-weighted average maximum airborne concentration of a substance calculated over a 15 minute period.

Engineering controls: Check regularly for leakages.	
Personal protective equipment: Eye protection – safety goggles.	
	Skin protection – protective gloves.
	Respiratory & Ingestion protection – ensure adequate ventilation.

SECTION 9 – PHYSICAL AND CHEM	ICAL PROPERTIES
Appearance (colour, physical	Liquefied gas, colourless.
form, shape):	
Odour:	None
Odour Threshold:	Not applicable
pH:	Data not available.
Vapour pressure:	57.3 bar at 20 degrees C.
Vapour density:	Gas -1.52 (air=1) Liquid -1.03 (water=1)
Boiling point/range:	-78.5 degrees C
Freezing/melting point (specify	-5 degrees C
which):	
Evaporation rate:	Data not available.
Flammability:	Not applicable.
Flammability or Explosive	Not applicable.
limits:	
Solubility (specify solvent, e.g.	2,000. Mg/l
water):	
Relative density:	Not applicable.
Partition coefficient (n-	Not applicable.
octanol/water):	
Flash point and method	Not applicable.
detecting flash point:	
Ignition temperature:	Not applicable.
Decomposition temperature:	Not applicable.

SECTION 10 – STABILITY AND REACTIVITY	
Reactivity:	Refer to Section 7.
Chemical stability:	Stable when stored, handled and operated in accordance with this MSDS.
Possibility of Hazardous reactions:	See below.
Conditions to Avoid:	Refer to Section 7.
Incompatible materials:	None
Hazardous decomposition products:	None under normal usage

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

This product has not been tested for toxicological effects.

Acute toxicity:	In high concentration may cause rapid circulatory insufficiency.
Skin corrosion / irritation:	Chilling sensation or frost bite following acute long exposure.
Serious eye damage / irritation:	In liquid form CO2 can irritate eyes.
Respiratory or skin	Transient cough, shortness of breath following acute exposure.
sensitization:	Symptoms headache, nausea and vomiting.
	Leading to unconsciousness.
Germ cell mutagenicity:	Data not available.
Carcinogenicity:	Data not available.
Reproductive toxicity:	Data not available.
Specific Target Organ Toxicity	Data not available.
(STOT) – single exposure:	
Specific Organ Target Toxicity	Data not available.
(STOT) – repeated exposure:	
Aspiration Hazard:	Data not available.
nformation on Possible Routes of Exposure:	

Eye contact:	In liquid form CO2 can irritate eyes.
Skin contact:	Mildly irritating following acute exposure.
Inhalation:	In High concentration may cause rapid circulatory insufficiency.
Ingestion:	Not an expected route of entry.

Early Onset Symptoms Related to Exposure:

Data not available.

Delayed Health Effect from Exposure:

Data not available.

Exposure Levels and Health Effects:

Data not available.

Interactive Effects:

Data not available.

Mixture of Chemicals:

Data not available.

Other Information:

No other information available.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity:

Classification not determined.

Persistence and degradability:	Data not available.
Mobility in soil:	Data not available.
Bioaccumulative potential:	Data not available.
Other adverse effects:	Data not available.

SECTION 13 – DISPOSAL CONSIDERATIONS	
Disposal methods and	Dispose of in compliance with national, regional and local
containers:	provisions that may be in force.
Physical / Chemical Properties	Not known.
that may affect disposal	
options:	
Effects of Sewerage:	Not known.
Disposal:	None.
Special precautions for landfill	
or incineration:	

Labels Required: NON-FLAMMABLE NON-TOXIC GAS 2.2 Non Flammable, Non Toxic Gas

Land Transport (ADG):

Classification as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road & Rail (Ed 7.3, August 2014), National Transport Commission.

UN Number:	1044
Proper Shipping Name:	FIRE EXTINGUISHERS with compressed gas or liquefied gas.
Transport Hazzard Class:	Class 2.2
	Sub Risk Not Applicable.
Packaging Group:	Not applicable.
Environmental hazards for	Not applicable.
Transport Purposes:	
Special precautions for user:	Special Provisions: 225
Hazchem Code:	Not Applicable.

Air Transport (ICAO, IATA - DGR):

Classification as Dangerous Goods according to the *Dangerous Goods Regulations, International Air Transport Association (IATA).*

UN Number:	1044
Proper Shipping Name:	FIRE EXTINGUISHERS with compressed gas or liquefied gas.
Transport Hazard Class:	Class 2.2
	Sub Risk Not Applicable.
Packaging Group:	Not applicable.
Environmental Hazards for	Not applicable.
Transport Purposes:	
Special Precautions for user:	Special Provisions: A19
	Cargo Only Packing Instructions: 213
	Passenger and Cargo Packing Instructions: 213
Hazchem Code:	Not Applicable.

Sea Transport (IMO - IMDG):

Classification as Dangerous Goods according to the *International Maritime Dangerous Goods Code* (IMDG), International Maritime Organisation (IMO).

UN Number:	1044
Proper Shipping Name:	FIRE EXTINGUISHERS with compressed gas or liquefied gas.
Transport Hazard Class:	Class 2.2
	Sub Risk Not Applicable.
Packaging Group:	Not applicable.
Environmental Hazards for	Not applicable.
Transport Purposes:	
Special Precautions for user:	EMS Number: F-C, S-V
	Special Provisions: 225
Hazchem Code:	Not Applicable.

SECTION 15 – REGULATORY INFORMATION

Safety, health and environmental regulations / legislation for the substance or mixture

All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

SECTION 16 – OTHER INFORMATION	
Revision, Date of preparation of this MSDS:	02 April 2025
Disclaimer	The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. Australia Wide Fire Supplies shall not be held liable for any damage or loss resulting from handling or from contact with the above product.

End SDS