

TECHNICAL DATA SHEET

CODE:	FHER & FHRS
DESCRIPTION:	FIRE HOSE EASY ROLLER & FIRE HOSE EASY ROLLER STAND
CATEGORY:	FIRE HOSE ACCESSORIES
REVISION DATE:	01 SEPTEMBER 2020



FHER ROLLER & FHRS STAND SOLD SEPARATELY

PRODUCT DESCRIPTION:

The FHER Fire Hose Easy Roller is designed for single person operation reducing pack-up time dramatically. The FHER Fire Hose Easy Roller can be used as a stand-alone unit in the field or mounted on a vehicle, or in conjunction with FHRS Fire Hose Easy Roller Stand in your workshop, hose testing factory or fire station.

The FHER roller provides neat, professional results without the need to handle hoses contaminated with chemicals, glass, thorns, mud or other foreign material.

Suitable for most lay flat hoses up to 30m in length and up to 65mm Ø, the roller is simple to operate and can be stored in most existing hose lockers. Roller and Stand are sold separately and are easily assembled using a simple tension latch and R clip (see image over page).

KEY DESIGN FEATURES:


- TRIPLE FORK STAINLESS STEEL AXLE
- NYLON SLEEVE AXLE BUSH
- ERGONOMIC SWIVEL HANDLE (REVERSIBLE)
- FOOT PLATE FOR USE ON GROUND
- CARRY HANDLE
- REMOVABLE AND SWING-AWAY SS FEED TENSION ARM WITH NYLON ROLLER
- POWDER COATED STEEL CONSTRUCTION
- CAN BE STORED WITH HOSE LOADED
- USE ON BOTH WET & DRY HOSES



AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

P:(+61) 02 49540333 E: sales@awfs.com.au W: www.awfs.com.au

FHER ROLLER SPECIFICATIONS:



UNIT WEIGHT	6.8 Kg
LENGTH (A) WITHOUT FEEDER ARM ATTACHED	460 mm
LENGTH (B) WITH FEEDER ARM ATTACHED	685 mm
OVERALL HEIGHT (H)	405 mm
WIDTH (C) WITHOUT HANDLE ATTACHED	190 mm
WIDTH (D) WITH HANDLE ATTACHED	305 mm

ATTACHMENT TO FHRS STAND:

To attach the FHER Roller to the optional FHRS Stand first turn the roller so that the attachment point on the roller is at the same end as latch assembly on stand.

Insert the foot plate of the roller under the upper square tube towards the rear of the stand and then pull downwards at front of roller so that latch assembly can be closed.

Insert retaining pin into latch assembly.




FHER ROLLER & FHRS STAND SOLD SEPARATELY

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

P:(+61) 02 49540333 E: sales@awfs.com.au W: www.awfs.com.au

FHERS STAND SPECIFICATIONS:



UNIT WEIGHT	Kg
OVERALL LENGTH OF STAND (L)	740 mm
OVERALL HEIGHT (H)	740 mm
OVERALL WIDTH OF STAND (W)	395 mm



FHER ROLLER & FHERS STAND SOLD SEPARATELY

AUSTRALIA WIDE FIRE SUPPLIES ABN 80393915621 UNIT 5/54 PENDLEBURY RD CARDIFF NSW 2285

P:(+61) 02 49540333 E: sales@awfs.com.au W: www.awfs.com.au