Supplying Quality Products & Service to the Fire Protection Industry since 1986



Product Reference Manual 2019 - 2020

Australia Wide Fire Supplies ABN: 80 393 915 621

Mail: PO Box 25 Cardiff NSW 2285 Street: Unit 5/54 Pendlebury Road Cardiff NSW 2285

www.awfs.com.au

Orders P: 02 4954 0333 E: sales@awfs.com.au



INDEX

SECTION 1 FIRE FIGHTING APPLIANCES

FIREOUT DRY POWDER FIRE EXTINGUISHERS AB:E	PAGE 1	FIRE BLANKETS	PAGE 5
FIREOUT CARBON DIOXIDE FIRE EXTINGUISHERS	PAGE 2	FIREOUT FIRE HOSE REELS	PAGE 5
FIREOUT AIR WATER FIRE EXTINGUISHERS	PAGE 2	FIRE DEPOT BINS	PAGE 6
FIREOUT AIR FOAM FIRE EXTINGUISHERS	PAGE 3	MOBILE FIRE EXTINGUISHERS DCP AB:E & FOAM	PAGE 7
FIREOUT WET CHEMICAL FIRE EXTINGUISHERS	PAGE 3	LAY FLAT FIRE HOSES	PAGE 8
REGA FIRE FIGHTER BACK PACKS	PAGE 4	LAY FLAT FIRE HOSE ACCESSORIES	PAGE 10
COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 4	WATER JEL BLANKETS	PAGE 11

SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

BRASS LANDING VALVES & MILLCOCKS	PAGE12	COUPLINGS QRT	PAGE 19
STATIC HYDRANT TESTERS	PAGE 12	COUPLINGS - BIC	PAGE 20
HYDRANT HAND WHEELS	PAGE 13	COUPLINGS - MISCELLANEOUS	PAGE 21
HYDRANT STRAPS	PAGE 13	COUPLINGS SHIP TO SHORE	PAGE 22
HYDRANT LOCKS AND PADLOCKS	PAGE 13	ADAPTORS	PAGE 22
STANDPIPES	PAGE 14	STORZ ADAPTORS	PAGE 24
DIVIDING BREECHING CONTROLS BRASS	PAGE 14	STORZ COUPLING CIRCLIPS	PAGE 26
DIVIDING BREECHING CONTROLS ALUMINIUM	PAGE 15	NAKAJIMA COUPLINGS	PAGE 27
BLANKING CAPS	PAGE 15	HYDRANT SPANNERS & HYDRANT TOOLS	PAGE 27
BLANKING CAPS - STORZ	PAGE 17	WASHERS COUPLINGS	PAGE 28
COUPLINGS - STORZ	PAGE 18	WASHERS HYDRANTS	PAGE 29
COUPLINGS - FBT / MFB	PAGE 19		

SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES

BRASS, ALLOY, PVC BRANCH PIPES	PAGE 31	FOAM BRANCHES & FOAM EQUIPMENT	PAGE 33	1
CONTROL BRANCHES & NOZZLE BRANCHES	PAGE 32	FIRE HOSE NOZZLES	PAGE 35	1

SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS

FIRE HOSE REEL NOZZLES	PAGE 39	FIRE HOSE REEL STOP COCKS	PAGE 42
NOZZLE ADAPTORS & HOSE CLAMPS	PAGE 40	FIRE HOSE REEL SERVICE KITS	PAGE 42
FIRE HOSE REEL ARMS & HANDLES	PAGE 41	FIRE HOSE REEL SPARE PARTS	PAGE 43
FIRE HOSE REEL RETAINERS	PAGE 41		





INDEX

SECTION 5 CABINETS COVERS STANDS & TROLLEYS

METAL CABINETS FOR HOSE REELS & EXTINGUISHERS	PAGE 45	CABINET PARTS & ACCESSORIES	PAGE 53
METAL CABINETS - EMERGENCY & MISCELLANEOUS	PAGE 46	CABINET PARTS & ACCESS RESOLVE & RESOLUTE	PAGE 54
POLY CABINETS IP RATED EXT, FHR & MULTIPURPOSE	PAGE 47	FIRE EXTINGUISHER / HOSE REEL COVERS & BAGS	PAGE 55
IP RATED TOP LOAD & POLY CABINETS NON IP RATED	PAGE 49	OTHER COVERS & BAGS	PAGE 56
OTHER POLY CABINETS	PAGE 50	FIRE EXTINGUISHER STANDS & TROLLEYS	PAGE 57
FIBERGLASS CABINETS	PAGE 52		

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

PAGE 65	HEAVY DUTY VEHICLE BRACKETS - REGA KNAPSACK	PAGE 59	HEAVY DUTY VEHICLE BRACKETS - 9KG
PAGE 65	LIGHT DUTY VEHICLE BRACKETS	PAGE 61	HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMB
PAGE 66	EXTINGUISHER HANGERS - UNDERGROUND MINES	PAGE 62	HEAVY DUTY VEHICLE BRACKETS - 4.5KG
PAGE 67	EXTINGUISHER WALL BRACKETS	PAGE 64	HEAVY DUTY VEHICLE BRACKETS - 2.5KG

SECTION 7 FLAMMABLE STORAGE CABINETS

FLAMMABLE LIQUID STORAGE CABINETS PAGE 69

SECTION 8 SIGNS & LABELS			
LOCATION SIGNS - PVC	PAGE 71	GENERAL SIGNS - METAL	PAGE 86
LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF	PAGE 72	EXIT SIGNS - PVC	PAGE 87
LOCATION SIGNS - SELF ADHESIVE - VEHICLE	PAGE 73	ENGRAVED SIGNS	PAGE 88
LOCATION SIGNS - SELF ADHESIVE	PAGE 74	SIGN ADHESIVE	PAGE 88
LOCATION SIGNS - METAL - STANDARD	PAGE 75	FIRE LABELS - EXTINGUISHER PICTOGRAM	PAGE 89
LOCATION SIGNS - METAL - RIGHT ANGLE	PAGE 75	FIRE LABELS - EXTINGUISHER PRESSURE TEST	PAGE 89
LOCATION SIGNS - ALUMINIUM	PAGE 76	FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY	PAGE 90
IDENTIFICATION SIGNS - PVC	Page 77		
IDENTIFICATION SIGNS - SELF ADHESIVE	PAGE 78		
GENERAL SIGNS - PVC	PAGE 79		
GENERAL SIGNS - SELF ADHESIVE	PAGE 83		





















INDEX continued

SECTION 9 SUPPRESSION SYSTEMS

STAT-X SUPPRESSION SYSTEMS	PAGE 93	SUPPRESSION SYSTEM SPARES	PAGE 100
EXXFIRE SUPPRESSION SYSTEMS	PAGE 97		

SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

EVACUATION SIRENS	PAGE 103	COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 105
ESCAPE LADDERS	PAGE 104	REGA FIRE FIGHTER BACK PACKS	PAGE 106
LOCK OUTS	PAGE 104	REGA FIRE FIGHTER BACK PACK SPARE PARTS	PAGE 106
RESCUE TOOLS	PAGE 104	RURAL FIRE HOSE NOZZLES	PAGE 107
FIRE RAKES, AXES & FIRE BEATERS	PAGE 105	SCOTTY FIRE FIGHTING NOZZLES	PAGE 108
FIRE LIGHTER	PAGE 105	SCOTTY SQUALL WALLS, FITTINGS & OTHER	PAGE 109

SECTION 11 SERVICE CONSUMABLES & EQUIPMENT

SEALING TIES	PAGE 111	RECHARGE & TEST ADAPTORS	PAGE 114
SERVICE COLLARS, TAGS & HOLDING RINGS	PAGE 111	RECHARGE & TESTING EQUIPMENT	PAGE 115
BANDIT CLAMPS & BANDIT CLAMP TOOLS	PAGE 112	RECHARGE AGENTS	PAGE 117
NUMBER PUNCHES & SERVICE TOOLS	PAGE 113	FIRE HOSE TESTING EQUIPMENT	PAGE 118

SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

GAUGES	PAGE 119	ELBOWS & FILLER TUBES	PAGE 130
HANDLES, LEVERS & RIVETS	PAGE 121	SCHRADER VALVES	PAGE 130
CHECK STEMS DCP & AW/AF	PAGE 123	DIFFUSERS, ADAPTORS & APPLICATORS	PAGE 131
CHECK STEMS CO2	PAGE 125	DISCHARGE NOZZLES & CAPS	PAGE 132
CHECK STEM SPRINGS	PAGE 126	DISCHARGE HOSES DCP, WC, AW & AF	PAGE 133
CHECK SEATS & SEALS	PAGE 126	DISCHARGE HOSES & HORNS CO2	PAGE 135
SERVICE KITS	PAGE 127	RETAINERS CLIPS & STRAPS	PAGE 136
BURSTING DISC	PAGE 127	O RINGS WASHERS & SEALS	PAGE 137
VALVE ASSEMBLIES	PAGE 128	SIPHON TUBE ADAPTORS	PAGE 139
SAFETY PINS	PAGE 129	SIPHON TUBES	PAGE 140





















INDEX

SECTION 13 BUILDING PRODUCTS

FIRE COLLARS & PIPE COLLARS	PAGE 141	FIRE SEALANT	PAGE 142
FIRE PILLOWS	PAGE 141		

AWFS GENERAL TERMS & CONDITIONS OF SALE

GENERAL TERMS & CONDITIONS OF SALE PAGE	143
-----------------------------------------	-----

GENERAL INFORMATION

HOW TO DETERMINE BSP THREAD SIZE	PAGE 11	WHY CHOOSE FORGED STORZ COUPLINGS?	PAGE 26
HOW TO DETERMINE STORZ COUPLING SIZE	PAGE 18		

Disclaimer:

Images shown are for representation only and images shown may differ from actual products.

Product specifications and pricing are subject to change without notice. Possession of product reference manual or price list does not constitute an agreement to supply any goods.

Australia Wide Fire Supplies does not make any representation that products are fit for any particular use or meet any legislative requirements - it is the responsibility of the customer to ensure that goods supplied meet any requirements and are fit for the intended application.





FIRE FIGHTING APPLIANCES SECTION 1

FIREOUT DRY POWDER FIRE EXTINGUISHERS AB:E

PRODUCT REFERENCE MANUAL

Dry Powder Fire Extinguisher Features:

- Deep drawn steel cylinder with welded base and robust skirt
- Powder coated with UV resistant paint finish
- EPDM UV resistant discharge hose with dust cap
- Brass valve with pressure indicator
- 316 stainless steel handles and levers suitable for aggressive environments
- Non-Aluminium Hose Ferrules on 4.5kg & 9.0kg required for underground use
- 316 Stainless steel hose retaining clip and bands on 2.5kg, 4.5kg & 9.0kg models
- Sturdy solid stainless-steel hanging bracket, ideal for aggressive environments supplied with 4.5 kg and 9.0 kg models
- A rugged epoxy coated metal vehicle bracket comes with 1.0kg & 2.5kg models.
- Aluminium inspection tag and ring (normally removed for underground coal mines)

FIREOUT ABE Fire Extinguishers are suitable for the following Applications:

A Class Fires (paper, wood, textiles)

CERTIFIED & APPROVED TO AS/NZS 1841.5





- B Class Fires (flammable liquid fires such as oils, paints and solvents)
- E Class Fires (energised electrical fires such as switchboards and electrical motors)

PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	OPERATING PRESSURE	DISCHARGE TIME (APPROX)	DIMENSIONS HEIGHT X DIAMETER	OVERALL MASS (APPROX)
E1DAFO	1.0 kg	2A10B:E	DCP ABE	1500 kpa	8—11 SEC	340 x 95 mm	1.9 kg
E25DAFO	2.5 kg	3A30B:E	DCP ABE	1500 kpa	11—14 SEC	400 x 120 mm	3.7 kg
E45DAFO	4.5 kg	6A80B:E	DCP ABE	1500 kpa	17—20 SEC	510 x 150 mm	7.5 kg
E9DAFO	9.0 kg	10A80B:E	DCP ABE	1500 kpa	20—23 SEC	590 x 195 mm	13.6 kg

FIRE EXTINGUISHER ACCESSORIES:

- **CABINETS PAGE 45**
- **COVERS PAGE 55**
- **HEAVY DUTY VEHICLE BRACKETS PAGE 59**
- STANDS & TROLLEYS PAGE 57
- SIGNAGE PAGE 71
- SPARE PARTS PAGE 119

4.5 KG AND 9.0 KG MODELS **MINES SUITABLE**





FIREOUT CARBON DIOXIDE (CO2) FIRE EXTINGUISHERS

CO2 Fire Extinguisher Features:

- ♦ High quality, lightweight Aluminium cylinder
- Powder coated with UV resistant paint finish
- High pressure discharge hose assembly with bell horn design
- 316 stainless steel handles and levers suitable for aggressive environments
- Sturdy solid stainless-steel hanging bracket, ideal for aggressive environments
- ♦ Aluminium inspection tag and ring
- Extinguishers have been fire tested for the use in B
 E Class fires

FIREOUT CO2 Fire Extinguishers are suitable for the following Applications:

B Class Fires (flammable liquid fires such as oils, paints and solvents)

CERTIFIED & APPROVED TO AS/NZS 1841.5



 E Class Fires (energised electrical fires such as switchboards and elec-

PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	DISCHARGE TIME (APPROX)	DIMENSIONS HEIGHT x DIAMETER	OVERALL MASS (APPROX)
E35CFO	3.5 kg	10B:E	CO2	10.5 SEC	590 x 150 mm	8.9 kg
E5CFO	5.0 kg	10B:E	CO2	11 SEC	675 x 160 mm	11.9 kg

FIREOUT AIR WATER FIRE EXTINGUISHERS

Air Water Fire Extinguisher Features:

- ♦ High quality, stainless steel cylinder
- ♦ Powder coated with UV resistant paint finish
- 316 stainless steel handles and levers suitable for aggressive environments
- ♦ Sturdy solid hanging bracket
- Aluminium inspection tag and ring
- Extinguishers have been fire tested for the use in A Class fires

FIREOUT Air Water Fire Extinguishers are

suitable for the following Applications:

A Class Fires (paper, wood, textiles)

PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	DISCHARGE TIME (APPROX)	DIMENSIONS HEIGHT X DIAMETER	OVERALL MASS (APPROX)
E9WFO	9.0 Lt	4A	WATER	80 SEC	610 x 193 mm	12.5 kg



CERTIFIED & APPROVED TO AS/NZS 1841.5





FIRE FIGHTING APPLIANCES SECTION 1

FIREOUT AIR FOAM FIRE EXTINGUISHERS

Air Foam Fire Extinguisher Features:

- High quality stainless steel cylinder
- Powder coated with UV resistant paint finish
- 316 stainless steel handles and levers suitable for aggressive environments
- Sturdy solid hanging bracket
- Aluminium inspection tag and ring

FIREOUT Air Foam Fire Extinguishers are suitable for the following Applications:

- A Class Fires (wood, paper, textiles)
- B Class Fires (flammable liquid fires such as oils, paints and solvents)





PRODUCT CODE	CAPACITY	FIRE	AGENT	OPERATING PRESSURE	DIMENSIONS HEIGHT X DIAMETER	OVERALL MASS (APPROX)
E9FFO	9.0 Lt	4A:30B	AFFF	1030 kpa	610 x 193 mm	12.5 kg
E9FFF	9.0 Lt	4A:10B	FLUORINE FREE ECO FOAM	1030 kpa	627 x 180 mm	12.7 kg

FIREOUT WET CHEMICAL FIRE EXTINGUISHERS

Wet Chemical Fire Extinguisher Features:

- High quality stainless steel cylinder
- Powder coated with UV resistant paint finish
- 316 stainless steel handles and levers suitable for aggressive environments
- Sturdy solid hanging bracket
- Aluminium inspection tag and ring

FIREOUT Wet Chemical Fire Extinguishers are suitable for the following Applications:

- A Class Fires (wood, paper, textiles)
- F Class Fires including cooking oils and fats

CERTIFIED & APPROVED TO AS/NZS 1841.5



PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	DIMENSIONS HEIGHT X DIAMETER	OVERALL MASS (APPROX)
E2WCFO	2.0 Lt	2A:4F	WET CHEMICAL	460 x 125 mm	4.6 kg
E7WCFO	7.0 Lt	3A:4F	WET CHEMICAL	600 x 169 mm	10 kg



FIRE PROTECTION APPLI



REGA FIRE FIGHTER BACK PACKS

REGA Back Pack Features:


- ♦ 16 Litre polyethylene tank
- ♦ Dual action brass plunger action pump
- ♦ No 8 bushfire nozzle straight jet / flat fantail
- ♦ Spaying capacity 1.25 Litres per minute
- ♦ Adjustable straps
- ♦ Dimensions 650 mm (H) x 495 mm (W)

Optional heavy duty vehicle mounting bracket:

 Ensures safe and secure attachment to vehicles



PRODUCT	PRODUCT DESCRIPTION				
BPFF	REGA KNAPSACK 16LT RIGID PVC FIRE FIGHTER SPRAYER				
HDVBRK	VEHICLE TRUCK BRACKET REGA KNAPSACK TO SUIT P/N BPFF				
RBPPA	BACKPACK PUMP ASSEMBLY C/W HOSE AND PUMP (ALT P/N 109724)				
RBPPO	BACKPACK PUMP ASSEMBLY ONLY (ALT P/N 109727)				
ВРГОК	BACK PACK FIRE FIGHTER 16LT PVC OVERHAUL KIT (ALT P/N 109778)				





COLLAPSIBLE FIRE FIGHTER BACK PACKS

Collapsible Fire Fighter Back Pack Features:

- ♦ 15—16 Litre capacity
- HF welded flexible tank manufactured from UV resistant reinforced material
- ♦ Highly effective double action hand pump with jet/fog functions
- ♦ Ergonomic design with adjustable shoulder and waist straps



PRODUCT CODE	PRODUCT DESCRIPTION
BPFFS	BACK PACK WATER SPRAYER RED KNAPSACK COLLAPSIBLE
BPFFSPO	BACK PACK 16LT KNAPSACK SOFT DUAL ACTION PUMP ONLY





FIRE BLANKETS

Fire Blanket Features:

- ♦ Entire range complies with AS/NZISS 3504
- Available with soft plastic or nyplon material cases
- Mounting eyelet on all bags
- Effective for smothering oxygen supply to small fires that may occur in kitchens or on clothing

PRODUCT CODE	FIRE BLANKET DIMENSIONS	CASE MATERIAL		
FB11	1000 x 1000 mm	NYPLON		
FB11P	1000 x 1000 mm	SOFT PLASTIC		
FB1212	1200 x 1200 mm	NYPLON		
FB1212P	1200 x 1200 mm	SOFT PLASTIC		
FB1218	1200 x 1800 mm	NYPLON SOFT PLASTIC		
FB1218P	1200 x 1800 mm			
FB1818	1800 x 1800 mm	NYPLON		
FB1818P	1800 x 1800 mm	SOFT PLASTIC		
SEE PAGE 71 FOR FIRE BLANKET SIGNAGE				





FIREOUT FIRE HOSE REELS

Fireout Fire Hose Reel Features:

- Heavy duty 36m fast-fit hose reel
- Proven design with simple operation / low maintenance cost
- ♦ Stainless steel model available—ideal for marine and other aggressive environments

)	PRODUCT CODE	DESCRIPTION
•	HR3619	HOSE REEL 36 MTR X 19MM QUICK-FIT FIXED
	HR3619SS	HOSE REEL 36 MTR X 19MM 304 STAINLESS STEEL
	HR2530	HOSE REEL 30MTR X 25MM WASH DOWN MANUFACTURED IN ACCORDANCE WITH REQUIREMENTS OF AS 1221

HOSE REEL ACCESSORIES:

- ♦ STANDS PAGE 44
- **♦ CABINETS PAGE 45**
- ♦ COVERS PAGE 55
 - SIGNAGE PAGE 71

Meets or Exceeds AS 1221







FIRE DEPOT BINS

Australia Wide Fire Supplies provide a fully customizable solution for Fire Depot bins and associated equipment.

Standard Features:

- ♦ Heavy duty 240Lt wheeled bin c/w standard wheels
- ♦ Large mine reflective "FIRE DEPOT" front sign and candy-stipe markings
- ♦ Class H lay-flat hoses c/w couplings attached by wire whipping
- Breeching control to suit fittings as required
- ♦ Branchpipes and nozzles, both brass and PVC as required
- Hydrant spanners and brass adaptors as required
- ♦ Removable equipment cage to help organize and separate accessories from fire hoses plus improved access
- Fire hose straps and clear fire hose covers to keep hoses protected

Common Optional Extras:

- ♦ Extra side "FIRE DEPOT" signage as required
- Dust seals to help prevent ingress of dust and contaminants
- ♦ Lid latch & pin assembly to prevent lid being blown open and contents being exposed to dirt and dust
- ♦ Internal contents labels by order as per client requirements
- External fire extinguisher mounting brackets, extinguishers and covers
- ♦ Over-sized wheels ideal for rough terrain















Please contact AWFS to discuss your requirements and to obtain up to date pricing.





MOBILE FIRE EXTINGUISHERS DCP AB:E

DCP AB:E Mobile Extinguisher Features:

- Self contained mobile trolley mounted unit
- ♦ Operating pressure of 1500kPa
- ♦ Range of 3-5 mtrs
- ♦ Rating 10A80B:E
- ♦ Large oversize rear trolley wheels
- Lockable castor wheels on front of trolley

PRODUCT CODE	DESCRIPTION	WEIGHT (APPROX)	BODY DIAM (APPROX)	HEIGHT (APPROX)
EM50DA	MOBILE EXT 50KG DCP ABE WITH TROLLEY	80.5 KG	300 mm	1100 mm
EM100DA	MOBILE EXT 100KG DCP ABE WITH TROLLEY	146 KG	400 mm	1250 mm



MOBILE FIRE EXTINGUISHERS FOAM

Foam Mobile Extinguisher Features

- Self contained mobile trolley mounted unit
- Operating pressure of 1030kPa
- ♦ Performance range 3 5 mtrs
- ♦ Foam type C6 or Fluorine Free option below
- ♦ Large oversize rear trolley wheels
- ♦ Lockable castor wheels on front of trolley



PRODUCT CODE	DESCRIPTION	WEIGHT (APPROX)	BODY DIAM (APPROX)	HEIGHT (APPROX)
EM50F	MOBILE EXT 50Ltr AFFF FOAM WITH TROLLEY	80.5 KG	300 mm	1100 mm
EM100F	MOBILE EXT 100Ltr AFFF FOAM WITH TROLLEY	146 KG	400 mm	1250 mm
EM50FFF	MOBILE EXT 50 LTR FLUORINE FREE FOAM W/TROLLEY	80.5 KG	300 mm	1100 mm
EM100FFF	MOBILE EXT 100 LTR FLUORINE FREE FOAM W/TROLLEY	146 KG	400 mm	1250 mm





FIRE PROTECTION APPLIANCES



FIRE HOSES

Australia Wide Fire Supplies offer a comprehensive range of high quality Australian made lay flat fire hoses all of which are manufactured and certified to AS 2792. Standard lay flat fire hose lengths are 30 metres however other lengths are available on request. Hoses are available as bare lengths or can be supplied with a comprehensive range of couplings to your specification. All couplings supplied with hoses are wire whipped for extended service life and can be supplied with or without test certificate subject to your requirements.

Class M General Purpose:

- Polyester construction with internal lining
- Popular choice for domestic and commercial applications 1500kPa working pressure
- ♦ Available in standard and percolating m
- Mildew resistant—can be stored wet


Class M Coated:

- ♦ Polyester construction with internal lining
- Additional protected polyurethane coating provides chemical and abrasion resistance
- Popular choice for domestic and commercial applications 1500kPa working pressure
- ♦ Maintenance free can be stored wet

Class M Percolating:

- Polyester construction with internal lining
- Precision engineered percolating function available in low, medium and high grades depending on application
- Light weight making it ideal for cartage into inaccessible locations
- ♦ 1500kPa working pressure
- ♦ Maintenance free can be stored wet

CODE DESCRIPTION		WORKING PRESSURE
	CLASS M GENERAL PURPOSE FIRE HOSE	
FH25CMGP	FIRE HOSE 25MM CLASS M GEN PURPOSE PER MTR	1500kPa
FH38CMGP	FIRE HOSE 38MM CLASS M GEN PURPOSE PER MTR	1500kPa
FH50CMGP	FIRE HOSE 50MM CLASS M GEN PURPOSE PER MTR	1500kPa
	CLASS M COATED LINED FIRE HOSE	
FH25CMCO	FIRE HOSE 25MM CLASS M COATED PER MTR	1500kPa
FH38CMCO	FIRE HOSE 38MM CLASS M COATED PER MTR	1500kPa
FH50CMCO	FIRE HOSE 50MM CLASS M COATED PER MTR	1500kPa
FH65CMCO	FIRE HOSE 65MM CLASS M COATED PER MTR	1500kPa
	CLASS M PERCOLATING FIRE HOSE	
FH25CMPE	FIRE HOSE 25MM CLASS M PERCOLATING PER MTR	1500kPa
FH38CMPE	FIRE HOSE 38MM CLASS M PERCOLATING PER MTR	1500kPa
FH50CMPE	FIRE HOSE 50MM CLASS M PERCOLATING PER MTR	1500kPa
FH65CMPE	FIRE HOSE 65MM CLASS M PERCOLATING PER MTR	1500kPa
	MORE FIRE HOSE MODELS ON FOLLOWING PAGE	











FIRE FIGHTING APPLIANCES SECTION 1

FIRE HOSES - continued

Class H Heavy Duty:

- Approved for use by FRNSW, CFA and ADF
- Heavy duty spun polyester construction with internal lining suited for extreme fire fighting conditions
- \Diamond High working pressure of 2100kPa
- Mildew resistant can be stored wet

Class H Heavy Duty Percolating:

- Approved for use by FRNSW, CFA and ADF
- Precision engineered percolating function available in low, medium and high grades depending on application
- Heavy duty spun polyester construction with internal lining suited for extreme fire fighting conditions
- High working pressure of 2100kPa
- Mildew resistant can be stored wet

FIRE PROTECTION APPLIANCES Class H Heavy Duty Extruded (Type 3):

- High pressure TYPE 3 fire hose
- Spun polyester construction with PVC Nitrile internal lining and precision engineered extruded synthetic rubber outer cover
- High resistance to chemical exposure and abrasion
- High working pressure of 2100 kPa with burst pressure of 5250kPa

CODE	CODE DESCRIPTION	
	CLASS H HEAVY DUTY FIRE HOSE	
FH25CHHD	FIRE HOSE 25MM CLASS H HEAVY DUTY PER MTR	2100kPa
FH38CHHD	FIRE HOSE 38MM CLASS H HEAVY DUTY PER MTR	2100kPa
FH50CHHD	FIRE HOSE 50MM CLASS H HEAVY DUTY PER MTR	2100kPa
FH65CHHD	FH65CHHD FIRE HOSE 65MM CLASS H HEAVY DUTY PER MTR 2100ki	
	CLASS H HEAVY DUTY PERCOLATING FIRE HOSE	
FH25CHPE	FIRE HOSE 25MM CLASS H PERCOLATING PER MTR	2100kPa
FH38CHPE	FIRE HOSE 38MM CLASS H PERCOLATING PER MTR	2100kPa
FH50CHPE	FIRE HOSE 50MM CLASS H PERCOLATING PER MTR	2100kPa
FH65CHPE	FH65CHPE FIRE HOSE 65MM CLASS H PERCOLATING PER MTR 2100kF	
	CLASS H HEAVY DUTY EXTRUDED FIRE HOSE	
FH25CHEX	FIRE HOSE 25MM CLASS H EXTRUDED PER MTR	2100kPa
FH38CHEX	FIRE HOSE 38MM CLASS H EXTRUDED PER MTR	2100kPa
FH50CHEX	FIRE HOSE 50MM CLASS H EXTRUDED PER MTR	2100kPa
FH65CHEX	FIRE HOSE 65MM CLASS H EXTRUDED PER MTR	2100kPa
FITTING & TESTING NEW HOSES		
FHWIWH	FIRE HOSE SS WIRE WHIPPING PER HOSE	
FHTEST	FIRE HOSE TEST WITH TAG NEW HOSE	











FIRE FIGHTING APPLIANCES SECTION 1

FIRE HOSE ACCESSORIES

	PRODUCT CODE	DESCRIPTION
The same of the sa	FHER	FIRE HOSE EASY ROLL ROLLER ONLY COMPLETE WITH FOLDAWAY HANDLE
	FHERS	FIRE HOSE EASY ROLL STAND ONLY
5	FHRV	FIRE HOSE REPAIR VULCANIZER
42	FHB38	FIRE HOSE BANDAGE 38MM
	FHB65	FIRE HOSE BANDAGE 65MM
Invited and	FHS38	FIRE HOSE BINDING CUFF 38MM
	FHS65	FIRE HOSE BINDING CUFF 65MM
PACT OF	FHRVG	FIRE HOSE REPAIR GLUE
	FHRVP35	FIRE HOSE REPAIR VULCANIZING PATCH 35MM
	FHRVP50	FIRE HOSE REPAIR VULCANIZING PATCH 50MM
	FHRVP65	FIRE HOSE REPAIR VULCANIZING PATCH 65MM
	SFBB	STRAP FIRE BRIGADE BLACK 850MM LONG
2	SFH38Y	STRAP FIRE HOSE 38MM YELLOW 650MM LONG SUITS 38MM HOSE
9	SFH65R	STRAP FIRE HOSE 65MM RED 800MM LONG SUITS

Repairing Lay Flat Fire Hoses

Lay flat hose manufacturers will specify the correct type of patches and vulcanizing times and temperatures for the repair of their lay flat hoses.

Repair processes can also vary according to the type of hose and the damage being repaired. It is important to ensure the hose manufacturer's guidelines are followed and failure to do so may result in hose failure.

Contact AWFS with your hose details for more information.















WATER JEL FIRE BLANKETS




CODE	DESCRIPTION
FBWGS	FIRE BLANKET WATER JEL SMALL 760mm x 910mm
FBWG1518	FIRE BLANKET WATER JEL MEDIUM 1520mm x 1830mm
FBWG1824	FIRE BLANKET WATER JEL LARGE 1830mm x 2440mm

WATER JEL Fire Blankets offer one of the quickest, easiest and most direct methods of administering emergency first aid burn care. When placed on a victim, gel-soaked blankets ease the pain, cool the burn, and help protect against airborne contamination all in one easy step. They can also be used to extinguish flames on a victim and put out small fires.

The Fire Blankets are composed of a 100% worsted wool carrier with an intercellular weaver capable of absorbing up to 13x its own weight. The wool is soaked in a water-based, water soluble gel that is bacteriostatic and biodegradable. Fire Blankets have a 5 year shelf life.

DETERMINING BSP M THREAD SIZING

To determine the correct size of a BSP thread a "MAJOR DIAMETER" measurement across the outside of the threads as shown below needs to be taken. The MD measurement should then be cross referenced on the below table to determine the common BSP name.



MAJOR DIAMETER (MD) MM	BSP NAME MM	BSP NAME INCHES
20.995 mm	15 mm	1/2"
26.441 mm	20 mm	3/4"
33.249 mm	25 mm	1"
47.803 mm	38 / 40 mm	1 ½"
59.614 mm	50 mm	2"
75.184 mm	65 mm	2 ½"
87.884 mm	75 / 80 mm	3"
113.03 mm	100 mm	4"
138.43 mm	125 mm	5"
163.83 mm	150 mm	6"



FIRE PROTECTION APPLIANCES



BRASS LANDING VALVES & MILLCOCKS



CODE	NSW SAFB, QLD, BSP, MFB
HLV65B	HYDRANT LANDING VALVE 65MM FBT MFB M OUTLET x 65mm BSPM INLET
HLV65FM	HYDRANT LANDING VALVE 65MM FBT MFB MILLCOCK X 65MM BSPM INLET
HLV65CFAM	HYDRANT LANDING VALVE 65MM CFA MILLCOCK x 65MM BSPM INLET
HLV65BBM	HYDRANT LANDING VALVE 65MM BSP MILLCOCK X 65MM BSPM INLET
HLV65R	HYDRANT LANDING VALVE 65MM FBT MFB OUTLET ROLL GROOVE INLET
HLV65SAF	HYDRANT LANDING VALVE 65MM SAFB 65mm BSP FEM INLET
HLV65QR	HYDRANT LANDING VALVE 65MM QRT ROLL GROOVE INLET
HLV65BR	HYDRANT LANDING VALVE 65MM BSP ROLL GROOVE INLET
HLV50B	HYDRANT LANDING VALVE 50MM BSP MALE OUTLET x 50MM BSP M INLET
HLV38B	HYDRANT LANDING VALVE 38MM BSP MALE OUTLET x 38MM BSP M INLET







HLV65BS	HYDRANT LANDING VALVE 65 STORZ X 65MM BSPM INLET	
HLV65BSO	HYDRANT LANDING VALVE 65 STORZ MILLCOCK 65MM BSPM INLET	
BRITISH INSTANTANEOUS (BI)		

STORZ OUTLET

HLV65BI	HYDRANT LANDING VALVE 65MM BIC X 65MM BSPM INLET
HLV65BIRG	HYDRANT LANDING VALVE 65MM BIC ROLL GROOVE INLET

♦ MILLCOCK = OBLIQUE = 30 DEGREE UPWARD OFFSET

ALL LANDING VALVES LISTED IN THIS TABLE WITH <u>ROLL-GROOVE INLET</u> INCLUDE AN INTERNAL 65MM BSPF THREAD INTERNALLY - SEE IMAGE DETAIL LOWER LEFT

STATIC HYDRANT TESTERS



CODE	DESCRIPTION
HTSN	HYDRANT TESTER STATIC NSW FBT / MFB GUNMETAL
HTSQ	HYDRANT TESTER STATIC QRT GUNMETAL
HTSB	HYDRANT TESTER STATIC BIC GUNMETAL



HYDRANT HAND WHEELS

	PRODUCT CODE	DESCRIPTION
	HHWALVA	HYDRANT HAND WHEEL ALVIN ALLOY VINCENT SQUARE HOLE 14.4MM TAPER
3	HHWALVS	HYDRANT HAND WHEEL ALVIN STEEL SQUARE HOLE 14MM TAPER
	HHWQA	HYDRANT HAND WHEEL QUELL ALLOY TAPERED SQUARE CENTRE
8	HHWQM	HYDRANT HAND WHEEL QUELL CAST METAL OLD ELONGATED HOLE

HYDRANT STRAPS

TINGS & EQUIPMENT

SECTION 2 HYDRANT / FIRE HOSE FIT



PRODUCT	DESCRIPTION
SL13450B	STRAP LEATHER 13x450 BUCKLED 13mm W x 450mm L
SL13600B	STRAP LEATHER 13x600 BUCKLED 13mm W x 600mm L
SL25450H	HYDRANT LOCKING STRAP LEATHER 25mm W x 450mm L HOLED
SL25600H	HYDRANT LOCKING STRAP LEATHER 25mm W x 600mm L HOLED

HYDRANT LOCKS AND PADLOCKS



PRODUCT CODE	DESCRIPTION
LPL003	LOCKWOOD 003 PADLOCK FIRE LOCK c/w 2 x 003 KEYS - 20mm x 6mm
K003	LOCK KEY ONLY 003 TO SUIT PADLOCK P/N LPL003
WVL6	HYDRANT VALVE LOCK 5-6.5 INCH 170mm ID HYDRANT WHEEL LOCK





STANDPIPES



PRODUCT CODE	DESCRIPTION			
	CONTRACTOR STANDPIPES			
SPC25G	STANDPIPE CONTRACTORS 25mm GUNMETAL - UNMETERED			
SPC40G	STANDPIPE CONTRACTORS 40mm GUNMETAL - UNMETERED			
	HYDRANT STANDPIPES 65MM ALUMINIUM			
SP65SA	STANDPIPE 65mm STORZ OUTLET ALLOY			
SP65FMA	STANDPIPE 65mm FBT MFB SINGLE OUTLET ALLOY			
SP65QA	STANDPIPE 65mm QRT ALUMINIUM			
SP65BFA	STANDPIPE 65mm BIC FEM OUTLET ALLOY			
SP65CA	STANDPIPE 65mm CFA ALLOY			
	HYDRANT STANDPIPES 65MM GUNMETAL			
SP65FG	STANDPIPE 65mm FBT MFB 5V GUNMETAL			
SP65QG	STANDPIPE 65mm QRT GUNMETAL			
HS65QD	STANDPIPE 65mm QRT GUNMETAL DOUBLE HEAD			

DIVIDING BREECHING CONTROLS BRASS

	CODE	DESCRIPTION
Y	BSC38B	DIVIDING BREECH CONTROL BRASS 38MM BSP INLET x 2 38MM BSP OUTLET
*	BSC65F38B	DIVIDING BREECH CONTROL BRASS 65MM FBT INLET x 2 38MM BSP OUTLET
*	BSC65FB	BREECHING CONTROL BRASS 65MM FBT F INLET x 2 65MM FBT M OUTLET

	CODE	DESCRIPTION	
\$	BSC65QB	BREECHING CONTROL BRASS 65MM QRT F INLET 2 x 65MM QRT M OUTLET	
*	BSC65BIB	DIVIDING BREECH CONTROL BRASS 65MM BI MALE x 2 65MM BI FEMALE OUTLET	
*	BSC65SB	DIVIDING BREECH 65mm STORZ x 2 65mm STORZ OUTLETS BRASS CONTR	





SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

DIVIDING BREECHING CONTROLS ALUMINIUM

CODE	DESCRIPTION
BSC65SA	BREECHING DUAL CONTROL STORZ 65MM INLET x 2 65MM OUTLET ALLOY
BSC6550A	DIVIDING CONTROL BREECH ALLOY 65MM BSPM INLET 2 X 50MM BSP M OUTLET WITH HANDLE
BSC65BIA	DIVIDING BREECH CONTROL ALLOY 65MM BIC M INLET x 2 65MM BIC F/M OUTLET

BLANKING CAPS

	CODE	DESCRIPTION		CODE	DESCRIPTION
-	BC65FP	BLANKING CAP 65MM FBT PVC BLACK FEMALE NSW	8	BC63QPM	BLANKING CAP 63MM QRT PVC MALE PLUG
	BC65FPA	BLANKING CAP 65MM FBT PVC RED FEMALE NSW		BC65BICPM	BLANKING CAP 65MM B.I PVC MALE PLUG
	BC65B	BLANKING CAP 65MM FBT & MFB BRASS FE- MALE	E 10	BC65BICBM	BLANKING CAP 65MM BIC MALE BRASS PLUG
	BC65FPM	BLANKING CAP 65MM FBT PVC MALE PLUG	•	BC65BICPF	BLANKING CAP 65MM BIC PVC FEMALE
	BC63QRTP	BLANKING CAP 63MM QRT NYLON FEMALE		BC65BICFB	BLANKING CAP 65MM BIC F BRASS FEMALE
•	BC65QFB	BLANKING CAP 65MM QRT FEMALE BRASS		BC65BICFA	BLANKING CAP 65MM BI FEM ALLOY SINGLE RELEASE LUG



SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT



BLANKING CAPS - continued

	CODE	DESCRIPTION
5000	BC38BB	BLANKING CAP 38MM BSP FEMALE BRASS C/W CHAIN
	BC38BICBM	BLANKING CAP 38MM BIC MALE BRASS
	BC65CFA	BLANKING CAP 65MM CFA BRASS FEMALE
-	BC65CFAP	BLANKING CAP 65MM CFA PVC FEMALE

	CODE	DESCRIPTION
	BC65CPM	BLANKING CAP 65MM CFA PVC MALE PLUG
	BC65NB	BLANKING CAP 65MM NAKAJIMA BRASS
	BC65SPM	BLANKING CAP 65MM SART PVC MALE PLUG c/w LUGS
aj -	BCPSA	BLANKING CAP 65MM SART PVC SART 2 1/8 TPI





BLANKING CAPS - STORZ

ALLOY STORZ BLANKING CAPS SBC25 STORZ BLANKING CAP 25MM ALLOY SBC38 STORZ BLANKING CAP 38MM ALLOY SBC50 STORZ BLANKING CAP 50MM ALLOY SBC65 STORZ BLANKING CAP 65MM ALLOY SBC65DV STORZ BLANKING CAP 65MM ALLOY FORGED W/ DRAIN VALVE SBC75 STORZ BLANKING CAP 75MM ALLOY SBC90 STORZ BLANKING CAP 90MM ALLOY STORZ BLANKING CAP 100MM ALLOY **SBC100 SBC125** STORZ BLANKING CAP 125MM ALLOY **SBC150** STORZ BLANKING CAP 150MM ALLOY **PVC STORZ BLANKING CAPS** SBC65P STORZ BLANKING CAP 65MM PVC SBC100P STORZ BLANKING CAP 100MM PVC **BRASS STORZ BLANKING CAPS** STORZ BLANKING CAP 38MM BRASS SBC38B SBC50B STORZ BLANKING CAP 50MM BRASS

STORZ COUPLING CIRCLIPS

SBC65B

STORZ COUPLING CIRCLIPS					
\bigcap	SCC38	STORZ COUPLING CIRCLIP 38 MM			
	SCC50	STORZ COUPLING CIRCLIP 50 MM			
	SCC65	STORZ COUPLING CIRCLIP 65 MM			

STORZ BLANKING CAP 65MM BRASS





COUPLINGS - STORZ

Australia Wide Fire Supplies only supply high quality FORGED STORZ couplings. We do not recommend the use of inferior low cost casted STORZ couplings for fire protection applications.

FORGED BRASS STORZ COUPLINGS - SOLD IN COUPLING SETS - SUPPLIED WITH DELIVERY TYPE SEAL




SCS38B	STORZ COUPLING SET 38MM x 38MM TAIL FORGED BRASS
SCS50B	STORZ COUPLING SET 52MM x 52MM TAIL FORGED BRASS
SCS6538B	STORZ COUPLING SET 65MM x 38MM TAIL FORGED BRASS
SCS6550B	STORZ COUPLING SET 65MM x 50MM TAIL FORGED BRASS
SCS65B	STORZ COUPLING SET 65MM x 65MM TAIL FORGED BRASS
SCS75B	STORZ COUPLING SET 75MM x 75MM TAIL FORGED BRASS

FORGED ALLOY STORZ COUPLINGS - SOLD AS INDIVIDUAL COUPLINGS - SUPPLIED WITH DELIVERY TYPE SEAL



SC2519	STORZ COUPLING 25MM x 19MM TAIL FORGED ALLOY
SC25	STORZ COUPLING 25MM x 25MM TAIL FORGED ALLOY
SC3825	STORZ COUPLING 38MM x 25MM TAIL FORGED ALLOY
SC38	STORZ COUPLING 38MM x 38MM TAIL FORGED ALLOY
SC50	STORZ COUPLING 52MM x 52MM TAIL FORGED ALLOY
SC6538	STORZ COUPLING 65MM x 38MM TAIL FORGED ALLOY
SC6550	STORZ COUPLING 65MM x 52MM TAIL FORGED ALLOY
SC65	STORZ COUPLING 65MM x 65MM TAIL FORGED ALLOY

HOW TO CORRECTLY DETERMINE STORZ COUPLING SIZE



The measurement figure "K" should then be cross referenced to table (below) to determine the "STORZ" size of the coupling face.



DISTANCE (K) MM	COUPLING SIZE MM	COUPLING SIZE "	STORZ REF
31MM	25MM	1"	D
51MM	38MM	1.5"	
66MM	52MM	2"	С
81MM	65MM	2.5"	
89MM	75MM	3"	В

DISTANCE (K) MM	COUPLING SIZE MM	COUPLING SIZE "	STORZ REF
105MM	90MM	3.5"	
115MM	100MM	4"	
133MM	110MM	4.5"	Α
148MM	125MM	5"	
160MM	150MM	6"	





COUPLINGS - FBT / MFB

COUPLING SETS - FBT / MFB	BRASS	
4.0	CS6565FB	COUPLING SET 65MM NSW FBT x 65MM TAIL BRASS
	CS65F50TB	COUPLING SET 65MM NSW FBT x 50MM TAIL BRASS
	CS6538FB	COUPLING SET 65MM NSW FBT x 38MM TAIL BRASS
	ALLOY	
	CS6565FA	COUPLING SET 65MM NSW FBT x 65MM TAIL ALLOY
T.	CS6538FA	COUPLING SET 65MM NSW FBT x 38MM TAIL ALLOY
COUPLINGS IND - FBT /MFB	BRASS	
A-	C65F	COUPLING 65MM NSW FBT FEMALE x 65MM TAIL BRASS
	C65FF50TB	COUPLING 65MM NSW FBT FEMALE x 50MM TAIL BRASS
	C65FF38TB	COUPLING 65MM NSW FBT FEMALE x 38MM TAIL BRASS
	C65FM65TB	COUPLING 65MM NSW FBT MALE x 65MM TAIL BRASS
	C65FM50TB	COUPLING 65MM NSW FBT MALE x 50MM TAIL BRASS
	C65FM38TB	COUPLING 65MM NSW FBT MALE x 38MM TAIL BRASS
	ALLOY	
	C65FF65TA	COUPLING 65MM NSW FBT FEMALE x 65MM TAIL ALLOY
	C65FF38TA	COUPLING 65MM NSW FBT FEMALE x 38MM TAIL ALLOY
	C65FM65TA	COUPLING 65MM NSW FBT MALE x 65MM TAIL ALLOY
•	C65FM38TA	COUPLING 65MM NSW FBT MALE x 38MM TAIL ALLOY

COUPLINGS - QRT

SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

COUPLING SETS - QRT	BRASS	
	CS6565QB	COUPLING SET 65MM QRT x 65MM TAIL BRASS
	CS6538QB	COUPLING SET 65MMQRT x 38MM TAIL BRASS
	ALLOY	
	CS6565QA	COUPLING SET 65MM QRT X 65MM TAIL ALLOY
COUPLINGS IND - QRT	BRASS	
0 0	C65QF65TB	COUPLING 65MM QRT FEMALE x 65MM TAIL BRASS
	C65QF50TB	COUPLING 65MM QRT FEMALE x 50MM TAIL BRASS
	C65QF38TB	COUPLING 65MM QRT FEMALE x 38MM TAIL BRASS
T W	C65QM65TB	COUPLING 65MM QRT MALE x 65MM TAIL BRASS





COUPLINGS - QRT continued

COUPLINGS IND - QRT cont	BRASS	
	C65QM50TB	COUPLING 65MM QRT MALE x 50MM TAIL BRASS
	C65QM38TB	COUPLING 65MM QRT MALE x 38MM TAIL BRASS
	ALLOY	
"-	C65QF65TA	COUPLING 65MM QRT FEMALE x 65MM TAIL ALLOY
	C65QF50TA	COUPLING 65MM QRT FEMALE x 50MM TAIL ALLOY
	C65QM65TA	COUPLING 65MM QRT MALE x 65MM TAIL ALLOY
THE STATE OF THE S	C65QM50TA	COUPLING 65MM QRT MALE x 50MM TAIL ALLOY
-	C65QIVISUTA	COUPLING 65IVIM QRT MALE X SUMMITAIL ALLOY

COUPLINGS - BIC

COUPLING SETS - BIC	BRASS	
n	CS65B65TB	COUPLING SET 65MM BI x 65MM TAIL BRASS
	CS65BI50B	COUPLING SET 65MM BI x 50MM TAIL BRASS
	CS65BI45B	COUPLING SET 65MM BI x 45MM TAIL BRASS
	CS65BI38TB	COUPLING SET 65MM BI x 38MM TAIL BRASS
#	ALLOY	
	CS65B65A	COUPLING SET 65MM BIC x 65MM TAIL ALLOY
	CS65BI50A	COUPLING SET 65MM BI x 50MM TAIL ALLOY
	CS65B38A	COUPLING SET 65MM BIC x 38MM TAIL ALLOY
COUPLINGS IND - BIC	BRASS	
	C65BIF65TB	COUPLING 65MM BIC F x 65MM TAIL BRASS
	C65BIF38TB	COUPLING 65MM BIC F x 38MM TAIL BRASS
	C65BIM65TB	COUPLING 65MM BIC MALE x 65MM TAIL BRASS
	C65BIM38TB	COUPLING 65MM BIC MALE x 38MM TAIL BRASS
	C38BIF38TB	COUPLING 38MM BIC FEMALE X38MM TAIL BRASS
	C38BIM38TB	COUPLING 38MM BIC MALE x 38MM TAIL BRASS
	ALLOY	
	C65BIF65A	COUPLING 65MM BIC FEMALE X 65MM TAIL ALLOY
	C65BIF38A	COUPLING 65MM BIC FEMALE x 38MM TAIL ALLOY
	C65BIM65A	COUPLING 65MM BIC MALE x 65MM TAIL ALLOY
	C65BIM38A	COUPLING 65MM BIC MALE x 38MM TAIL ALLOY





SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

COUPLINGS - MISCELLANEOUS

COUPLING SETS & COUPLINGS - BSP



CS38BBL	COUPLING SET 38MM BSP x 38MM TAIL BRASS MALE/FEMALE
C65FFB	COUPLING 65MM BSP FEMALE BRASS X 65MM TAIL
C65FMB	COUPLING 65mm BSP MALE BRASS X 65MM TAIL
C50FB50TB	COUPLING 50mm BSP FEMALE x 50MM TAIL BRASS
C50BM50TB	COUPLING 50mm BSP MALE x 50MM TAIL BRASS
C38BFB	COUPLING 38mm BSP FEMALE BRASS
С38ВМВ	COUPLING 38mm BSP MALE BRASS

COUPLINGS IND - FORESTRY CONNECTION

7	
1	3

INGS & EQUIPMENT

SECTION 2 HYDRANT / FIRE HOSE FIT

SQCF	FORESTRY CONNECTION FEMALE 1.5" BSP YELLOW GF NYLON
SQCM	FORESTRY CONNECTION MALE 1.5 " BSP YELLOW GF NYLON

COUPLING SETS - NAKAJIMA



CS65NKB	COUPLING SET 65MM NAKAJIMA x 65MM HOSE TAIL BRASS
CS65NK38TB	COUPLING SET 65MM NAKAJIMA x 38MM HOSE TAIL BRASS
CS50NKB	COUPLING SET 50MM NAKAJIMA x 50MM HOSE TAIL BRASS

COUPLING SETS - CFA

CS65C38TB	COUPLING SET 65MM CFA x 38MM TAIL BRASS





COUPLINGS - SHIP TO SHORE

COUPLINGS - SHIP TO SHORE



CSSS50B	COUPLING SHIP TO SHORE 50MM BSP MALE BRASS
CSSS65BM	COUPLING SHIP TO SHORE 65MM BSP MALE BRASS
CSSS65B	COUPLING SHIP TO SHORE STORZ 65MM BRASS

ADAPTORS

ADAPTORS 65MM FBT



	A65FF50BFS	ADAPTOR 65MM FBT F x 50MM BSP FEMALE SWIVEL TYPE BRASS
	A65FF50BF	ADAPTOR 65MM FBT F x 50MM BSP FEMALE BRASS
	A65F50BM	ADAPTOR 65MM FBT F x 50MM BSP MALE BRASS
	A65F38BM	ADAPTOR 65MM FBT F x 38MM BSP MALE BRASS
3	A65F38BMA	ADAPTOR 65MM FBT Fx 38MM BSP MALE ALLOY
	A65FF25BM	ADAPTOR 65MM FBT F x 25MM BSP MALE BRASS

ADAPTORS 65MM QRT





A65QF65BMB	ADAPTOR 65MM QRT F x 65MM BSP MALE BRASS
A65QF50BMB	ADAPTOR 63MM QRT F x 50MM BSP MALE BRASS
A65QF38BMB	ADAPTOR 63MM QRT F x 38MM BSP MALE BRASS
A65QF25BMB	ADAPTOR 65mm QRT F x 25mm BSP MALE BRASS
A65QM38BMA	ADAPTOR 63MM QRT M x 38MM BSP MALE ALLOY
A65QF50BFB	ADAPTOR 65MM QRT F x 50MM BSP FEMALE BRASS
A65QF50BFS	ADAPTOR 65MM QRT F x 50MM BSP FEMALE SWIVEL TYPE BRASS
A65QM50BFA	ADAPTOR 65MM QRT M x 50MM BSP FEMALE ALLOY
A65QF50BF	ADAPTOR 63MM QRT F x 50MM BSP FEMALE ALLOY
A65QM38BFB	ADAPTOR 65mm QRT M x 38mm BSP FEMALE BRASS

ADAPTORS 65MM CFA



A65CM65MF	ADAPTOR 65MM CFA M. x 65MM MFB FEMALE BRASS
A65MM65CF	ADAPTOR 65MM MFB M x 65MM CFA FEMALE BRASS
A65CFAFS65BFB	ADAPTOR 65MM CFA FEMALE SWIVEL X 65MM BSP FEMALE BRASS
A65CM65BMB	ADAPTOR 65MM CFA M x 65MM BSP MALE BRASS
A65CF50BF	ADAPTOR 63MM CFA F x 50MM BSP FEMALE BRASS
A65CF50BFA	ADAPTOR 65MM CFA F x 50MM BSP FEMALE ALLOY



SILVER MEMBER
Fire Protection
Association Australia

SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMEN

ADAPTORS - continued

ADAPTORS BIC















	ABI65F65BMB	ADAPTOR 65MM B.I. F x 65MM BSP MALE BRASSc/w SINGLE LUG & CAP			
	ABI65F65BM	ADAPTOR 65MM B.I. F x 65MM BSP MALE ALLOY			
	ABI65F65BIF	ADAPTOR 65MM B.I. F x 65MM BIC FEMALE ALLOY			
	ABI65BFB	ADAPTOR 65MM B.I. F x 65MM BSP FEMALE GUNMETAL			
	ABI6565BF	ADAPTOR 65MM B.I. F x 65MM BSP FEMALE ALLOY			
	ABI65F50BMB	ADAPTOR 65MM B.I. F x 50MM BSP MALE BRASS			
	ABI65F50BM	ADAPTOR 65MM B.I. F x 50MM BSP MALE - ALLOY			
	ABI65F50BFB	ADAPTOR 65MM B.I. F x 50MM BSP FEMALE BRASS			
	ABI65F50BF	ADAPTOR 65MM B.I. F x 50MM BSP FEM ALLOY c/w RELEASE LUG			
	ABI65F38BMBM	ADAPTOR 65MM B.I. F x 38MM BSP MALE BRASS 2 HANDLE RELEASE			
	ABI65F38BM	ADAPTOR 65MM B.I. F x 38MM BSP MALE ALLOY			
	ABI65F38BFB	ADAPTOR 65MM B.I. F x 38MM BSP FEMALE BRASS			
	ABI65F38BF	ADAPTOR 65MM B.I. F x 38MM BSP FEMALE ALLOY			
	ABI65BBF	ADAPTOR 65MM B.I. M x 65MM BSP FEMALE BRASS			
	ABI65M65BF	ADAPTOR 65MM B.I. M x 65MM BSP FEMALE ALLOY			
	ABI65M65MB	ADAPTOR 65MM B.I MALE x 65MM B.I MALE BRASS NIPPLE			
	ABI65BMB	ADAPTOR 65MM B.I. M x 65MM BSP MALE GUNMETAL			
	ABI6565BM	ADAPTOR 65MM B.I. M x 65MM BSP MALE ALLOY			
	ABI65BF65CF	ADAPTOR 65MM BIC F x 65MM CFA FEMALE BRASS			
	ABI65BM65CM	ADAPTOR 65MM BIC M x 65MM CFA MALE BRASS			
	ABI6550BFB	ADAPTOR 65MM B.I. M x 50MM BSP FEMALE BRASS			
	ABI6550BMB	ADAPTOR 65MM B.I. M x 50MM BSP MALE BRASS			
	ABI6550BF	ADAPTOR 65MM B.I. M x 50MM BSP FEMALE ALLOY			
	ABI6550BFH	ADAPTOR 65MM B.I.M x 50MM BSP FEM ALLOY HEX TYPE			
	ABI6550BM	ADAPTOR 65MM B.I. M x 50MM BSP MALE ALLOY			
	ABI6538BFB	ADAPTOR 65MM B.I. M x 38MM BSP FEMALE BRASS - ROUND			
	ABI6538BF	ADAPTOR 65MM B.I. M x 38MM BSP FEMALE ALLOY			
	ABI6538BMB	ADAPTOR 65MM B.I. M x 38MM BSP MALE BRASS			
	ABI6538BM	ADAPTOR 65MM B.I. M x 38MM BSP MALE ALLOY			
	ABI65M25BMB	ADAPTER 65MM BIC MALE X 25MM BSP MALE BRASS			
	ABI38M50BFB	ADAPTOR 38MM B.I. MALE x 50MM BSP FEMALE BRASS			
	ABI38M38BMB	ADAPTOR 38MM B.I. MALE x 38MM BSP MALE BRASS			
	ABI38F38BMB	ADAPTOR 38MM BI FEMALE x 38 BSP MALE BRASS			



SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT



ADAPTORS STORZ

STORZ ADAPTORS BSP FORGED BRASS





	SA6565BFB	STORZ ADPT 65MM x 65MM BSP FEMALE FORGED BRASS
	SA6565BMB	STORZ ADPT 65MM x 65MM BSP MALE FORGED BRASS
	SA6550BFB	STORZ ADPT 65MM x 50MM BSP FEMALE FORGED BRASS
	SA6550BMB	STORZ ADPT 65MM x 50MM BSP MALE FORGED BRASS
١	SA5050BFB	STORZ ADPT 50mm x 50mm BSP FEMALE FORGED BRASS
1	SA5050BMB	STORZ ADPT 50MM x 50MM BSP MALE FORGED BRASS
	SA5038BMB	STORZ ADPT 50MM x 38MM BSP MALE FORGED BRASS
	SA5025BFB	STORZ ADPT 50MM x 25MM BSP FEMALE FORGED BRASS
	SA3850BFB	STORZ ADPT 38MM x 50MM BSP FEMALE FORGED BRASS
	SA3850BMB	STORZ ADPT 38MM x 50MM BSP MALE FORGED BRASS
	SA3838BFB	STORZ ADPT 38MM x 38MM BSP FEMALE FORGED BRASS
	SA3838BMB	STORZ ADPT 38MM x 38MM BSP MALE FORGED BRASS
	SA2525BFB	STORZ ADPT 25MM x 25MM BSP FEMALE FORGED BRASS

STORZ ADAPTORS BSP FORGED ALLOY







_					
	SA150BF	STORZ ADPT 150mm x 150mm BSP FEMALE FORGED ALLOY			
	SA125BF	STORZ ADPT 125MM X 125MM BSP 5 INCH FEMALE FORGED ALLOY			
	SA125BM	STORZ ADPT 125MM X 125MM BSP 5 INCH MALE FORGED ALLOY			
	SA125100BF	STORZ ADPT 125MM X 100MM BSP 4 INCH FEMALE FORGED ALLOY			
	SA125100BM	STORZ ADPT 125MM x 100MM BSP 4 INCH MALE FORGED ALLOY			
	SA100BF	STORZ ADPT 100mm x 100mm BSP 4 INCH FEMALE FORGED ALLOY			
	SA100BM	STORZ ADPT 100MM x 100MM BSP 4 INCH MALE FORGED ALLOY			
	SA9075BF	STORZ ADPT 90MM x 75MM BSP FEMALE FORGED ALLOY			
	SA7575BF	STORZ ADPT 75MM x 75MM BSP FEMALE FORGED ALLOY			
	SA7575BM	STORZ ADPT 75MM x 75MM BSP MALE FORGED ALLOY			
	SA7550BF	STORZ ADPT 75MM x 50MM BSP FEMALE FORGED ALLOY			
	SA7550BM	STORZ ADPT 75MM x 50MM BSP MALE ALLOY			
	SA6565BF	STORZ ADPT 65MM x 65MM BSP FEMALE FORGED ALLOY			
	SA6565BFS	STORZ ADPT 65MM x 65MM BSP FEMALE FORGED ALLOY SWIVEL			
	SA6565BM	STORZ ADPT 65MM x 65MM BSP MALE FORGED ALLOY			
	SA6550BF	STORZ ADPT 65MM x 50MM BSP FEMALE FORGED ALLOY			





SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMEN

ADAPTORS STORZ

STORZ ADAPTORS BSP FORGED ALLOY - continued







 D ALLOT CONTINUES	
SA6550BM	STORZ ADPT 65MM x 50MM BSP MALE FORGED ALLOY
SA6538BF	STORZ ADPT 65MM x 38MM BSP FEMALE FORGED ALLOY
SA6538BM	STORZ ADPT 65MM x 38MM BSP MALE FORGED ALLOY
SA5050BF	STORZ ADPT 50MM x 50MM BSP FEMALE FORGED ALLOY
SA5050BM	STORZ ADPT 50MM x 50MM BSP MALE FORGED ALLOY
SA5050BMS	STORZ 50MM X 50MMBSP MALE SWIVEL FORGED ALLOY
SA5038BF	STORZ ADPT 50MM x 38MM BSP FEMALE FORGED ALLOY
SA5038BM	STORZ ADPT 50MM x 38MM BSP MALE FORGED ALLOY
SA3850BF	STORZ ADPT 38MM x 50MM BSP FEMALE FORGED ALLOY
SA3850BM	STORZ ADPT 38MM x 50MM BSP MALE FORGED ALLOY
SA3838BF	STORZ ADPT 38MM x 38MM BSP FEMALE FORGED ALLOY
SA3838BM	STORZ ADPT 38MM x 38MM BSP MALE FORGED ALLOY
SA3825BF	STORZ ADPT 38MM x 25MM BSP FEMALE FORGED ALLOY
SA2525BF	STORZ ADAPTOR 25MM x 25MM BSP FEMALE FORGED ALLOY
SA2525BM	STORZ ADPT 25MM x 25MM BSP MALE FORGED ALLOY
SA2519BF	STORZ ADPT 25MM x 19MM BSP FEMALE FORGED ALLOY
SA2519BM	STORZ ADPT 25MM x 19MM BSP MALE FORGED ALLOY

STORZ ADAPTORS FBT MFB CFA FORGED BRASS & FORGED ALLOY



SA6565FFB	STORZ ADPT 65mm x 65mm FBT MFB FEMALE FORGED BRASS
SA6565FF	STORZ ADPT 65MM x 65MM FBT MFB FEMALE FORGED ALLOY
SA6565FMB	STORZ ADPT 65mm x 65mm FBT MFB MALE FORGED BRASS
SA6565FM	STORZ ADPT 65mm x 65mm FBT MFB MALE FORGED ALLOY
SA65CFAFA	STORZ ADPT 65mm x 65mm CFA F/M FORGED ALLOY ADAPTED

STORZ REDUCERS FORGED ALLOY



SECTION 2 HYDRANT / FIRE HOSE FI



	SR150125	STORZ 150MM to STORZ 125MM FORGED ALLOY REDUCER
	SR150100	STORZ REDUCER 150MM x 100MM FORGED ALLOY
	SR125100	STORZ REDUCER 125MM x 100MM FORGED ALLOY
	SR10075	STORZ REDUCER 100MM x 75MM FORGED ALLOY
	SR7565	STORZ REDUCER 75MM x 65MM FORGED ALLOY
9	SR6538A	STORZ REDUCER 65MM x 38MM SWIVEL TYPE FORGED ALLOY
	SR2538	STORZ REDUCER 25MM X 38MM FORGED ALLOY






WHY WE ONLY SUPPLY FORGED STORZ COUPLINGS & ADAPTORS?


When it comes to supplying fire protection STORZ couplings and adaptors, Australia Wide Fire Supplies only provide quality forged products from one of the world's leading European manufacturers. This practice is not limited to a handful of items where regulatory requirements demand forged products, but to the full range of our Storz couplings and adaptors.

Forged products are far superior in both strength and reliability than castings. This is due to the forging process during which metallurgical crystallisation and grain refinement occur as a result of the thermal cycle and deformation process. These processes strengthen the product particularly in terms of both impact and shear strength.

Forged products must carry the manufacturer's registered Forging Mark as shown below. Be aware that there are many cheap casting Storz type products available – many are even cast with the word "FORGED" on them.

There have been reports of cheap castings failing which resulted in not only injury to emergency personnel, but also dangerous yet avoidable interruptions to firefighting water supply.









NAKAJIMA COUPLINGS

ADAPTORS NAKAJIMA



AN6565BMB	ADAPTOR 65MM NAKAJIMA x 65MM BSP M BRASS
AN5050BFB	ADAPTOR 50MM NAKAJIMA x 50MM BSP FEMALE BRASS

HYDRANT SPANNERS & HYDRANT TOOLS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HS	HYDRANT SPANNER HEAVY DUTY WITH CHAIN		SCS	SPANNER COUPLING STORZ 38MM & 65MM PLATED STEEL
0	HSSS	HYDRANT SPANNER S/S GRADE 316 WITH S/S LANYARD	~	SCSBC	SPANNER STORZ TYPE B C 52MM - 75MM
~	HCSC	HYDRANT COUPLING SPANNER COMBO COLD GALVANIZED	1	SCSB	SPANNER COUPLING STORZ BRONZE 38MM & 65MM
	SCCPNG	SPANNER COUPLING CHISEL POINT GAL	2	SFA	SPANNER FOLDING ALLOY STORZ 38MM– 125MM
<u></u>	SCHB	SPANNER COUPLING / HYD BRONZE 36MM - 65MM	5	SFP	SPANNER FOLDING PVC 25MM - 125MM
٤	SHLCB	SPANNER HYDRANT L LUG & CHISEL POINT BRASS	K	SSHC	SPANNER STORZ & HY- DRANT COMBINATION GALVANIZED
<u></u>	SSR	SPANNER STORZ COUPLING RED SINGLE END B C 75MM & 52MM		HRK	HYDRANT ROAD KEY STEEL
0	SLW	SCOTTY 4577 STORZ COUPLING & LUG WRENCH	>	KTBL	KEY T BUDGET KEY LOCK
			0	HSC	HYDRANT SPANNER CHAIN



SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT



WASHERS COUPLINGS

VASHERS COUPLINGS,	BIC, NAKAJIMA
--------------------	---------------



-,	, NAKAJIMA				
	WC25	WASHER COUPLING 25MM NEOPRENE			
	WC38	WASHER COUPLING 38MM 49MM OD			
	WC50	WASHER COUPLING 50MM			
	WC65	WASHER COUPLING 65MM x 6MM 82MM OD			
	WC65X3	WASHER COUPLING 65mm x 3mm			
	WC65L	WASHER COUPLING 65MM LEATHER			
	WCBIC38	WASHER COUPLING BIC 38MM BLACK TO SUIT AWFS BIC COUPLING			
	WCBIC50	WASHER COUPLING BIC 50MM BLACK			
	WCBIC	WASHER COUPLING BIC 65MM BLACK			
	WC38NK	WASHER COUPLING 38MM NAKAJIMA			
	WC50NK	WASHER COUPLING 50MM NAKAJIMA			
	WC65NK	WASHER COUPLING 65MM NAKAJIMA			
	WQRT65	WASHER QRT 65mm NEO 85MM OD X 6MM THICK			

WASHERS STORZ COUPLINGS





•					
	WCS25	WASHER COUPLING STORZ 25MM			
	WCS38	WASHER COUPLING STORZ 38MM DELIVERY & SUCTION			
	WCS38F	WASHER COUPLING STORZ 38MM DELIVERY ONLY			
	WCS51	WASHER COUPLING STORZ 52MM DELIVERY & SUCTION			
	WCS51DO	WASHER COUPLING STORZ 52MM DELIVERY ONLY BLACK NITRILE			
	WCS65	WASHER COUPLING STORZ 65MM TO SUIT FORGED STORZ FITTINGS			
	WCS65F	WASHER COUPLING STORZ 65MM DELIVERY FLAT FACE			
	WCS90DS	WASHER COUPLING STORZ 90MM DELIVERY SUCTION			
	WCS100DS	WASHER COUPLING STORZ 100MM DELIVERY SUCTION			
	WCS100F	WASHER COUPLING STORZ 100MM DELIVERY FLAT FACE			

AWFS



SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

WASHERS HYDRANTS

WASHERS LANDING VALVE WLV WASHER LANDING VALVE 65MM (75MM x 65MM x 3MM) WLVBGF WASHER LANDING VALVE GLOBE 99MM X 80MM FIBRE BODY GASKET WLVGALV WASHER LANDING VALVE GALVIN 65 BODY WASHER 82MM ID X 97MM OD WLVRF WASHER LANDING VALVE FIBRE 65MM BODY WASHER WTB WASHER L/VALVE TOP BOSS 40MM WITH SMALL HOLE IN CENTRE

WASHERS JUMPER VALVES



	WJVALV	WASHER JUMPER VALVE ALVIN POTABLE WATER 78MM x 16MM x 6MM			
	WJVALV2	WASHER JUMPER VALVE 76MM x 13MM x 6MM			
	WJVBFI	WASHER JUMPER VALVE BFI 72MM x 12.7MM x 5MM			
	WJVG	WASHER JUMPER VALVE GLOBE FHC 79MM x 22MM x 6MM			
	WJVGAL	WASHER JUMPER VALVE 72MM X 12.7MM X 6MM			
	WJVGAL6	WASHER JUMPER VALVE GALVIN HYDRANT 74MM x 16MM x 6MM			
	WJVMAS	WASHER JUMPER VALVE M.A.S/QU 74MM x 16MM x 4.5MM			
	WJVMFA	WASHER JUMPER VALVE MFA HYD 75MM x 15MM x 5MM			
	WJVMFAPW	WASHER JUMPER VALVE MFA POTABLE WATER 75MM x 15MM x 5MM			

WASHERS STANDPIPES

SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT



	WSPL	WASHER STANDPIPE LEATHER BASE WASHER			
	WSPR	WASHER STANDPIPE RUBBER NEOPRENE 89MM x 69MM x 6MM			
WSPRL WASHER STANDPIPE RUBBER NEOPR		WASHER STANDPIPE RUBBER NEOPRENE 83MM x 55MM x 6MM			

AWFS



AUSTRALIA WIDE FIRE SUPPLIES

PRODUCT REFERENCE MANUAL

PAGE 30

SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

NOTES





SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES

BRASS, ALLOY, PVC BRANCH PIPES

	CODE	DESCRIPTION	CODE	DESCRIPTION
	B65SBCN	BRANCHPIPE 65MM STORZ BRASS c/w 16MM NOZZLE	B65QRTAP	BRANCHPIPE 65MM QRT ALLOY
	B65SB	BRANCH ONLY 65MM STORZ INLET x 38MM BSPM OUTLET BRASS	B65BIA	BRANCHPIPE 65MM B.I ALLOY 38MM BSP OUTLET
>	B65FBCN	BRANCHPIPE 65MM FBT BRASS c/w JET NOZZLE 16MM OULET - 270MM	B65QACN	BRANCHPIPE 65MM QRT x 38MM BSP ALLOY
	B65MFBB	BRANCHPIPE 65MM MFB BRASS 38MM BSP OUTLET	B65SPCN	BRANCHPIPE 65MM STORZ PVC ALLOY ADAPTER
	B65QBCN	BRANCHPIPE 65MM QRT BRASS c/w JET NOZZLE 16MM OUTLET	B65FPCN	BRANCHPIPE 65MM FBT PVC c/w 38MM BSP x 12MM JET NOZZLE
	B65QB	BRANCHPIPE 65MM QRT BRASS x 38MM BSP OUTLET - NO NOZZLE	B65FP	BRANCHPIPE 65MM FBT PVC BRANCH ONLY
	B65BI	BRANCHPIPE 65MM B.I BRASS BRANCH ONLY 38MM BSP OUTLET	B65MFBP	BRANCHPIPE 65MM MFB PVC c/w 38MM BSP x 12MM JET NOZZLE
	вз8вів	BRANCHPIPE 38MM BI BRASS 38MM MALE x 25MM BSP MALE	B65QPCN	BRANCHPIPE 65MM QRT PVC c/w STRAIGHT JET NOZZLE 12MM
(B65BB	BRANCHPIPE 65MM BSP F INLET x 38MM BSP M OUTLET BRASS	B65BICP	BRANCHPIPE 65MM B.I. MALE ALLOY BASE PVC BRANCH
	B38BB	BRANCHPIPE 38MM BSP BRASS 25MM BSP MALE OUTLET	B65BIPCN	BRANCHPIPE 65MM BIC ALL PVC c/w FIXED STRAIGHT JET NOZZLE





CONTROL BRANCHES & NOZZLE BRANCHES

	CODE	DESCRIPTION
	CB65SJSF	CONTROL BRANCH 65MM STORZ JET SPRAY/CURTAIN ALLOY DIN14365
	CB50JSC	CONTROL BRANCH 50MM BSP MALE JET/SPRAY/CURTAIN DIN14365 AWG
	CB50JSCPA	CONTROL BRANCH 50MM BSP MALE JET/SPRAY/CURTAIN ALLOY - 12MM
1	CB50JSPA	CONTROL BRANCH 50MM BSP MALE STRAIGHT JET P.V.C & ALLOY
	NB50SA	NOZZLE BRANCH STORZ 50MM INLET APPX. 252LPM @ 2BAR- 442LPM@6BAR
	NBBIC	BRANCH 65MM BI W/ NOZZLE JET SPRAY FOG BRASS W/ ALLOY ADAPT
	NBBICB	BRANCH 65MM BI W/ NOZZLE JET SPRAY FOG ALL CHROME PLATED
	NJSFBIA	BRANCH 65MM BI W/ NOZZLE JSF ALLOY c/w RUBBER IMPACT COLLAR
	NJSFBIB	BRANCH 65mm BI W/ NOZZLE BRASS JET SPRAY FOG c/w IMPACT COLLAR



BRANCH PIPES & FIRE HOSE NOZZLES

FOAM BRANCHES & FOAM EQUIPMENT

	0000	
1122	CODE	DESCRIPTION
	BFM	SCOTTY 4095 FOAM BRANCH HOSE REEL STORZ c/w 2 x 19MM + INDUCTOR
<u>A</u>	BFMA	BRANCH FOAM HOSE REEL KIT SET @ EITHER 3% OR 6% c/w STORZ FITTING AND 19mm ADAPT
O P	ВҒМНК	BRANCH FOAM HOSE REEL KIT CONVERSION for P/N BFMA
000	BFMAA	FOAM BRANCH KIT 19mm HOSE REEL HFB-001 + BFMHK SET AT 6%
	FB225	FOAM BRANCH 225 LITRE ALLOY 52MM MALE END
7	FB225HU	FOAM BRANCH 225 LT ALLOY C/W BUILT IN INDUCTOR @ NOM % 52MM MALE END
T	FB225HUSS	FOAM BRANCH 225 LT ST/STEEL C/W INDUCTOR @ NOM % 52MM UG MINES
	FB225SS	FOAM BRANCH 225It. STAINLESS STEEL 52MM MALE END
•	FB3012	FOAM BRANCH PISTOL GRIP

AWFS

SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES



SEE PAGE 115 FOR FOAM SUPPLIES

FOAM BRANCHES & FOAM EQUIPMENT continued

CODE	DESCRIPTION
FIP3012	FOAM PROPORTIONER c/w PICK UP TUBE 231 LPM 38MM BSP F 3 & 6%
FIP7515	FOAM PROPORTIONER c/w PICK UP TUBE 360 LPM 38MM BSP F 3 & 6%
FILI	FOAM INLINE INDUCTOR 1-6% 400L ALLOY 2 INCH BSP M IN OUT
NSAAF	SCOTTY 4020 AIR ASPIRATING FOAM NOZZLE 15GPM - 57LT
NSAAFS	SCOTTY 4015 AIR ASPIRATING FOAM NOZZLE 8GPM @ 60 PSI
HRFK	HOSE REEL FOAM KIT UNIT c/w FOAM BRANCH/TROLLEY & FOAM
SMEFNA	SCOTTY 4039MX MEDIUM EXPANSION FOAM NOZZLE ATTACHMENT

SEE PAGE 115 FOR FOAM SUPPLIES





FIRE HOSE NOZZLES

		CODE	DESCRIPTION
		NJ25B	NOZZLE 25MM BSP
			BRASS JET 12MM OUTLET
			TO SUIT BRANCHPIPE
		NJ38B	NOZZLE 38MM BSP BRASS
			JET 16MM & 20MM OUTLET
			SUIT BRANCHPIPE PIPE
	41	NJ38BAP	NOZZLE 38MM BSP
			ALLOY 16MM OUTLET TO
			SUIT BRANCHPIPE
		NJ38BP	NOZZLE 38MM BSP PVC
(A)			JET 12MM OUTLET TO
<mark>ES & FIRE HOSE NOZZLES</mark>			SUIT BRANCHPIPE
ZZ		N19BSS	NOZZLE 19MM BSP
9			BRASS STAINLESS STEEL
ک پ			BLACK IMPACT COLLAR
OS		N19FPR	NOZZLE 19MM BSP FEM
I	3		PVC RED WITH BLACK
RE			NOZZLE TIP WN19FPR
ᄑ		N19SL100	NOZZLE 19MM BSP
Ø			PLEXONE SL075 c/w
ES			BRASS FRONT INSERT
	6	N25A	NOZZLE 25MM BSP F
_			JET/SPRAY ALLOY
SECTION 3 BRANCH PI	1		AGRICULTURAL
A		N25JSFBP	NOZZLE 25MM BSP PVC
3			J/S/F JET/SPRAY/FOG
			(POLYCARBONATE)
E 7	. 6	N25P	NOZZLE 25MM BSP
O			19MM TAIL PVC
E			JET/SPRAY/FOG NOZZLE
EC			
S			

	CODE	DESCRIPTION
	N25SL100	NOZZLE 25MM BSP PLEXONE SPRAY / FOG
Mr.	N25SL100F	NOZZLE 25MM BSP PVC SL100 FIREPOWER PJN025 POWERJET
	N38JSFBP	NOZZLE 38MM BSP POLY J/S/FOG SUIT ELECT FIRE (POLYCARBONATE)
	N38JSP	NOZZLE 38MM BSP PVC JET SPRAY BRASS FRONT NUT
	N38PSR	NOZZLE 1.5INCH BSP PVC OFF-FOG RED SCOTTY FIREFIGHTER 280lpm
	N38PSRLF	NOZZLE 38MM BSP F PVC OFF-FOG RED TWIST LOW FLOW 56-189LPM
0	N38SL150	NOZZLE 38mm BSP PVC SL150 JET/ SPRAY/FOG - N38JSFBP
The state of the s	ND25B	NOZZLE 25mm BSP FEM DIFFUSER JET SPRAY BRASS SUITS B38BB
	NDAJ	NOZZLE 25mm BSP ALUM DIALaJET 3-5-8mm & FOG SPRAY MID SCREW
	NDAJS	SCOTTY 4044 DIAL A FLOW NOZZLE REVOLVER TYPE RATES 3 6 9 12
© <u>©</u> ° 100	KDAJ12	SERVICE KIT DIAL A JET 12





FIRE HOSE NOZZLES continued

CODE	DESCRIPTION		CODE	DESCRIPTION
NTA1525	NOZZLE TA15 25mm JET/ SPRAY/FOG BLACK ALLOY		NTB38A	NOZZLE 38MM BSP FEM BRASS A JET/SPRAY/FOG H/D 40MM
NTA2538	NOZZLE 38MM BSP BLACK ALLOY TA25 JET/SPRAY/ FOG HIGH PERFORMANCE		NKIT2062	NOZZLE KIT BRASS NAKAJI- MA 38MM MARINE FIRE HOSE NOZZLE
NTB1019	NOZZLE TB10 19MM BSP F BRASS JET/SPRAY FOG HIGH PERFORMANCE		NKIT2063	NOZZLE KIT BRASS NAKAJIMA 50MM MARINE FIRE HOSE NOZZLE
NTB1025	NOZZLE TB10 25MM BSP F BRASS JET/SPRAY/FOG HIGH PERFORMANCE		NKIT2064	NOZZLE KIT BRASS NAKAJI- MA 65MM MARINE FIRE HOSE NOZZLE
NTB1525	NOZZLE TB15 25MM BSP F BRASS JET/SPRAY/FOG HIGH PERFORMANCE		NKIT2065	NOZZLE KIT BRASS STORZ 38MM MARINE FIRE HOSE NOZZLE
NTB1538	NOZZLE TB15/5 38MM BSP F BRASS JET/SPRAY/FOG HIGH PERFORMANCE		NKIT2066	NOZZLE KIT BRASS STORZ 50MM MARINE FIRE HOSE NOZZLE
NTB2538	NOZZLE TB25 38MM BSP F BRASS JET SPRAY FOG HIGH PERFORMANCE		NKIT2067	NOZZLE KIT BRASS STORZ 65MM MARINE FIRE HOSE NOZZLE
NTB25A	NOZZLE 25MM BSP FEM BRASS A JET/SPRAY SHORT BODY	T	NPGSFF	NOZZLE PISTOL GRIP SCOTTY 4037 1.5 BSP FEMALE GR PLASTIC RED
NTPB1019	NOZZLE 19mm BSP PVC & BRASS TPB10 JET SPRAY FOG HI PERFORM		NPGVPS 1560	NOZZLE PISTOL GRIP 25MM SELECT FLOW 50-125-200-230 LPM
NTPB1025	NOZZLE 25mm BSP PVC & BRASS TPB10/5 JET SPRAY FOG HI PERF		NPGVPS 3012	NOZZLE PISTOL GRIP 38MM SELECT FLOW 115-230-360-475 LPM

AWFS



BRANCH PIPES & FIRE HOSE NOZZLES

FIRE HOSE NOZZLES continued

	CODE	DESCRIPTION
	NPGVPS 540	NOZZLE 25MM BSP F FORESTRY VP SELECT 19-37-90-150 LPM
on P	NPGVPS 7515	NOZZLE PISTOL GRIP 38MM SELECT FLOW 265-380-500-600 LPM
	NPG366E	NOZZLE PISTOL GRIP PROTEK 366E 38MM INLET C/W FOAM RETRACT
Ones.	NPGVPP	NOZZLE PISTOL GRIP PROTEK 38MM BSP INLET LA SELECT FLOW (366)
	NPGVPS	NOZZLE PISTOL GRIP PROTEK 25MM BSP FEM 19-37-90-150 LPM (360)
	NPGVPSL	NOZZLE PISTOL GRIP PROTEK 25MM BSP F INLET 50-100-150-230LPM (361)
0	NTB10RC	NOZZLE RUBBER IMPACT RING LG FITS NTB1019 & NTB1025 NOZZLES
0	NTB15RC	NOZZLE RUBBER IMPACT COLLAR MD FITS TB15 NOZZLES

NEW	CODE	DESCRIPTION
1	NPG475	NOZZLE PISTOL GRIP HANDLINE 38MM BSP
		115-475LPM VAR PATTERN
-		SEE BELOW
	NPG150	NOZZLE PISTOL GRIP
CHO		HANDLINE 25MM BSP
		19—150 LPM VAR PATTERN
***		SEE BELOW

Selectable Handline Nozzle solution

- All key housing components manufactured from aluminium for strength and durability
- Stainless Steel ball-valve, spinning teeth and fasteners ensure low maintenance
- Rubber oversized bumper collar indexed for easy operation when wearing gloves
- Rapid 180 degree pattern adjustment from fog to jet for easy adaptation to conditions
- Indexed five position flow selector includes FLUSH function for uninterrupted operation
- Glass reinforced oversized bale leaver accommodates gloved hands while reducing pinch-points
- 38mm (1.5") & 25mm (1") BSP F swivel inlet versions incorporating SS strainer allows easy adaptation to Storz fittings
- High-Vis reflective labelling for enhanced visibility when operating in low light situations



NEW PRODUCT



BRANCH PIPES & FIRE HOSE NOZZLES

SECTION 3



FIRE HOSE NOZZLES continued

	CODE	DESCRIPTION
0	WQRT 65BP	WASHER QRT 65MM PVC BRANCHPIPE
	NTB25RC	NOZZLE RUBBER IMPACT COLLAR MD FITS TB25 NOZZLES
0	WN2947	WASHER NOZZLE 29MM x 47MM x 4.5MM BLACK NEOPRENE
0	WN3343	WASHER NOZZLE 33MM x 43MM x 3MM BLACK NEOPRENE
0	WN3350	WASHER NOZZLE 33MM x 50MM x 3MM BLACK NEOPRENE
0	WN4055	WASHER NOZZLE 40MM x 55MM x 3MM BLACK NEOPRENE
0	WN6070	WASHER NOZZLE 60MM x 70MM x 4.5MM BLACK NEOPRENE
	NPGSK366	NOZZLE PISTOL GRIP SERVICE KIT PROTEK 366





FIRE HOSE REEL NOZZLES

	CODE	DESCRIPTION
	HRN13B	HOSE REEL NOZZLE 13MM TAIL BRASS TWIST
	HRN13BV	HOSE REEL NOZZLE 13MM TAIL BALL VALVE TYPE
1	HRN19B	HOSE REEL NOZZLE 19MM B/TWIST JET NOZZLE BRASS
	HRN19BCH	HOSE REEL NOZZLE 19MM TAIL BRASS TWIST CHROME BODY
Day Salara	HRN19BRC	HOSE REEL NOZZLE 19MM B/RUBBER JET SPRAY
	HRN19BV	HOSE REEL NOZZLE 19MM B/VALVE SMALL FLANGE
	HRN19BVG	HOSE REEL NOZZLE 19MM BALL VALVE GALVIN HOSE REELS
	HRN19BVW	HOSE REEL NOZZLE 19MM B/VALVE WIDE FLANGE

CODE	DESCRIPTION
HRN19P	HOSE REEL NOZZLE 19MM PVC JET/SPRAY
HRN19PBT	HOSE REEL NOZZLE 19MM PVC BRASS TAIL JET/FOG
HRN19PJ SQA	HOSE REEL NOZZLE 19MM PVC JET/SPRAY QUELL TYPE GENERIC
HRN19PT	HOSE REEL NOZZLE 19MM TAIL SPRAY JET TWIST TYPE
HRN19SS	HOSE REEL NOZZLE 19MM TWIST 304 STAINLESS STEEL
HRN25BRC	HOSE REEL NOZZLE 25MM B/RUBBER JET SPRAY
HRN25BV	HOSE REEL NOZZLE 25MM B/VALVE JET 6MM - 7MM OUTLET 132852
HRN25JSFP	HOSE REEL NOZZLE 25MM TAIL PVC JET SPRAY FOG
	HRN19PBT HRN19PBT SQA HRN19PT HRN19SS HRN25BRC HRN25BV



SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS



NOZZLE ADAPTORS

CODE	DESCRIPTION
A19M19TB	ADAPTOR 19MM BSP MALE x 19MM TAIL BRASS
A19M19TP	ADAPTOR 19MM BSP MALE x 19MM HOSE TAIL PVC
A25M19TP	ADAPTOR 25MM BSP MALE x 19MM HOSE TAIL PVC

CODE	DESCRIPTION
A25M25TP	ADAPTOR 25MM BSP MALE x 25MM HOSE TAIL PVC
NA1925	NOZZLE SLEEVE PVC 19MM - 25MM
A25M25TB	ADAPTOR 25mm BSP MALE x 25mm HOSE TAIL BRASS

HOSE CLAMPS

	CODE	DESCRIPTION
0	CHR19SS	CLAMP FHR HOSE 19MM WORM DRIVE 316 STAINLESS STEEL
	CHR19Z	CLAMP FHR HOSE 19MM SAFETY ZINC ABA COLLARED WORM DRIVE
	COHR1315	CLAMP OTK HOSE REELS 13-15MM 9/16 INCH

	CODE	DESCRIPTION
	COHR1517	CLAMP OTK HOSE REELS 15-18MM 5/8 INCH
0	COHR19	CLAMP OTK HOSE REEL 19MM 1-1/16 INCH
	COHR25	CLAMP OTK HOSE REEL 25MM





FIRE HOSE REEL ARMS

	CODE	DESCRIPTION		CODE	DESCRIPTION
Company of the Compan	HRFAASS	HOSE REEL ARM ASSY FIG8 FIXED STAINLESS STEEL	3/0	HRSAAS	HOSE REEL ARM ASSY SWING SHORT ARM LENGTH 220MM NON ADJUST
8/0	HRSAA	HOSE REEL ARM ASSY SWING LONG 325MM - 365MM ADJUSTABLE			

FIRE HOSE REEL HANDLES

	CODE	DESCRIPTION		CODE	DESCRIPTION
No la la	HRSCHB	HANDLE STOPCOCK HR LEVER TYPE REPLACEMENT HANDLE	TOPE TUPN OF THE PERSON OF THE	HSCHRQ	HANDLE STOPCOCK HOSE REEL CHUBB QUELL PVC ROUND
	HRSCHLT	HANDLE STOPCOCK LEVER TYPE REPLACE- MENT HANDLE SUIT		HSCHRW	HANDLE STOPCOCK HR WORMALD PVC

FIRE HOSE REEL RETAINERS

	CODE	DESCRIPTION		CODE	DESCRIPTION
Co	HRHS19	HOSE REEL HOSE STOPPER BUMPER 19MM PVC HOSE	∞	RHRN8	RETAINER FHR NOZZLE 19MM FIG 8 31MM ID METAL BLACK PAINTED
∞	RCHRN25	RETAINER FHR NOZZLE 25MM FIG 8 37MM ID PLTD FIT 25MM PVC HOSE	90	RHRN8P	RETAINER FHR NOZZLE FIGURE 8 RED NYLON / PLASTIC
10	RCHRN	RETAINER LOCK CUP FHR NOZZLE TO FIT WIDE FLANGE NOZZLES	C	RKHRQ	RETAINER INTERLOCK KIT H/REEL Q CHUBB
5	RCHRNQ	RETAINER CLIP FHR NOZZLE Q (7)	wheering	RCHRSW	RETAINER CLIP SPRING FHR WORM CHUBB / QUELL



SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS



FIRE HOSE REEL RETAINERS continued

	CODE	DESCRIPTION	CODE	DESCRIPTION
2	RIHRW	RETAINER INTERLOCK HOSE REEL NOZZLE BRASS WORMALD	RLBHRBV	RETAINER LOCK BRACKET HOSE REEL BALL VALVE - NOZZLE CLIP

FIRE HOSE REEL STOP COCKS

CODE	DESCRIPTION		CODE	DESCRIPTION
HRSC	HOSE REEL STOPCOCK RE- PAIR KIT WORMALD 25MM VALVE SPINDLE KIT	PH	HRSCQ	HOSE REEL STOPCOCK Q M/F 25MM CHUBB/ QUELL FAST FIT TWIST
HRSCBL	HOSE REEL STOPCOCK M/F LEVER TYPE 25MM		HRSCRKQ	HOSE REEL STOPCOCK REPAIR KIT LARGE QUELL
HRSCFF	HOSE REEL STOPCOCK FEM/FEM 25MM TWIST HANDLE TYPE		HRSCJVQ	HOSE REEL JUMPER VALVE 25MM BRASS
HRSCLT	HOSE REEL STOPCOCK M/F LEVER 25MM EXELGARD/ WORMALD/TYCO		HRSCJVQ19	HOSE REEL JUMPER VALVE 19MM BRASS

FIRE HOSE REEL SERVICE KITS

	CODE	DESCRIPTION		CODE	DESCRIPTION
000	KHRQ2	SERVICE KIT FHR QUELL MK2 1 x OR 2 x FIBRWASH 1 x CCLIP 2 x WRNG	0 00	KHRWP	SERVICE KIT FHR WORMALD PVC
0.0	KHRQFF	SERVICE KIT FHR Q FAST FIT 2 x ORINGS 2 x CIRCLIPS 3 x PLUGS	000	KSASVW	SERVICE KIT STOP VALVE 02470H1 INCH WORMALD HOSE REEL
00	KHRSQ	SERVICE KIT FHR Q SELECTOR			





FIRE HOSE REEL SPARE PARTS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HP3619	HOSE PVC 36M x 19MM HOSE REEL HOSE ONLY		HRSSQ	HOSE REEL SPOOL SELECTOR Q SM
And the second s	HRPIPQFF	HOSE REEL INSTRUCT PLATE PVC FAST FIT LARGE MK2 315MM		HRSQS	HOSE REEL SHAFT Q SHORT BRASS SELECTOR 2012 WORM/FS/CHUBB
*	HRIPPQFF	HOSE REEL INSTRUCT PLATE PLUG FAST FIT Q/ CHUBB (3 REQUIRED)		HRSQFF	HOSE REEL SPOOL Q FAST FIT F/F FEMALE / FEMALE
	HRPIPQS	HOSE REEL INSTRUCT PLATE PVC SMALL - SELECTOR 210MM		HRSQFFS	HOSE REEL SPOOL Q F/F SCREW SUITS P/N HRSQFF
	HRGNB	HOSE REEL GOOSE NECK PVC NYLON WHITE		HREMB	HOSE REEL ELBOW MOUNTING BLOCK- CHUBB
	HRGNC	HOSE REEL GOOSENECK CHUBB	0	HRIPBSC	HOSE REEL INLET PIPE BRACKET SUPPORT CHUBB
	НКНК	HOSE REEL REWINDING HANDLE WHITE KNOB STYLE c/w BOLT	0	HRDGC	HOSE REEL DISC GALVANISED CHUBB
0	HRLNBFI	HOSE REEL LOCKING NUT BFI		LFHRNN	LABEL FHR NO NAME 180 DIA S/A
17	HRSBC	HOSE REEL WALL BRACKET CHUBB HOSE REEL SUPPORT BRACKET		HRRBA	HOSE REEL RETROFIT BRACKET
[1 I]	WBHRBFI	WALL BRK FHR BFI / FIRE- BOX		HRHS	HOSE REEL HOSE SPRING



SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS



FIRE HOSE REEL SPARE PARTS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
0	HRCCQ2	HOSE REEL CIRCLIP QUELL MK2		ORFHRSQ	O RING FHR SHAFT Q/CH F/FIT
Q	HRCCQFF	HOSE REEL CIRCLIP Q FAST FIT	0	WFHRQ	WASHER FHR Q BLACK RUBBER
0	HRCCWP	HOSE REEL CIRCLIP W PVC GLAND	0	WFHRQ2	WASHER FHR Q MK2 GREEN FIBRE
0	HRQORWP	HOSE REEL QUAD O RING W	0	WFIGHRW	WASHER FIBRE INNER GLAND HOSE REEL WORMALD
0	ORFHRFB	O RING FHR FIREBOX & APEX	0	WHRUC	WASHER HOSE REEL UNION CHUBB
\bigcirc	ORFHRGB	O RING HOSE REEL GOOSE NECK BFI		WROQHR	WEAR RING OPAQUE Q HOSE REEL
O	ORFHRSB	O RING HOSE REEL SHAFT BFI & DURA		HRSF	HOSE REEL STAND FIXED TYPE 1620MM H c/w FIX PLATE & BRK
FIRE OUT	LFHRFO	LABEL FHR FIREOUT 175 DIA S/A			
0	ORFHRSVW	O RING FHR STOP VALVE WORMALD LARGE 26.7mm ID x 1.78mm			
0	ORFHRSV WS	O RING FHR STOP VALVE WORMALD SMALL 15.8mmID x 13mm 1.5THICK			





METAL CABINETS - HOSE REELS & EXTINGUISHERS

HOSE REEL	CODE	DESCRIPTION
FIRE HOSE REEL	CMFHRSD CUSTOM COLOURS AVAILABLE	CABINET METAL FIRE HOSE REEL WALL MOUNT 1000H x 760W x 370D SINGLE DOOR CAN BE SUPPLIED WITH LOCKING OR NON-LOCKING LATCH
FIRE HOSE REEL	CMFHRDS CUSTOM COLOURS AVAILABLE	CABINET METAL FIRE HOSE REEL DOOR & 40MM SURROUND ONLY. SUITABLE FOR CAVITY MOUNT WITH 100MM RETURN. LOCKING OR NON LOCKING LATCH
FRE MOSE	CUSTOM COLOURS AVAILABLE	CABINET STAINLESS STEEL FIRE HOSE REEL WALL MOUNT 1000H x 760W x 370D SINGLE DOOR CAN BE SUPPLIED WITH LOCKING OR NON-LOCKING LATCH
FRENDSE MEEL	CMFHRSDFP	CABINET METAL FLAT PACK SINGLE DOOR 1050MM x 760MM x 350MM BACK- LESS LOW FREIGHT COST EASY POP RIVET ASSEMBLY
	CMFHRSDFPB	CABINET FHR FLAT PACK BACK ONLY SUITS CMFHRSDFP ABOVE
EXTINGUISHER	CODE	DESCRIPTION
September 19-1	CME45A FULL LENGTH STAINLESS STEEL HINGE	CABINET METAL EXT 2 - 4.5KG 570H x 280W x 220D C/W BREAK GLASS KEYHOLDER
7 () () () () () () () () () () () () ()	CME9A FULL LENGTH STAINLESS STEEL HINGE	CABINET METAL EXT 9KG 710H x 320W x 220D C/W BREAK GLASS KEYHOLDER

EXTINGUISHER	CODE	DESCRIPTION
F	CMENS	CABINET METAL EXT
· ·		2.5 / 4.5KG NON LOCKING
Action Child		570 H x 280 W x 220 D
-	CMENL	CABINET METAL EXT
1		9KG NON LOCKABLE
E.		710 H x 320 W x 220 D
	CMELSB	CABINET METAL
1 0		2.5/4.5KG EXT LOCK KEY
not2005-4/2006		HOLDER NO VIEW PANEL
100	CMELLB	CABINET METAL EXT
B		9KG LOCKABLE KEY
——————————————————————————————————————		HOLDER NO VIEW PANEL
0.5	CMEC	CABINET METAL EXT
1		5KG CO2 LOCKABLE
		C/W KEY HOLDER
		900 H x 320 W x 220 D
	CMECNL	CABINET METAL EXT
		5KG CO2 NON LOCK
1		900 H x 320 W x 220 D
	CME12	CABINET METAL
PRIZE EXTENSIONS		2 x EXTINGUISHER
and the same		760 H x 570 W x 220 D
		B/GLASS FOR KEY



SECTION 5 CABINETS COVERS STANDS & TROLLEYS



METAL CABINETS - EMERGENCY & MISCELLANEOUS

EMERGENCY	CODE	DESCRIPTION	ſ
HAZMAT	СМЕНВЅ	CABINET METAL HAZMAT BOX SMALL 425 H x 325 W x 100 D STANDARD	
EMERGENCY INFORMATION	CMEIBS	CABINET METAL EMERGENCY INFO BOX SMALL 425 H x 325 W x 100 D STANDARD	
SEFETY PAFFORMATION	CMSIBS	CABINET METAL SAFETY INFO BOX SMALL 425 H x 325 W x 100 D STANDARD	
ESSENTIAL SERVICES A	CMESLB	CABINET METAL ESSENTIAL SERVICES LOG BOOKS 425 H x 325 W x 100 D	
TAMES STORY BERNESSEE MANUAL PROPERTY OF THE PERSON OF THE	CMEIBL	CABINET METAL EMERGENCY INFO BOX LARGE 500 H x 500 W x 150 D SPECIFY WORDING ON ORDER	7
MISCELLANEOUS	CODE	DESCRIPTION	Ē
**************************************	CMNLB	CABINET METAL FHR NOZZLE LOCK BOX C/W 003 KEY WALL MOUNT	,
SPARES C	CMSS	CABINET METAL SPRINKLER SPARES 345 H x 260 W x 65 D HOLDS 24	

MISCELLANEOUS	CODE	DESCRIPTION
0	CMNVLB	CABINET METAL FHR VALVE AND NOZZLE LOCK BOX C/W 003 KEY
	CMVC	CABINET METAL VALVE COVER 200 H x 160 W x 100 D
FH	CMVNK	HYDRANT COVER NED KELLY ROUND REQ 2 x 003 PADLOCKS SOLD SEPERATELY
FIRE HOSE	CMCC38FS	CABINET M CRADLE / COVER / STAND 38MM FREE STANDING
FIRE HUSSY	CMCL	CABINET M CRADLE / COVER / STAND 65MM FREE STANDING

Custom Made Cabinets

AWFS can provide a fully customized solution for all your metal cabinet requirements including both custom sizes as well as custom colour finishes to meet specific architectural requirements.

Contact our sales team to obtain a quotation today.





SECTION 5 CABINETS COVERS STANDS & TROLLEYS

RESOLUTE POLY CABINETS IP59K RATED

RESOLUTE POLYPROPYLENE CABINETS FOR EXTREME ENVIRONMENTS

The **RESOLUTE** range of cabinets are designed to meet the requirements of harsh industrial environments. Injection molded Polypropylene construction coupled with high quality nylon and polycarbonate fixtures provide high resistance to the effects of fuels, oils, UV rays as well as water and dust ingress achieving a IP59K rating.



- Flammability (Flame Speed)
- Dust and water resistance (IP59K)
- Resistance to hydrocarbons and lubricating oils
- Accelerated weathering (UV rays)
- Compression (12.000 N)



CP070IP

CABINET POLY RESOLUTE 4.5KG RED IP59K RATED **VIEW WINDOW** EXT 611 H x 310 W x 250 D



CP030IP

CABINET POLY RESOLUTE 4-9KG RED IP59K RATED **VIEW WINDOW** EXT 675 H x 310 W x 250 D





RESOLUTE POLY CABINETS IP59K RATED

RESOLUTE IP59K RATED DUAL EXT CABINETS

Utilising the same materials and features of the RESOLUTE single extinguisher cabinet range, these dual cabinets are ideal for use in harsh environments where additional protection is required.



- Dust and water resistance (IP59K)
- Resistance to hydrocarbons and lubricating oils
- Accelerated weathering (UV rays)
- Compression (12.000 N)

	CODE	DESCRIPTION
TI:	CPD100	CABINET POLY DOUBLE EXTINGUISHER WINDOW FRONT NON LOCKING EXT 735 H x 616 W x 270 D
- 1 1	CPD101	CABINET POLY DOUBLE EXTINGUISHER PLAIN FRONT LOCKING EXT 735 H x 616 W x 270 D
[E 17	CPD102	CABINET POLY DOUBLE EXTINGUISHER WINDOW FRONT LOCKING WITH KEY HOLDER EXT 735 H x 616 W x 270 D

RESOLUTE IP59K RATED FHR & MULTIPURPOSE



	CODE	DESCRIPTION		
	CPD100FH	CABINET POLY FIRE HOSE		
		WINDOW FRONT NON		
		LOCKING		
		EXT 735 H x 616 W x 270 D		
	CPD101FH	CABINET POLY FIRE HOSE		
pro-ma		PLAIN FRONT LOCKING		
		EXT 735 H x 616 W x 270 D		
NON - IP	RATED MUL	TIUSE CABINETS		
	CMH000	CARINET MULTILISE BOX		

	CMU000	CABINET MULTIUSE BOX RED PLAIN FRONT LOCKABLE
	CMU001	CABINET MULTIUSE BOX RED PLAIN FRONT NON LOCKABLE
	CMU002	CABINET MULTIUSE BOX RED KEY HOLDER LOCKABLE
•	CMU003	CABINET MULTIUSE BOX RED WINDOW FRONT LOCKABLE





SECTION 5 CABINETS COVERS STANDS & TROLLEYS

RESOLVE CRYSTAL AND SIDE LOAD POLY CABINETS

RESOLVE POLYPROPYLENE LIGHTWEIGHT FUNCTIONAL

Offering superior protection over traditional metal cabinets, the RESOLVE range of cabinets offer added protection from dust water and UV rays. Utilizing injection molded Polypropylene the RESOLVE cabinet range is lightweight and durable. The unique design also allows for cabinets to be staked inside each other with covers removed making them the "smart" logistical choice.




CODE	DESCRIPTION
CP170	CABINET POLY RESOLVE SMALL 2.5KG - 4.5KG RED W/ WINDOW EXT 620 H x 335 W x 240 D
CP130	CABINET POLY RESOLVE 4.5KG - 9KG RED WITH WINDOW 715 H x 335 W x 240 D
CP190	CABINET POLY RESOLVE LARGE CO2 /9KG A/W RED WITH WINDOW 865 H x 335 W x 240 D

ADS / POLY CRYSTAL INDOOR CADINETS						
	CODE	DESCRIPTION				
	CP270	CABINET ABS/POLY CRYSTAL SMALL 640 H x 300 W x 2 10 D 4.5KG DCP /3.5KG CO2				
	CP290	CABINET ABS/POLY CRYSTAL LARGE 800 H x 340 W x 2 40 D 9KG DCP / 5KG CO2				

ARS / POLY CRYSTAL INDOOR CARINETS

IP59K RATED TOP / SIDE - LOAD POLYETHYLENE EXTINGUISHER CABINET

CODE	DESCRIPTION
CPTL411	CABINET POLY TOP
	LOADING C/W
	1 X TENSION SPRING
	4.5- 6KG ALL RED
	IP59K RATED
CPTL412	CABINET POLY TOP
	LOADING C/W SPRING
	4.5- 6KG ALL BLACK
	IP59K RATED





SECTION 5 CABINETS COVERS STANDS & TROLLEYS



POLY CABINETS GENERAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
1 3	CPESL	CABINET PVC EXT 9KG DCP / 5KG C02 830 H x 324 W x 263 D		CP23C	CABINET PVC EXT 2.3KG CATO RED LOCKABLE BREAK PERSPEX FRONT
n-min und -regn-dazur	CPE9	CABINET POLY EXT 9KG RED 800 H x 310 W x 310 D		CP45C	CABINET PVC EXT 4.5KG CATO RED LOCKABLE BREAK PERSPEX FRONT
	CPED	CABINET PVC EXTINGUISHER DOUBLE 715 H x 580 W x 280 D		CP9C	CABINET PVC EXT 9KG CATO RED LOCKABLE BREAK PERSPEX FRONT
	CPEO1	CABINET PVC ABS EXTINGUISHER 1-2KG 480 H x 185 W x 145 D	FIRE HOSE TEEL	CPFHR36	CABINET POLYETHYLENE FIRE HOSE REEL COVER 36MT
	CPEO45	CABINET PVC ABS EXTINGUISHER 4-6KG 620 H x 320 W x 190 D	FI RE HO SE	CPFHDDS	CABINET POLYETHYLENE FIRE HOSE & EQUIPMENT 1220 H x 1060 W x 470 D
	CPEOL	CABINET PVC ABS EXTINGUISHER CO2 9KG 9.0LT 835 H x 370 W x 245 D		CPPSBG	CABINET PVC PULL STA- TION BREAK GLASS S/ MOUNT WITH BREAKER BAR
Automatical Automa	СРЕМВ	CABINET PVC EXT MED INDOOR/OUTDOOR 480 H x 220 W x 155 D		KB302	KEY BOX PVC ABS EASY-BREAK WINDOW (YELLOW) 134 H X 125 W X 45 D





SECTION 5 CABINETS COVERS STANDS & TROLLEYS

POLY CABINETS

	CODE	DESCRIPTION	CODE	DESCRIPTION
FIRE HOSE	СМРР	CABINET POLY ETH MULTI PURPOSE 003LOCK B/GLASS 580 x 580 x250	WVL2	WHEEL VALVE LOCK OUT 2 1/2 INCH 70MM INTERNAL DIAMETER
	WVL6	HYDRANT VALVE LOCK 5-6.5 INCH 170MM ID HYDRANT WHEEL LOCK	WVL4	WHEEL VALVE LOCK OUT 2.5 - 5 INCH 130MM INTERNAL DIAMETER
B	CPF120	CABINET POLY FIRST AID WHITE WINDOWLESS, C/W SHELVES	CPP108L	CABINET POLY PITBOX 108L RED TOP LOADING CARRY BOX
RFILE UI	CPS110	CABINET POLY SAFETY BOX GREEN WINDOWS + SHELVES		







FIBERGLASS CABINETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CFGES	CABINET FIBERGLASS SMALL 4.5KG 655 H x 285 W x 225 D	PHA.	CFDLM	CABINET FG DOME STYLE MEDIUM 9KG DCP 3.5KG C02 720 H x 320 W x 210 D
	CFGE	CABINET FIBERGLASS WCFG-LATCH UP TO 9kg 750 H x 300 W x 230 D	**************************************	CFDLL	CABINET FG DOME STYLE LARGE CO2 5KG 890 H x 320 W x210 D
E S	CFGEMT30	CABINET FIRE EXT HI Q FIBERGLASS 850 H x 390 W x 260 D	FIREHOSE	CFGMDH	CABINET FIBERGLASS DECK HOSE 573 H x 573 W x 215 D
THE REAL PARTY IN THE PARTY.	CFG9LKH	CABINET FIBERGLASS C/W KEYBOX 9KG WCFG LATCH 750 H x 300 W x 225 D		CFGEMP	CABINET FIBERGLASS MULTI PURPOSE 420 H x 420 W x 210 D
	CFDLS	CABINET FG DOME STYLE SMALL 4.5KG DCP & 3.5KG CO2		CFGDHTO29	CABINET MARINE DECK HOSE BOX F/G TOP OPENING 600 W x 500 H x 200 D





SECTION 5 CABINETS COVERS STANDS & TROLLEYS

CABINET PARTS & ACCESSORIES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CBGH	CABINET B/GLASS HAMMER C/W 370MM CHAIN 150MM HAMMER		CCL003	CABINET LOCK COIN TYPE 003 BARREL C/W KEY
	CBGHPB	CABINET B/GLASS HAMMER PVC C/ ALLOY INSERT 200MM HAMMER	0	CFML	CABINET LATCH FLUSH MOUNT 003 LOCKING
F	HBGAS	BREAK GLASS HAMMER METAL ALARM SMALL 160MM LENGTH		CFMNL	CABINET LATCH FLUSH MOUNT NONLOCKING
	СВСКН	CABINET B/GLASS KEY HOLDER METAL 90MM H x 70MM W		CLBS	CABINET LOCK PUSH BUTTON STYLE
	RGKBM	REPLACEMENT GLASS KEYBOX METAL 65MM x 90MM FITS P/N CBGKH	H	THNLE	T HANDLE NON LOCKABLE C/W TONGUE / REAR FIXING
BREAK IGLASS F FOR KEY	СВСКНР	CABINET B/GLASS KEY HOLDER PVC 115MM DIA		THLE	T HANDLE LOCKABLE C/W TONGUE / REAR FIXING
BREAK BLASS FOR KEY	RGKBP	REPLACEMENT GLASS KEY BOX PVC FITS PVC HOLDER P/N CBGKHP		CFEA	CABINET ALARM EXT THEFT STOPPER 85DB 83 W x 83 H x 25 D
0	CBGKHPC	CABINET B/GLASS KEY HOLDER METAL c/w HAMMER 170x145x55mm		CFDLOL	CABINET DOME LID ONLY LGE 5KG CO2 890 H x 320 W
	RGKHECA	REPLACEMENT GLASS EXT CAB KEY HOLDER A RANGE 95MM x 95MM	=PULL =	CFDLOM	CABINET DOME LID ONLY MED 9KG/3.5KG CO2 750 H x 320 W
- ,	RGKNLB	REPLACEMENT GLASS NOZZLE LOCK BOX		CPP45A	CAB PERSPEX PANEL SUITS CME45A VIEWING PANEL
		95MM x 55MM FITS CMNLB		СРР9А	CAB PERSPEX PANEL SUITS CME9A VIEWING PANEL



SECTION 5 CABINETS COVERS STANDS & TROLLEYS



CABINET PARTS & ACCESSORIES RESOLUTE / RESOLVE RANGE

	CODE	DESCRIPTION	CODE	DESCRIPTION
	RHPC	REPLACEMENT HANDLE FOR POLY CABINET RANGE (RESOLUTE/DUAL)	CMUDH	CABINET MULTIUSE DIVIDER HORIZONTAL
	RIWR05	REPLACEMENT INSPECTION WINDOW RESOLUTE CABINET	CMUDHS	CABINET MULTIUSE DIVIDER HORIZONTAL SMALL
	RIWRD15	REPLACEMENT INSPECTION WINDOW RESOLVE/DUAL CABINETS	CMUDV	CABINET MULTIUSE DIVIDER VERTICAL
V	CRP160	CLAMPING RING PLASTIC 160MMTO SUIT POLY RANGE CABINETS	CPDS	CABINET POLY DUAL INTERNAL SHELF SUITS CPD100FH
V	CRP180	CLAMPING RING PLASTIC 180MMTO SUIT POLY RANGE CABINETS	TM040	SUPPORT BRACKET FOR EXT CAB PAINTED STEEL 223 X 260 X 220
	CRR	CLAMPING RING RUBBER STRAP FOR USE POLY RANGE CABINETS	TM041	FIXING KIT FOR RESOLUTE/RESOLVE COLD GAL 3MM
O	SSCC	SECURITY SEAL FOR CRYSTAL CABINET YELLOW 2PC	TM042	FIXING KIT FOR RESOLUTE/RESOLVE HOT DIP GAL 3MM

003 PADLOCKS & 003 KEYS

	CODE	DESCRIPTION
	LPL003	LOCKWOOD 003 PADLOCK FIRE LOCK c/w 2 x 003 KEYS
9	К003	LOCK KEY ONLY 003 TO SUIT PADLOCK P/N LPL003





CABINETS COVERS STANDS & TROLLEYS

FIRE EXTINGUISHER / HOSE REEL COVERS & BAGS

HEAVY DUTY EXTINGUISHER COVERS					
	CODE	DESCRIPTION			
FIRE	CEWST	COVER TAPOL EXT WINDOW SML 4.5KG 310 W x 530 H			
FIRE EXTG.	CEWMT	COVER TAPOL EXT WINDOW MED 9KG 430 W x 650 H			
FIRE EXTG.	CEWLT	COVER TAPOL EXT WINDOW LGE CO2 430 W x 800 H			
FIRE EXTE.	CNE45AR	COVER NYPLON EXT 4.5KG WINDOW 530 H x 330 W REFLECTIVE STRIP			
FIRE	CNE9AR	COVER NYPLON EXT 9KG WINDOW 650 H x 420 W REFLECTIVE STRIP			
FINAL CONTRACTOR CONTR	CNE9T	COVER NYPLON EXT 9KG TUBE O/S WINDOW REFL STRIP / BRT FLAP			
FIRE	CTE45T	COVER HIGH RATED UV 4.5KG FIRE EXT TUBE STYLE REFLECTIVE STRIP			
ENGONES A	СТЕ9Т	COVER HIGH RATED UV 9KG FIRE EXT TUBE STYLE REFLECTIVE STRIP			

STANDARD EXTINGUISHER BAGS						
JIAN	CODE	DESCRIPTION				
	CHDPRCES					
	CHDPRCES	COVER H/D RED/CLEAR EXT SMALL 330 W x 520H				
		UV TREATED				
D		OV INEATED				
A P	CHDPRCE	COVER H/D RED/CLEAR				
GUIGHT.		EXT LARGE 400 W x 740 H				
重		UV TREATED				
EI	RE HOSE REE	I COVERS				
-	CNHRAFR	COVER FIRE HOSE REEL				
Marie San	CNERAFR	U.V & F.R TREATED				
FIRE		550 X 620 X 225				
REEL		HEAVY DUTY				
		HEAVY DOTY				
650	CNHRA	COVER FIRE HOSE REEL				
FIRE		UV NYPLON				
REEL		550 W x 620 H x 225 D				
5		INTERNAL USE				
	CTRHRF	COVER NYPLON RED FHR				
FIRE		FITTED 650MM DIA				
REEL		INTERNAL USE				
	CTRHRL	COVER NYPLON RED FHR				
FIDE	0.11.111L	LGE 25MM				
HOSE		770 W x 620 H x 290 D				
ALEL.						
	CTRHRS	COVER RED HOSE REEL				
FURE		SLIDE REELCRAFT				
HOSE		VERSION C/W				
		REFLECTIVE STRIPS				



SECTION 5 CABINETS COVERS STANDS & TROLLEYS



OTHER COVERS & BAGS

			ı	
	CODE	DESCRIPTION	CODE	DESCRIPTION
FIRE HOSE	СРСҒН	COVER CLEAR FIRE HOSE RED PRINT UV TREATED 600 X 900	CNFDR	COVER NYPLON FIRE DEPOT BOX RED LID COVER
EYE WASH	CHDPGCEW	COVER H/D PVC GREEN/ CLEAR EYE WASH 400 W x 740 H	CTRBP	COVER RED FITS REGA BACKPACK FIRE FIGHTER BPFF
BOST	CPRSD	COVER PVC STONE DUST 390 W x 1040 H	CNBBPFFS	COVER HOLDING BAG SUITABLE FOR BPFFS SOFT PACK
	CTRM50	COVER H/DUTY RED MOBILE 50KG 500 W x 1200 H PRINTED	CTRC	COVER TAPOL RED CRADLE 730 W x 430 H
MOBILE FIRE ENTINGUISHES	CTRM90	COVER H/DUTY RED MOBILE 90KG 620 W x 1520 H PRINTED	CTRCL	COVER TAPOL RED CRADLE LARGE 780 W x 560 H





FIRE EXTINGUISHER STANDS & TROLLEYS

		CODE	DESCRIPTION		CODE	DESCRIPTION
		ESS	EXTINGUISHER FIRE POINT STAND SINGLE EXT 9KG C/W SIGN POLE		ES210	EXTINGUISHER STAND PAINTABLE ARCHITECTURAL WHITE 386 x 400 x 234
	ي ا			and the same of th	ES211	EXTINGUISHER STAND RED ARCHITECTURAL 386 x 400 x 234
ROLLEYS		ESSAP	EXTINGUISHER STAND SINGLE ALUMINIUM FRAME PREMIUM 4.5KG		TED	FIRE RACK EXTINGUISHER TROLLEY MOBILE FIRE STATION 2 x EXTINGUISHERS
OVERS STANDS & TROLLEYS	ESFSS EXTINGUE FIBERG SMA 760 x	EXTINGUISHER STAND FIBERGLASS SINGLE SMALL 4-9KG 760 x 320 x 300	Turre states	TSSED	SAFETY STATION TROLLEY FIRE EXTINGUISHER FIRST AID STAND	
O		ESFSL EXTINGUISHER STAND FIBERGLASS SINGLE LGE 6-12KG 760 x 325 x 275	FIRE POINT	FPT8E	FIRE POINT TROLLEY EXTINGUISHER 8 CYLINDER	
SECTION 5 CABINETS		ESFDS	EXTINGUISHER STAND FIBERGLASS DOUBLE SMALL 4-9KG 760 x 650 x 275		ESFP2	FIRE POINT STATION 2 UNIT C/W REFLECTIVE STRIPES & SIGNAGE 720 W x 1025 H
		ESFDL	EXTINGUISHER STAND FIBERGLASS DOUBLE LGE 6-12KG 760 x 650 x 275	ananana	ESFP4	FIRE POINT STATION 4 UNIT C/W REFLECTIVE STRIPES & SIGNAGE 1420 W x 1025 H





AUSTRALIA WIDE FIRE SUPPLIES

SECTION 5 CABINETS COVERS STANDS & TROLLEYS

SECTION 5 CABINETS COVERS STANDS & TROLLEYS

FIRE EXTINGUISHER STANDS & TROLLEYS

CODE	DESCRIPTION
TF20	TROLLEY FOAM 20LT DRUM TROLLEY RED

NOTES





HEAVY DUTY VEHICLE BRACKETS - 9KG

		CODE	DESCRIPTION			
		HDVB9C	HEAVY DUTY VEHICLE BRACKET 9KG CANNON STYLE CAST ALLOY ARMS			
	S. S		 ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN & KEY RING ⇒ OVERALL DIMENSIONS 275 H x 265 W x 210 D WEIGHT 4.1KG 			
		HDVB9CL	SAME AS HDVB9C BUT LEFT OPENING			
S		HDVB9CG	HEAVY DUTY VEHICLE BRACKET 9KG GALVANISED CAST ALLOY ARMS			
HER BRACKETS			 ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 275 H x 265 W x 210 D WEIGHT 4.1KG 			
SH		HDVB9CH	HEAVY DUTY VEHICLE BRACKET 9KG 155 MM - 180 MM			
AL EXTINGUISHER	P	ALSO FITS SOME LARGE 4.5KG EXT HDVB9CHL	 ⇒ 8MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ SINGLE MOUNTING HOLE IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 360 H x 270 W x 220 D WEIGHT 5.1KG SAME AS HDVB9CH BUT LEFT OPENING 			
NERAL		HDVBLT	HEAVY DUTY OVER CENTRE LEVER 9KG EXTINGUISHER BRACKET 180MM			
VEHICLE & GENI			 ⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ SUITABLE FOR EXTINGUISHERS APPROX 180 MM DIAMETER ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE AND LEVER ARMS ⇒ OVERALL DIMENSIONS 360 H x 250 W x 300 D WEIGHT 7.9KG 			
百		HDVB9GA	HEAVY DUTY EXTINGUISHER TRUCK BRACKET 155-180MM 9KG COLD GAL			
SECTION 6 V			 ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 315 H x 260 W x 210 D WEIGHT 4.2KG 			





HEAVY DUTY VEHICLE BRACKETS - 9KG continued

	CODE	DESCRIPTION
	HDVB9D	HEAVY DUTY VEHICLE BRACKET 9.0KG DELUXE 150-180MM
		 ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 x MOUNTING HOLES IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 150 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 290 H x 260 W x 220 D WEIGHT 4.1KG
THE RESERVE	HDVB0550	VEHICLE BRACKET LARGE 9KG DCP /9LT WATER/FOAM 172 - 183MM GAL
		 ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 172 - 183MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 310 H x 265 W x 190 D WEIGHT 4.7KG
A.M.	HDVB9NZB	HEAVY DUTY EXTINGUISHER BRACKET 9KG NEW ZEALAND 2 STRAP BLACK
		 ⇒ 5MM THICK PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 3MM THICK PAINTED MILD STEEL ARMS ⇒ 4 X MOUNTING HOLES IN ARM BACKS ⇒ ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ BOTH ARM LATCHES FITTED WITH SAFETY PINS ⇒ ADDITIONAL NECK SECURING LANYARD WITH R PIN FOR ADDITIONAL SAFETY
	HDVB9NZG	HEAVY DUTY EXTINGUISHER BRACKET 9KG NEW ZEALAND 2 STRAP GAL ⇒ AS ABOVE BUT IN COLD GALVANISED FINISH

AWFS



HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMBINATION

		CODE	DESCRIPTION
	9	HDVBWDE	HEAVY DUTY VEH BRACKET WEBB DOUBLE EAR BLACKSTRAP 4.5KG & 9.0KG
			 ⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ ELECTROPLATED ZINC REAR EARS FITTED WITH PROTECTION RUBBERS ⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 330 H x 230 W x 220 D WEIGHT 3.7KG
S		HDVBWDESS	EXTINGUISHER TRUCK BRACKET 316 STAINLESS STEEL WEBB TWO EAR
HER BRACKETS			 ⇒ 5MM THICK STAINLESS STEEL BACK AND BASE PLATES ⇒ 4 x MOUNTING HOLES IN BACK PLATE ⇒ STAINLESS STEEL REAR EARS FITTED WITH PROTECTION RUBBERS ⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 330 H x 230 W x 220 D WEIGHT 3.7KG
<u>S</u>		HDVBWDEA	HEAVY DUTY BRACKET WEBB A OLD STYLE COLD GAL FINISH ROUND RM
AL EXTINGUISHER			 ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ COLD GALVANISED REAR ARMS FITTED WITH PROTECTION RUBBERS ⇒ ADJUSTABLE HEAVY DUTY BLUE WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 315 H x 250 W x 210 D WEIGHT 4.2KG
NERAL		HDVBWBAB	HEAVY DUTY BLACK WEBB & BUCKLE ASSEMBLY FOR HDVBWDE (PIN)
VEHICLE & GEN			⇒ REPLACEMENT BLACK WEBBING STRAP AND BUCKLE ASSEMBLY ONLY
SECTION 6 VEH		HDVBWBA	HEAVY DUTY BLUE WEBB & BUCKLE ASSEMBLY FOR HDVBWDEG DEA ⇒ REPLACEMENT BLUE WEBBING STRAP AND BUCKLE ASSEMBLY ONLY





HEAVY DUTY VEHICLE BRACKETS - 4.5KG

CODE	DESCRIPTION
HDVB45C	HEAVY DUTY VEH BRACKET 4.5KG BLACK VEHICLE BRACKET CAST ALLOY ARMS ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 x MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 125 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN & KEY RING ⇒ OVERALL DIMENSIONS 295 H x 230 W x 190 D WEIGHT 3.75KG
HDVB45CG	HEAVY DUTY VEH BRACKET 4.5KG GALVANISED CAST ALLOY ARMS ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 x MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 125 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 295 H x 230 W x 190 D WEIGHT 3.75KG
ALSO FITS SOME 2.5KG EXT	HEAVY DUTY BRACKET 2.5- 4.5KG 125 -150MM CHUBB 70074 BLACK ⇒ 8MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ SINGLE MOUNTING HOLE IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 125 - 150MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 310 H x 260 W x 160 D WEIGHT 4.3KG
HDVBLTS	HEAVY DUTY OVER CENTRE LEVER 4.5KG VEHICLE BRACKET 140MM ⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ SUITABLE FOR EXTINGUISHERS APPROX 140 MM DIAMETER ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE AND LEVER ARMS ⇒ OVERALL DIMENSIONS 300 H x 200 W x 260 D WEIGHT 5.9KG
HDVB45GA	HEAVY DUTY EXTINGUISHER TRUCK BRACKET 130-157MM 4.5KG COLD GAL ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 x mounting holes on back plate ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 130 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 320 H x 210 W x 210 D WEIGHT 4.0KG





SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 4.5KG continued

		CODE	DESCRIPTION			
		HDVB45DM	HEAVY DUTY VEH BRACKET 4.5KG DELUXE MODIFIED VEHICLE BRACKET			
			 ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 140 - 160MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 295 H x 230 W x 190 D WEIGHT 3.75KG 			
BRACKETS		HDVB45GMA	HEAVY DUTY VEHICLE BRACKET 4.5KG, A/WATER FOAM EXTINGUISHERS			
			⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES			
Z			⇒ 4 X MOUNTING HOLES ON BACK PLATE			
Q	B-50		\Rightarrow COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS			
2			⇒ ARMS SUIT EXTINGUISHERS 130 - 145MM WITH PLATED ADJUSTMENT HARDWARE			
			⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING			
ER			⇒ OVERALL DIMENSIONS 310 H x 230 W x 180 D WEIGHT 4.2KG			
SH		HDVB45MA	EXTINGUISHER BRACKET MARINE STRAP ALLOY BASE 4.5KG/9lt			
5	1700		⇒ 5MM THICK MARINE GRADE ALUMINIUM BACK AND BASE PLATES			
<u>9</u>		MARINE	⇒ 3 X MOUNTING HOLES ON BACK PLATE / 4 X MOUNTING HOLES ON BASE ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE			
\leq	0	GRADE ALLOY	 ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE ⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL 			
×	74	ALLOT	BUCKLE AND PIN			
ENERAL EXTINGUISHER			⇒ OVERALL DIMENSIONS 300 H x 180 W x 200 D WEIGHT 1.5KG			
ER/		10HB	HEAVY DUTY VEH BRACKET 4.5-6KG BLACK 812 145-158MM			
Z	(15/3)		⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES			
GE			 ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS 			
8			⇒ ARMS SUIT EXTINGUISHERS 145 - 158MM			
VEHICLE 8			⇒ OVERALL DIMENSIONS 300 H x 240 W x 160 D WEIGHT 2.2KG			
EH.	and a	HDVB45NZB	HEAVY DUTY EXTINGUISHER BRACKET 4.5KG NEW ZEALAND 2 STRAP BLACK			
	(C)		\Rightarrow 5MM THICK PAINTED MILD STEEL BACK AND BASE PLATES			
9			⇒ 3MM THICK PAINTED MILD STEEL ARMS → 4 Y MOUNTING HOLES IN ARM BACKS			
Z			 ⇒ 4 X MOUNTING HOLES IN ARM BACKS ⇒ ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS 			
2			⇒ BOTH ARM LATCHES FITTED WITH SAFETY PINS			
7		HDVB45NZG	⇒ ADDITIONAL NECK SECURING LANYARD WITH R PIN FOR ADDITIONAL SAFETY			
SECTION			HEAVY DUTY EXTINGUISHER BRACKET 4.5KG NEW ZEALAND 2 STRAP GAL ⇒ AS ABOVE BUT IN COLD GALVANISED FINISH			
• 1						





HEAVY DUTY VEHICLE BRACKETS - 2.5KG

	CODE	DESCRIPTION
	5DC	HEAVY DUTY VEHICLE BRACKET 2 - 2.5KG BLACK 105-115MM ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 105 - 115MM ⇒ OVERALL DIMENSIONS 290 H x 200 W x 160 D WEIGHT 1.5KG
(*****)	5HB	EXTINGUISHER BRACKET 2.5- 4.5KG BLACK 809 128-143MM
		 ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 128 - 143MM ⇒ OVERALL DIMENSIONS 290 H x 200 W x 170 D WEIGHT 1.8KG
	5HBM	EXTINGUISHER BRACKET 2.5KG FLAMESTOP CHUBB 132MM
5		 ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 132MM ⇒ OVERALL DIMENSIONS 290 H x 190 W x 190 D WEIGHT 2.0KG
Pilitano	HDVB27QGA	HEAVY DUTY 2 - 2.5KG FIRE EXTINGUISHER VEHICLE BRACKET
		 ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 110 - 130MM ⇒ OVERALL DIMENSIONS 305 H x 190 W x 160 D WEIGHT 3.7KG
Grant .	HDVB25NZB	HEAVY DUTY EXTINGUISHER BRACKET 2.5KG NEW ZEALAND 2 STRAP BLACK
	HDVB25NZG	 ⇒ 5MM THICK PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 3MM THICK PAINTED MILD STEEL ARMS ⇒ 4 X MOUNTING HOLES IN ARM BACKS ⇒ ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ BOTH ARM LATCHES FITTED WITH SAFETY PINS ⇒ ADDITIONAL NECK SECURING LANYARD WITH R PIN FOR ADDITIONAL SAFETY HEAVY DUTY EXTINGUISHER BRACKET 2.5KG NEW ZEALAND 2 STRAP GAL ⇒ AS ABOVE BUT IN COLD GALVANISED FINISH





P: 02 4954 0333 E: sales@awfs.com.au **ORDERS**

HEAVY DUTY VEHICLE BRACKETS - REGA KNAPSACK

CODE	DESCRIPTION
HDVBRK	HEAVY DUTY VEHICLE TRUCK BRACKET REGA KNAPSACK TO SUIT P/N BPFF ⇒ DESIGNED TO SECURELY HOLD REGA 16L FIRE FIGHTING KNAPSACK ON VEHICLE ⇒ HEAVY DUTY STEEL CONSTRUCTION WITH RED POWDER COATED FINISH ⇒ 4 MOUNTING HOLES ⇒ INCLUDES WEBBING STRAP AND SPRING LOADED ATTACHMENT

LIGHT DUTY VEHICLE BRACKETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	VB895A	EXTINGUISHER BRACKET 895 BLACK 2KG CO2 / 2.5 - 4.5KG DCP ADJUSTABLE		VB45RRC	VEH BRK 4.5KG REPLACE- MENT RUBBER STRAP FOR VB23R & VB45R
				VB9RRC	VEH BRK 9.0KG REPLACE- MENT RUBBER STRAP FOR VB9R BRACKET
	VB23R	VEH BRK 2.3KG RUBBER STRAP 860 ADJUSTABLE 75MM—108MM	CHI.	HDVB25B	VEH BRK DCP 2.5KG CHUBB BLACK VEHICLE BRACKET 120-125MM
	VB45R	VEH BRK 4.5kg RUBBER STRAP 862 ADJUSTABLE 125MM - 178MM		VB1C	EXTINGUISHER BRACKET 1KG PVC LIGHT DUTY VEHICLE BRACKET
	VB9R	VEH BRK 9.0KG RUBBER STRAP 864 ADJUSTABLE 178MM - 205MM		VB1CM	VEH BRK DCP 1.0KG CHUBB 109288 METAL LIGHT VEHICLE BRACKET



SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS



LIGHT DUTY VEHICLE BRACKETS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	VB1DA	FIRE EXTINGUISHER BRACKET FITS 1.0 - 1.5KG DCP CYLINDER	The same	VB23Q	FIRE EXTINGUISHER BRACKET 2.3KG QUELL KIDDE DCP VEHICLE BRACKET
The same	HDVB2LQ	FIRE EXTINGUISHER BRACKET 2KG DCP MINING C/W HOSE CLIP		VB25F	VEH BFK 2.5KG FIREX ABE LIGHT DUTY
	VB23C	FIRE EXTINGUISHER BRACKET 2.3KG CHUBB KIDDE DCP C/W HOSE CLIP			

EXTINGUISHER HANGERS - UNDERGROUND MINES

180 marks			IING C/W HOSE CLIP			TIMEX ABE EIGHT DOTT	SECTION
	VB23C	BRA	RE EXTINGUISHER ACKET 2.3KG CHUBB KIDDE DCP C/W HOSE CLIP				6 VEHICLE &
EXTINGUI	SHER H	AN	GERS - UNDE	RGROUND	MINES		GENERAL
	CODI	E		DESCRIP	TION		Ę
	DEHU		DOUBLE EXTIN ⇒ DESIGNED TO SECUR ⇒ 1275MM DROP HEIG ⇒ POWDER COATED SI	GHT		D MINES 1275mm	
			TOP DETAIL	LOV	WER DETAIL		EXTINGUISHER BRACKETS





EXTINGUISHER WALL BRACKETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
9	WB9DFO	WALL BRACKET 9.0KG DCP FIREOUT RED FW/ CHUBB/FIREX/KIDDE		WBDEG9	WALL BRK DCP 9.0KG E/GARD 80mm BRACKET
	WBCQ	WALL BRK CO2 QUELL/ CHUBB 43MM BRACKET 2.5 & 4.5KG DCP 2 & 3.5KG CO2		WBFSAB	WALL BRK FORK STYLE BRACKET WORMALD A/W A/F OLD SODA ACID 20MM
	WBDQ	WALL BRK DCP QUELL/ CHUBB 65MM BRACKET 9KG DCP, 9LT & 5KG CO2	1	WB2DQ	WALL BRK DCP 2.23KG Q RED FORK BRACKET 65MM
	WB9DCR	WALL BRK DCP 4.5KG & CO2 3.5 - 5KG CH FM F x FW BRACKET 55MM		WBCS	WALL BRK CHUBB SLOT BRACKET 65MM
	WBEBC	WALL BRK EXT I BEAM CLAMP M12		WBDL	WALL BRK DCP/CO2 LARGE 60MM 9 KG W/INT - 5KG CO2 FM BRACKET
	WBAWF	WALL BRACKET DOUBLE ENDED FITS MOST EXTINGUISHERS 55MM / 75MM	3	WBJT	WALL BRK J TYPE 9.0LT AW AF F/M BFI B/ M WORM BRANDS 15MM
	WB9DBFI	WALL BRK DCP 9KG W/C 7LT BFI BRACKET		WBWFWPS	WALL BRK AW/AF WORMALD PREM 80MM BRACKET OFFSET FORK STYLE



SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS



AUSTRALIA WIDE FIRE SUPPLIES

SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS

NOTES





SECTION 7 FLAMMABLE LIQUID STORAGE CABINETS

FLAMMABLE LIQUID STORAGE CABINETS

QUALITY MANUFACTURED TO EXCEED AS 1940 – 2004

- ♦ UNIQUE DUAL SEAL DESIGN FOR ADDED SAFETY
- UNIQUE THREE-POINT LATCHING SYSTEM AND FLUSH MOUNT KEY LOCK HANDLE
- ◆ PATENTED AUTOMATED SEQUENTIAL CLOSING & LOCKING MECHANISM ON ALL 2 DOOR MODELS WITH ALL ALLOY CONTACT POINTS ELIMINATING SPARK RISK
- ♦ TWO STANDARD 50MM DIAMETER FLASH ARRESTORS AIDS SAFER FUME EXTRACTION
- UNIQUE SHEER-WELD FINISH WITH NO EXPOSED RIVETS ELIMINATES CATCH RISK
- **♦ DOUBLE WALLED THERMAL BARRIER**
- ♦ 180 DEGREE DOOR OPENING ON ALL MODELS FOR IMPROVED ACCESS
- ♦ OPTIONAL EARTHING POINT AND CABLE SUPPLIED WITH ALL MODELS

	CODE	DESCRIPTION
HO SMOVING NO CANTON COURCES NYTHE 28	CFLSS30	FLAMMABLE LIQUID STORAGE CABINET 30LT SINGLE DOOR CLASS 3 UNDER BENCH TYPE SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS
FIG. SPOCKS. 60 CATCHE SERVICES AND SERVICES AND SERVICES. AND S	CFLSS100	FLAMMABLE LIQUID STORAGE CABINET 100LT 2 DOOR CLASS 3 UNDER BENCH TYPE SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS
10 and 10	CFLSS160	FLAMMABLE LIQUID STORAGE CABINET 160LT 2 DOOR CLASS 3 UPRIGHT SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS
IN PRODUCT SO WANTED SOURCE WORKERS	CFLSS250	FLAMMABLE LIQUID STORAGE CABINET 250LT 2 DOOR CLASS 3 UPRIGHT SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS





SECTION 7 FLAMMABLE STORAGE CABINET

SECTION 7 FLAMMABLE LIQUID STORAGE CABINETS

FLAMMABLE LIQUID STORAGE CABINETS









CABINET FEATURES

- ALL MODELS COME WITH FULLY ADJUSTABLE AND REMOVABLE SHELVING
- 160L & 250L MODELS COME WITH UNDER SUMP SKIDS ALLOWING MOBILITY BOTH EMPTY AND FULLY LOADED
- 160L & 250L MODELS COME WITH UNDERSIDE SAFETY STRAPPING TO PREVENT CABINET TIPPING
- 30L & 100L MODELS COME WITH UNDERSIDE CORNER **LEVELLING BOLTS**
- 30L & 100L MODELS SUITABLE FOR UNDER-BENCH **STORAGE**
- ETCH UNDERCOAT WITH HIGH GLOSS POWDER COAT **FINISH**
- SINGLE MOVING PART ON CLOSING MECHANISM REDUCES **MAINTENANCE**
- YELLOW CABINETS AVAILABLE FOR CLASS 3 & 2: **FLAMMABLE SUBSTANCES**
- ♦ CLASS 8: CORROSIVE (Blue), CLASS 6.1: POISONS/TOXIC (White), CLASS 5.1: OXIDIZING AGENT (Yellow), CLASS 5.2: **ORGANIC PEROXIDE SUBSTANCES (Yellow) AND CLASS 9: MISCELLANEOUS CABINETS (Yellow) ALSO AVAILABLE**

MODEL	CAPACITY (L)	HEIGHT (MM)	WIDTH (MM)	DEPTH (MM)	WEIGHT (KG)	DOORS	SHELVES	DUAL	EARTH CABLE	LEVELLING BOLTS	BASE SKIDS	INTERNAL SUMP	SAFETY STRAP UND
CFLSS030	30	800	505	500	53	1	1	Y	Y	Y	N	Y	N
CFLSS100	100	800	1100	500	100	2	1	Υ	Υ	Υ	N	Y	N
CFLSS160	160	1295	1100	500	138	2	2	Υ	Υ	N	Υ	Υ	Υ
CFLSS250	250	1825	1100	500	187	2	3	Υ	Υ	N	Υ	Y	Υ





LOCATION SIGNS - PVC - STANDARD

	CODE	DESCRIPTION		DIMENS	SIONS (MM)	
	LSFEPG	LOC SIGN PVC EXT SMALL		150 W x	225 H	
	LSFEPR	LOC SIGN PVC EXT SMALL F	REF	150 W x	225 H	*** REFLECTIVE***
FIRE	LSFEPMG	LOC SIGN PVC EXT MEDIUM	225 W x	300 H		
EXTINGUISHER	LSFEPL	LOC SIGN PVC EXT MEDIUM	М	300 W x	455 H	
luml	LSFHRPG	LOC SIGN PVC FHR SMALL		150 W x	225 H	
⊕-	LSFHRPMG	LOC SIGN PVC FHR MEDIUI	M	230 W x	300 H	
FIRE HOSE REEL	LSFHRPL	LOC SIGN PVC FHR LARGE		300 W x	450 H	
in	LSFBPG	LOC SIGN PVC F/BLANKET S	SMALL	150 W x	225 H	
FIRE BLANKET	LSFBPM	LOC SIGN PVC F/BLANKET I	MEDIUM	215 W >	315 H	
	CODE	DESCRIPTION			CODE	DESCRIPTION
FEBE EXTINGUISHEB INSIDE	LSFEIP	LOC SIGN PVC EXT INSIDE SMALL 150 W x 225 H	FIRE A	LARM	LSFAPM	LOC SIGN PVC FIRE ALARM MEDIUM PICTO 230 W x 300 H
FIRE HOSE REEL INSIDE	LSFHRIP	LOC SIGN PVC FHR INSIDE SMALL 150 W x 225 H	FIRE ALARI INSIDE I		LSFAPIRP	LOC SIGN PVC FIRE ALARM PANEL INSIDE ROOM 450 W x 150 H
FIRE EKTINGUISHEN A HOSE REEL	LSFEHRPS	LOC SIGN PVC EXT & FIRE HOSE REEL 150 W x 225 H	FIRE A	LARM	LSFABT	LOC SIGN PVC FIRE ALARM BELL 220 W x 190 H
FIRE ALARM	LSFAP	LOC SIGN PVC FIRE ALARM SMALL PICTO 155 W x 210 H	EVACU	ATION RM	LSEAP	LOC SIGN PVC EVACUATION ALARM PICTO 155 W x 205 H





LOCATION SIGNS - PVC - STANDARD

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE ALARM CALL POINT	LSMCPP	LOC SIGN PVC MANUAL CALL POINT 150 W x 225 H	FIRST AID	LSFA	LOC SIGN PVC FIRST AID 150 W x 225 H

LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF

	CODE	DESCRIPTION	DIMENSIONS (MM)	
	LSRAFEP	LOC SIGN R/A PVC PICTO EXT SMALL	150 W x 225 H	
	LSRAFEPM	LOC SIGN R/A PVC PICTO EXT MED	220 W x 320 H	
FIRE	LSRARFEP	LOC SIGN R/A PVC PICTO EXT REF SMALL	155 W x 225 H	***REFLECTIVE***
EXTINGUISHER	LSRARFEPM	LOC SIGN R/A PVC PICTO EXT REF MED	215 W x 325 H	***REFLECTIVE***
	LSRAFHR	LOC SIGN R/A PVC PICTO FHR SM	155 W x 225 H	
⊕-	LSRAFHRM	LOC SIGN R/A PVC PICTO FHR MED	200 W x 300 H	
FIRE HOSE REEL	LSRARFHRM	LOC SIGN R/A PVC PICTO FHR REF MED	200 W X 300 H	***REFLECTIVE***

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE MOSE REEL MYDRANT	LSRAFHHYP	LOC SIGN R/A PVC FHR & HYDRANT 150 W X 225 H	FIRE EXTINGUISHER & HOSE REEL	LSRAFEHRPS	LOC SIGN R/A PVC FIRE EXT & HOSE REEL 160 W x 230 H
FIRE HOSE NEEL A FIRE WYDNAMY	LSRAFHRHL	LOC SIGN R/A PVC FHR & HYDRANT LARGE 240 W x 320 H		LSRAFHH	LOC SIGN R/A PVC FH & HYD 230 W x 300 H
FIRE EXTINGUISHEN A HOSE REEL	LSRAFEHRP	LOC SIGN R/A PVC FIRE EXT & HOSE REEL 215 W x 320 H	FIRE BLANKET	LSRAFB	LOC SIGN R/A PVC FIRE BLANKET 160 W x 230 H





LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE	LSRAFHY	LOC SIGN R/A PVC FIRE HYDRANT w/ ARROW 215 W x 320 H		LSSOFEP	LOC SIGN S/O PVC FIRE EXT SM DOUBLE SIDED 125 W x 150 H
FIRE ALAINY CALL PRINT	LSRAMCP	LOC SIGN R/A PVC MANUAL CALL POINT 150 W x 225 H		LSSOFEPM	LOC SIGN S/O PVC FIRE EXT MED DOUBLE SIDED 250 W x 300 H
WARDEM INTERCOM POINT	LSRAPWIP	LOC SIGN R/A PVC W.I.P WARDEN INTERCOM POINT 150 W x 225 H	FIRE FIRE HOSE REEL HOSE REEL	LSSOFHRPM	LOC SIGN S/O PVC FHR MED DOUBLE SIDED 250 W x 300 H
FIRE ALARM	LSRAFA	LOC SIGN R/A PVC FIRE ALARM SMALL 160 W x 210 H	FIRE FIRE ALARM	LSSOFAPM	LOC SIGN S/O PVC F/ALARM MED DOUBLE SIDED 250 W x 300 H
FIRE HOSE REEL & EXTINGUISHER	LSRAFHREXT	LOC SIGN R/A PVC FHR FIRE EXT 230 H x 160 W			

LOCATION SIGNS - SELF ADHESIVE - VEHICLE

	CODE	DESCRIPTION		CODE	DESCRIPTION
THE DOTH WAS SHEET.	LSSAFES	LOC SIGN S/A FIRE EXT SMALL SUIT VEHICLE 80 W x 120 H	FRIGINARY	LSSAFBS	LOC SIGN S/A FIRE BLANKET SMALL SUIT VEHICLE 80 W x 120 H
	LSSAFERS	LOC SIGN S/A FIRE EXT REFLECT SUIT VEHICLE 100 W x 100 H	HRST AIB	LSSAFAS	LOCATION SIGN S/A FIRST AID VEHICLE SIZE 80 W x 120 H





LOCATION SIGNS - SELF ADHESIVE - GENERAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE EXTINGUISHER	LSSAFE	LOC SIGN S/A FIRE EXT SMALL 150 W x 225 H	FIRE HOSE REEL	LSSAFHRM	LOC SIGN S/A FHR MEDIUM 215 W x 315 H
F(RE EXTINGUISHER	LSSAFER	LOC SIGN S/A FIRE EXT ***REFLECTIVE*** 155 W x 225 H	FIRE HOSE	LSSAFHRD	LOCATION SIGN S/A FIRE HOSE RESIN FOR DUAL CABINET
FIRE EXTINGUISHER	LSSAFEM	LOC SIGN S/A FIRE EXT MEDIUM 225 W x 300 H	SAFETY	LSSASERD	LOCATION SIGN S/A SAFETY EQUIP RESIN FOR DUAL CABINET
FIRE BLANKET	LSSAFB	LOC SIGN S/A FIRE BLANKET 150 W x 225 H	FIRE EXTINGUISHER	LSSAFERD	LOCATION SIGN S/A FIRE EXT RESIN FOR DUAL CABINET
FIRE HOSE REEL	LSSAFHR	LOC SIGN S/A FHR SMALL 150 W x 225 H		LSSAFEPRS	LOCATION SIGN S/A FIRE EXT PICTO RESIN SMALL 80 X 80
FIRE ALARM	SSAFAP	LOC SIGN S/A FIRE ALARM BELL PICTO 220 W x 190 H			

SECTION 8 SIGNS & LABELS





SECTION 8 SIGNS & LABELS

LOCATION SIGNS - METAL - STANDARD

	CODE	DESCRIPTION		DIMENSIONS (I	мм)
	LSFEMS	LOC SIGN METAL EXT SMA	LL	150 W x 225 H	
	LSFERMS	LOC SIGN METAL EXT REFL	ECT SM	150 W x 225 H	***REFLECTIVE***
	LSDSERMS	LOC SIGN METAL D/SIDE EXT REF SMALL		150 W x 225 H	I ***REFLECTIVE***
FIRE	LSFEMM	LOC SIGN METAL EXT MED	LOC SIGN METAL EXT MEDIUM		1
EXTINGUISHER	LSFEML	LOC SIGN METAL EXT LARG	GE	300 W x 450 I	1
111111	LSFHRMS	LOC SIGN METAL FHR SMA	ALL	150 W x 225 I	1
⊕-	LSFHRMM	LOC SIGN METAL FHR MED	DIUM PICTO	210 W x 320 H	1
FIRE HOSE REEL	LSFHRML	LOC SIGN METAL FHR LARGE		300 W x 450 I	1
	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE ALARM	LSFAMM	LOC SIGN METAL FIRE ALARM PICTO MED 255 W X 300 H	FIRE	LSFHYMI	LOC SIGN METAL FIRE HYD LGE ARROW 600 W x 450 H
FIRE ALARM	LSFAMS	LOC SIGN METAL FIRE ALARM SMALL 150 W x 225 H			

LOCATION SIGNS - METAL - RIGHT ANGLE

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE EXTINGUISHER	LSRAFEMS	LOC SIGN R/A METAL EXT SMALL 150 W x 225 H	FIRE HYDRANT	LSRAFHR1MM	LOC SIGN R/A METAL HYD U/GROUND ***REFLECTIVE*** 200 W x 300 H
FIRE EXTINGUISHER	LSRAFEMM	LOC SIGN R/A METAL EXT MEDIUM 200 W x 300 H	FIRE HOSE REEL	LSRAFHRMS	LOC SIGN R/A METAL FHR SMALL 150 W x 225 H
EXTERNISHED	LSRAFER1MM	LOC SIGN R/A METAL EXT U/GROUND ***REFLECTIVE*** 200 W x 300 H	FIRE HOSE BEEL	LSRAFHRRMS	LOC SIGN R/A METAL FHR SMALL ***REFLECTIVE*** 150 W x 225 H





SECTION 8 SIGNS & LABELS

LOCATION SIGNS - METAL - BOARDS

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE EXTINGUISHER	SLBMS	SIGN LOC BOARD METAL EXTINGUISHER SMALL 450 W x 600 H	FIRE EXTINGUISHER	SLBML	SIGN LOC BOARD METAL EXTINGUISHER LARGE 600 W x 900 H

LOCATION SIGNS - ALUMINIUM

	CODE	DESCRIPTION		CODE	DESCRIPTION
FINE EXTINGUISHEN	LSFEAS	LOCATION SIGN FIRE EXTINGUISHER ALUMINIUM 150 W X 225 H X 0.6MM	FIRE BLANKET	LSFBA	LOCATION SIGN FIRE BLANKET ALUMINIUM 150 W X 225 H X 0.6MM
FIRE EXTINGUISHER	LSFEMLA	LOCATION SIGN FIRE EXTINGUISHER LARGE ALUMINIUM W/ ANTI GRAFF			

LOCATION SIGNS - CORFLUTE

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE EXTINGUISHER	SLBCS	SIGN LOC BOARD CORFLUTE EXTINGUISHER SMALL 450 W x 600 H	FIRE EXTINGUISHER	SLBCL	SIGN LOC BOARD CORFLUTE EXTINGUISHER LARGE 600 W x 900 H





PAGE 76

IDENTIFICATION SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
A:B(E) POWDER St to star free their particularly adord star free their particular particul	IDDAPPG	ID DISC PVC PICTO DCP ABE 190 W x 260 H	FOAM FOAM FOAM FOAM FOAM FOAM FOAM FOAM	IDFPPG	ID DISC PVC PICTO FOAM 190 W x 260 H
A:B(E) POWDER 11 ST VEILS FOR PURSES 10 STE VAND CLEENES 10 STE VAND	IDDAG	ID DISC PVC DCP ABE 190 W x 190 H	FOAM TO STAND PARTY T	IDFG	ID DISC PVC A/F 190 W x 190 H
TO BE HALLE FOR PAINT. DIS. EVERTICAL PAIN BY THER LIGHTS FORES VOICES VOICES TO BE HALL FOR PAINT. BY THE STAND STORY	IDCPPG	ID DISC PVC PICTO CO2 190 W x 260 H	B(E) POWDER 19 1 MIG 160 11	IDDBPP	ID DISC PVC PICTO DCP BE 190 W x 260 H
CO2 TO BE ESTOTOF PAINT ONLE LECTRICAL AND OTHER UNDER FREE	IDCG	ID DISC PVC CO2 190 W x 190 H	B(E) POWDER TO SE AND PASS SECTION AS THE SECTION	IDDBG	ID DISC PVC DCP BE 190 W x 190 H
WATER DECISED FOR YOUR PICH DENDER FORE PICH DENDER FORE PARTIES AND PARTIES FORE TOP THEORY AND PARTIES FOR	IDWPPG	ID DISC PVC PICTO A/W 190 W x 260 H	<u>B</u>	IDPNS	ID DISC PVC PICTO NO SMOKE 190 W x 190 H
TOBESSORE WOOD HAVE ROBLES FORE BUT IN ELECTRONA OF FRANCISCHE LUBIO FIRES	IDWG	ID DISC PVC A/W 190 W x 190 H	EMERGENCY EVACUATION SKI SHEET FITTED TO BED	IDES	ID DISC PVC EVAC SHEET 120 W x 100 H
WET CHEMICAL PRES NOT FOR ELECTRICAL FIRES	IDWCG	ID DISC PVC WET CHEMICAL 250 W x 190 H			





IDENTIFICATION SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION
ASSISTED POWDER OF THE POWDER	IDSADAP	ID DISC S/A DCP ABE PICTO 190 W x 260 H
Adjet Powier Pow	IDSADA	ID DISC S/A DCP ABE 190mm W x 190mm H
TOTAL OF THE PERSON OF T	IDSAC	ID DISC S/A CO2 190 W x 190 H
WATER TO SELL OF MANY TO SELL	IDSAAW	ID DISC S/A AIR WATER 190 W x 190 H

	CODE	DESCRIPTION
CHARGE AS WET AS THE STATE AS THE STATE AS A	IDSAWC	ID DISC S/A WET CHEMICAL 190 W x 190 H
FOAM PARTY STORY	IDSAAF	ID DISC S/A AIR FOAM 190 W x 190 H
ORI	IDSADB	ID DISC S/A DCP BE 190 W x 190 H
	IDSANS	ID DISC S/A NO SMOKING PICTO 190 W x 190 H

IDENTIFICATION SIGNS - METAL

	CODE	DESCRIPTION
A-B/EI POWOER THE PERMITTE WITH THE PERMITTER	IDDAM	ID DISC METAL DCP ABE 190 W x 190 H
CHENGAL AS INCLUSED ON THE PROPERTY OF THE PRO	IDDAMR	ID DISC METAL DCP ABE **REFLECTIVE** 220 W x 225 H
Wet SIED For open THE LIMITATE AND SIESE OPEN THESE OPEN	IDCM	ID DISC METAL CO2 190 W x 190 H
CO2 NOT HERE IN THE PARTY OF TH	IDCMR1	ID SIGN METAL CO2 **REFLECTIVE** CLASS 1 MINES
WATER ONE IST HE WAS PIET OF THE PIET OF T	IDWM	ID DISC METAL A/W 190 W x 190 H

	CODE	DESCRIPTION
CHARLES OF THE STATE OF THE STA	IDWCM	ID DISC METAL W/CHEMICAL 190 W x 190 H
FOAM FOAM FOAM FOAM FOAM FOAM FOAM FOAM	IDFM	ID DISC METAL A/F 190 W x 190 H
FOAM FOAM STATE AND THE STATE OF THE STATE O	IDFMR	ID DISC METAL A/F **REFLECTIVE** 220 W x 225 H
BJE) POWDER THANKS	IDDBM	ID DISC METAL DCP BE 190 W x 190 H





SECTION 8 SIGNS & LABELS

GENERAL SIGNS - PVC

		CODE	DESCRIPTION		CODE	DESCRIPTION
ASSI	IGENCY EMBLY REA	SPEAA	SIGN POLY EMERGENCY ASSEMBLY AREA 600 W x 450 H	FIRE HOSE & HYDRANT	SPFHHL	SIGN PVC FIRE HOSE & HYD LARGE 370 W x 230 H
-	RGENCY WASH	SPEEW	SIGN POLY EMERGENCY EYE WASH 200 W x 250 H	FIRE HOSE & HYDRANT	SPFHHM	SIGN PVC FIRE HOSE & HYD MED 215 W x 300 H
	IRE Pot	SPFD	SIGN PVC FIRE DEPOT 310 W x 230 H	FIRE HOSE REEL & HYDRANT ONLY TO BE USED IN CASE OF FIRE FRILLIRE TO DOMPLY MAN LEAD TO PROSEDUTION	SPFHHUL	SIGN PVC FHR & HYD USAGE LARGE 440 W x 395 H
	I I I I I I I I I I I I I I I I I I I	SPFEFA	SIGN PVC FIRE EXTINGUISHER & FIRST AID 95 W x 290 H	FIRE HYDRANT	SPFHM	SIGN PVC FIRE HYDRANT MEDIUM 315 W x 215 H
FIRE H	OSE REEL Inguisher	SPFEFHR	SIGN PVC FIRE HOSE REEL FIRE EXT WHITE ON RED	FIRE HYDRANT PUMP ROOM	SPFHPRM	SIGN POLY FIRE HYDRANT PUMP ROOM MEDIUM 315 W x 215 H
S R	OSE EEL & Drant	SPHRHM	SIGN PVC HR & HYDRANT MED 215 W x 315 H 50MM LETTERS	FIRE HOSE REEL & HYDRANT	SPFHRHL	SIGN PVC FHR & HYDRANT LARGE 440 W x 300 H 75MM LETTERS
	IRE DRANT	SPFHAM	SIGN PVC FIRE HYD + ARROW MED 210 W x 320 H	FIRE HOSE REEL & HYDRANT	SPFHRHM	SIGN PVC FHR & HYDRANT MED 215 W x 315 H 40MM LETTERS
HYE	IRE IRANT ISTER	SPFHB	SIGN PVC FIRE HYDRANT BOOSTER 315 W x 215 H	FIRE HOSE REEL	SPFHRL	SIGN PVC FIRE HOSE REEL LARGE 225 W x 300 H WHITE BORDER





GENERAL SIGNS - PVC - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
Penalties of up to \$10 000 apply for the illegal use of FIRE HOSE REELS	SPFHRP	SIGN PVC FHR PENALTIES APPLY FOR ILLEGAL USE 190 W x 190 H	FIRE SPRINKLER BOOSTER	SPSB	SIGN PVC FIRE SPRINKLER BOOSTER 330 W x 225 H
FIRE HOSE REEL	SPFHRS	SIGN PVC FHR STRIP 485 W x 100 H	FIRE	SPF	SIGN PVC FIRE 50 W x 100 H WHITE ON RED
FIRE HOSE REEL ONLY TO BE USED IN CASE OF PRE	SPFHRULS	SIGN PVC FHR USE STRIP LGE 440 W x 95 H	FIRE Extinguisher	SPES	SIGN PVC FIRE EXT STRIP 450 W x 155 H
FRE	SPFHVAS	SIGN PVC FIRE HYD VERT ARROWSTRIP 130 W x 450 H	FIRE ALARM PANEL	SPFAPS	SIGN PVC FIRE ALARM PANEL STRIP 520 W x 65 H
FIRE HYDRANT	SPFHYDS	SIGN PVC FIRE HYD STRIP 500 W x 100 H	FIRE ALARM	SPFASS	SIGN PVC FIRE ALARM STRIP SML 150 W x 70 H RED ON WHITE
FIRE POINT	SPFPL	SIGN PVC FIRE POINT LARGE 900 W x 600 H	HYDRANT BOOSTER	SPHBV	SIGN PVC HYDRANT BOOSTER 300 W x 240 H
FIRE POINT	SPFPS	SIGN PVC FIRE POINT STRIP 410 W x 65 H	WINDS DAY TO THE TOP T	SPPASS	SIGN PVC P.A.S.S. EXTINGUISHER BC
FIRE PUMP	SPFPUS	SIGN PVC FIRE PUMP STRIP 495 W x 130 H	FIRE EQUIPMENT	SPFES	SIGN PVC FIRE EQUIPMENT STRIP 500 W x 100 H





GENERAL SIGNS - PVC - continued

		CODE	DESCRIPTION		CODE	DESCRIPTION
	EMERGENCY EXIT DO NOT OBSTRUCT	SPEEDNO	SIGN PVC EMERGENCY EXIT DO NOT OBSTRUCT 320 W x 120 H W/R	FIRE SAFETY DOOR do not obstruct	SPFSDD- NOBW	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 320 W x 120 H
	FIRE DOOR DO NOT OBSTRUCT	SPFDDNO	SIGN PVC FIRE DOOR DO NOT OBSTRUCT 320 W x 120 H		SPFSDD- NONOBS	SIGN PVC FIRE SAFETY DOOR DO NOT OBST DO NOT KEEP OPEN 320 W x 120 H BLACK ON SILVER
	FIRE DOOR DO NOT DESTRUCT DO NOT KEEP OPEN	SPFDDNO- NO 320 x 120	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN WHITE/GREEN	FIRE (SAFETY) DOOR DO NOT OBSTRUCT	SPFSDD- NORW	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 320 W x 120 H
	FIRE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SPFDD- NONOBS 320 x 120	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN BLACK/SILVER	FIRE SAFETY DOOR DO NOT OBSTRUCT	SPFSDD- NOWR	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 330 W x 120 H
	FIRE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SPFDD- NONOWR 320 x 120	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN WHITE/RED	FIRE (SAFETY) DOOR	SPFSDNO- NO	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120
& LADELS	FIRE DOOR	SPFDWG	SIGN PVC FIRE DOOR WHITE GREEN 330 W x 120 H	FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SPFSD- NONOWR	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120
CNIDIC O	FIRE EXIT DO NOT OBSTRUCT	SPFEDNO	SIGN PVC FIRE EXIT DO NOT OBSTRUCT 300 W x 120 H	FIRE (SMOKE) DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SPFDNO- NO	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120
SECTION	FIRE SAFETY DOOR DO NOT OBSTRUCT	SPFSDDNO	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT 320 W x 120 H	FIRE SMOKE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SPFD- NONOBW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120





GENERAL SIGNS - PVC - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE (SMOKE) DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SPFDNON- ORW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120	POSTTABLE PILE EXTENSIONES GUEZ.	SPUREL	SIGN PVC USE RIGHT EXT LARGE 500 W x 350 H
FIRE (SMOKE) DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SPFD- NONOWR	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120	POSTTABLE FILE SCTINGUISHER SUBS	SPUREM	SIGN PVC USE RIGHT EXT MEDIUM 350 W x 400 H
FIRE (SMOKE) DOOR DO NOT OBSTRUCT	SPFSDNO	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H	CONTROL PILE STEMBILIPER GUES	SPURES	SIGN PVC USE RIGHT EXT SMALL 255 W x 175 H
FIRE (SMOKE) DOOR DO NOT OBSTRUCT	SPFSD- NOBW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H	NOTICE DEFENCES BLIANNES TO HER ADDITION OF THE ADDITION OF T	SPRFE	SIGN PVC OFFENCES FIRE EXITS LOC GOV WHITE ON RED 150 W x 225 H
FIRE (SMOKE) DOOR DO NOT OBSTRUCT	SPFSD- NORW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H	OFFINESS SECUTIONS TO HIRE CATS In an analysis of the security of the securit	SPRFEES	SIGN PVC OFFENCES FIRE EXITS EPA ACT BLACK/SILVER 150 W x 200 H
FIRE SMOKE DOOR DO NOT OBSTRUCT	SPFSD- NOWR	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT 320 W x 120 H	CONTRACTOR OF THE CONTRACTOR O	SPRFER	SIGN PVC OFFENCES FIRE EXITS EPA ACT WHITE ON RED 150 W x 225 H
Communication Communication Communication Communication Communication Extraction Communication	SPRACES	SIGN PVC RACE 220 W x 305 H	NOTICE OFFICES HEAD TO FIELDOTS OFFICES HEAD TO OFFICE HEAD TO OFFI O	SPRFES	SIGN PVC OFFENCES FIRE EXITS LOC GOV SILVER/BLACK 150 W x 225 H
	SPRA	SIGN PVC ***REFLECTIVE *** ARROW ONLY 105 W x 140 H WHITE/GREEN	OFFENCE RELATING TO FINE EXITS 1-31 different marks (in § 10-december Fine Exit (in § 10-december Fine Exit (in § 10-december Fine Exit (in § 10-december (SPRFEW	SIGN PVC OFFENCES FIRE EXITS EPA ACT RED ON WHITE 150 W x 225 H





GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
BREAK FRONT	SSAIBF	SIGN S/A IN CASE OF FIRE BREAK FRONT 120 W x 40 H	FIRE	SSAFHPS	SIGN S/A FIRE HYD STRIP PICTO 300 W x 100 H
in case of emercency emean glass	SSAIBG	SIGN S/A IN CASE OF EMERGENCY BREAK GLASS 125 W x 75 H	FIRE HOSE & HYDRANT	SSAFHH	SIGN S/A FIRE HOSE & HYDRANT 225 W x 300 H
ATTENTION I FIRE EXTINGUISHER MISSING ADVISE SUPERVISOR	SSAEMB	SIGN S/A EXT MISSING BLAZON 190 W x 190 H	FIRE HOSE & INVORANT	SSAFHHS	SIGN S/A FIRE HOSE & HYD STRIP 500 W x 100 H
FIRE Hydrant	SSAFH	SIGN S/A FIRE HYDRANT 320 W x 215 H	FIRE HOSE REEL	SSAFHRWR	SIGN S/A FHR SQUARE 330 W x 330 H
(FB)	SSAFHC	SIGN S/A FH IN CIRCLE WHITE / CLEAR 170 x 170	FIRE HOSE REEL	SSAFHRPS	SIGN S/A FHR STRIP PICTO 300 W x 100 H
FIRE Hydrant	SSARFH	SIGN S/A FIRE HYD ***REFLECTIVE*** 430 W x 260 H	FIRE HOSE REEL	SSAFHR	SIGN S/A FHR STRIP 500 W x 100 H
FIRE HYDRANT BOOSTER	SSAHB	SIGN S/A HYDRANT BOOSTER 315 W x 215 H	FIRE	SSAFHP	SIGN S/A FIRE HOSE STRIP PICTO 300 W x 100 H
FIRE HYDRANT	SSAFHS	SIGN S/A FIRE HYDRANT STRIP 500 W x 100 H	FIRE HOSE REEL & HYDRANT	SSAFHRHS	SIGN S/A FIRE HOSE REEL & HYD SMALL 225 W x 300 H





GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE HOSE REEL & HYDRANT	SSAFHRH	SIGN S/A FHR & HYDRANT 435 W x 300 H		SSADNOMP	SIGN S/A DO NOT USE MOBILE PHONE PICTO 100 DIA VINYL
FIRE HOSE REEL	SSAFHRU	SIGN S/A FHR TO BE USED IN CASE OF FIRE 500 W x 100 H	NO SMOKING	SSANSS	SIGN S/A NO SMOKING STRIP 410 W x 125 H
HOSE REEL & Fire Hose	SSAFHRFH	SIGN S/A FHR & FIRE HOSE 290 W x 190 H	DO NOT OBSTRUCT	SSADNOS	SIGN S/A DO NOT OBSTRUCT W/R STRIP 70 H x 310 W
FIRE DEPOT	SSAFD	SIGN S/A FIRE DEPOT 315 W x 215 H	EXIT	SSAE	SIGN S/A EXIT 285 W x 140 H
FIRE DEPOT	SSAFDR	SIGN S/A FIRE DEPOT ***REFLECTIVE*** CLASS 2 310 W x 225 H	EXIT	SSAEP	SIGN S/A EXIT PICTO 310 W x 110 H
FIRE DEPOT	SSAFDR1S	SIGN S/A FIRE DEPOT ***REFLECTIVE *** SML UNDERGROUND 300Wx200H	FURE EXTINGUISHER	SSAEPS	SIGN S/A EXT STRIP PICTO 300 W x 100 H
FIRE DEPOT	SSAFDR1	SIGN S/A FIRE DEPOT **REFLECTIVE** UNDER- GROUND 440 W x 350 H	EXIT	SSAER	SIGN S/A EXIT **REFLECTIVE** 285 W x 140 H
FIRE DEPOT CONTENTS	SSAFDCR	SIGN S/A FIRE DEPOT CONTENTS ***REFLECTIVE*** 290 W x 205 H	FIRE EXTINGUISHER INSIDE	SSAFEIS	SIGN S/A FIRE EXT INSIDE STRIP 455 W x 50 H





SECTION 8 SIGNS & LABELS

GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE EXIT	SSAFEX	SIGN S/A FIRE EXIT 350 W x 125 H GREEN/WHITE	FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SSAFSDNONO	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN
MOTICE: #11 * On the year 10 to #24 * On the year 10 to #25 * On the	SSAOFE	SIGN S/A OFFENCES FIRE EXITS LOC GOVT ACT 225 W x 155 H	FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SSAFSD- NONOR	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN
FIRE DOOR DO NOT OBSTRUCT	SSAFDNO	SIGN S/A FIRE DOOR DO NOT OBSTRUCT 320 W x 120 H	FIRE SMOKE DOOR DO NOT OBSTRUCT	SSAFSMDNO	SIGN S/A FIRE SMOKE DOOR DO NOT OBSTRUCT 320 W x 120 H
FIRE DOOR DO NOT OBSTRUCT	SSAFDNOG	SIGN S/A FIRE DOOR DO NOT OBSTRUCT WH/GREEN 320 W x 120 H	FIRE SMOKE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN	SSAFSMD- NONOWR 320 H x 120 W	SIGN S/A FIRE SMOKE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN
FIRE SAFETY DOOR DO NOT OBSTRUCT	SSAFSDNO	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT 300 W x 120 H	SMOKE DOOR	SSASDWG	SIGN S/A SMOKE DOOR WHITE ON GREEN





GENERAL SIGNS - METAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE HYDRANT	SMFHM	SIGN METAL FIRE HYDRANT MED 315 W x 215 H	FIRE HOSE & HYDRANT	SFHHM	SIGN METAL FIRE HOSE & HYD 225 W x 300 H
FIRE HYDRANT	SMFHL	SIGN METAL FIRE HYDRANT LGE 450 W x 300 H	Pennities of up to \$10 000 apply for the illegal use of FIRE HOSE REELS	SMFHRP	SIGN METAL FHR PENALTIES APPLY FOR ILLEGAL USE 190 W x 190 x H
FIRE HYDRANT	SMFHXL	SIGN METAL FIRE HYDRANT X-LGE 600 W x 450 H	SPRINKLER BOOSTER	SMSB	SIGN METAL SPRINKLER BOOSTER 300 W x 200 H
FIRE HYDRANT	SFHRML	SIGN METAL FIRE HYDRANT **REFLECTIVE** LARGE 450 W x 300 H	SPRINKLER STOP VALVE	SMSSV	SIGN METAL SPRINKLER STOP VALVE 300 W x 300 H
H	SMHS	SIGN METAL BACK H HYDRANT 75 W x 150 H	EXIT	SMER	SIGN METAL EXIT ***REFLECTIVE*** 290 W x 150 H
FIRE HYDRANT PUMP	SMFHP	SIGN METAL FIRE HYDRANT PUMP 300 W x 300 H	FIRE SAFETY DOOR DO NOT OBSTRUCT	SMFSDD- NOSB	SIGN METAL FIRE SAFETY DOOR DO NOT OPEN SILVER ON BLACK
HYDRANT BOOSTER	SMHB	SIGN METAL HYDRANT BOOSTER 300 W x 220 H			

AWFS



EXIT SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
EXIT	SPE	SIGN PVC EXIT 350 W x 150 H		SELAP	SIGN EXIT ARROW LUMINOUS ARROW PICTO 150 W x 150 H
FIRE EXIT	SPFE	SIGN PVC FIRE EXIT STRIP 350 W x 130 H	← ②EXIT	SELRLE	SIGN EXIT LUM S/S RUNNING MAN PICTO LEFT EXIT 400 W x 150 W
EMERGENCY EXIT PUSH BAR TO OPEN	SPEEPB	SIGN PVC EMERGENCY EXIT PUSH BAR TO OPEN WHITE ON GREEN	EXIT S →	SELRRE	SIGN EXIT LUM S/S RUNNING MAN PICTO RIGHT EXIT 400 W x 150 H
NO EXIT	SPNES	SIGN PVC NO EXIT STRIP 330 W x 175 H	← %	SELRLP	SIGN EXIT LUM S/S RUNNING MAN PICTO LEFT PVC 300 W x 100 H
FIRE EXIT	SPFER	SIGN PVC FIRE EXIT ***REFLECTIVE*** 355 W x 130 H	₹	SELRRP	SIGN EXIT LUM S/S RUNNING MAN PICTO RIGHT PVC 300 W x 100 H
FIRE 学家	SELFEP	SIGN PVC LUM FIRE EXIT PICTO 300 W x 100 H	EXIT 🛂	SELRP	SIGN EXIT LUM S/S RUNNING MAN PICTO PVC 440 W x 180 H
EXIT For comergency use only	SELEEO	SIGN PVC LUM EMERGENCY EXIT EMERGENCY USE ONLY 400 W x 150 H	济	SELRPS	SIGN EXIT LUM S/S RUNNING MAN PVC PICTO SMALL 180 W x 180 H
EXIT	SELEE	SIGN PVC LUM EMERGENCY EXIT 400 W x 150 H			





ENGRAVED SIGNS

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIRE SERVICE VALVE GLOSE ONLY TO SERVICE BRE MOSE REELS	SEFSVB	SIGN FIRE SERVICE VALVE BRASS 120 W x 35 H 8mm LETTERS	PIRE SERVICE VALVE CLOSE ONLY TO SERVICE FIRE HOSE REELS	SEFSVP	SIGN FIRE SERVICE VALVE PVC ENGRAVED 175 W x 50 H

SIGN ADHESIVE

	CODE	DESCRIPTION
444	SA	SIGN ADHESIVE 420 GRAM TUBE
PROFES CONTROL		PVC ADHESIVE

NOTES







FIRE LABELS - EXTINGUISHER PICTOGRAM

	CODE	DESCRIPTION		CODE	DESCRIPTION
% ▼ %	RPABE	LABEL RATING PICTO ABE 155 W x 50 H		RPAWS	LABEL RATING PICTO A/W SMALL 85 W x 25 H
37 	RPABES	LABEL RATING PICTO ABE SMALL 85 W x 25 H	BE SMALL		LABEL RATING PICTO BE & CO2 100 W x 50 H
20 7 18 8	RPAF	LABEL RATING PICTO AFFF (FOAM) 155 W x 50 H		RPBES	LABEL RATING PICTO BE SMALL 55 W x 25 H
23 * * % \	RPAFS	LABEL RATING PICTO AFFF SMALL 85 W x 25 H	M B O O	RPWC	LABEL RATING PICTO WET CHEM 200 W x 50 H
	RPAW	LABEL RATING PICTO A/WATER 155 W x 50 H			

FIRE LABELS - EXTINGUISHER PRESSURE TEST

	CODE	DESCRIPTION		CODE	DESCRIPTION
PRESSURE TESTED FOR 1 WINDER TO:	LPTA	LABEL P/TEST ALUMINIUM 2MPA 35 W x 35 H	PRESSURE TESTED FOR 1 MINUTE TO: MPa	LPTAA	LABEL PRESSURE TEST BLANK 35 x 35
PRESSURE TESTED FOR 1 MINUTE TO: 2.5 MPa	LPTA25	LABEL P/TEST ALUMINIUM 2.5MP 35 W x 35 H			







FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LPBL	LABEL PLAIN BLACK LARGE CO2 500 W x 50 H	FIRE TRAINER	LFT	LABEL FIRE TRAINER 100 W x 100 H
	LPBLL	LABEL PLAIN BLUE LARGE 500 W x 50 H	EXTINGUISHING SYSTEM MANUAL CONTROL POINT STANDAY PROPERTY STANDAY AND P	LS050	LABEL INFORMATION (REMOTE RELEASE) R-102 ANSUL
	LPLG	LABEL PLAIN LIME GREEN METAL FIRE EXT 480 W x 55 H	ARTHROUGH IN DEPOCRATION 1/2/2014 In CHARLES 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/2014 1/2/201	LSAAFSS	LABEL SELF ADH AUTO- MATIC FIRE SUPPRESSION SYS 165 W x 270 H
	LPTL	LABEL PLAIN TAN LARGE WET CHEM 500 W x 50 H	BATETY MATERIAS TO A SERVICE A SERVICE TO A SERVICE T	LS030	LABEL SYSTEM (SAFETY WARNING) R102 ANSUL
	LPWL	LABEL PLAIN WHITE LARGE DCP 700 W x 60 H		LSACSRR	LABEL S/A CANDY STRIPE RED/WH CLASS 1 *REFLECTIVE * 50 x 0.8m
	LPWM	LABEL PLAIN WHITE MEDIUM 450 W x 45 H	DO NOT TEST PARTIAL DISCHARGE MAY CAUSE LEAKAGE	LSAPD	LABEL S/A PARTIAL DISCHARGE SHEETS OF 10 / 20 / 30 / 40
	LPWS	LABEL PLAIN WHITE SMALL 400 W x 35 H	POR USE ATTENDED TO THE PARTY OF THE PARTY O	LSAS	LABEL S/A SEAL TIE THE BREAKING OF THIS SEAL 80 W x 20 H
CORROSION	LCI	LABEL CORROSION INHIBITOR 60 W x 35 H	FIREOUT	LC2FO	LABEL CO2 2.0 kg FIREOUT 5B:E RATING
CONDEMNED - DO NOT USE	LCOND	LABEL CONDEMNED DO NOT USE 179 W x 20 H	FIREOUT	LC35FO	LABEL CO2 3.5kg FIREOUT 10B:E RATING
FIREOUT	LFHRFO	LABEL FHR FIREOUT 175 DIA S/A	FIREOUT	LC5FO	LABEL CO2 5.0 kg FIREOUT 10B:E RATING
	LFHRNN	LABEL FHR NO NAME 180 DIA S/A	FIREOUT	LDA9FO	LABEL DCP ABE 9.0kg FIREOUT 10A-80B:E RATING





FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LAF9FO	LABEL AIR FOAM 9ltr FIREOUT 4A-30B:E RATING	9ltr FIREOUT		LABEL CO2 3.5kg CHUBB GENUINE
ACE V S	LAW9FO	LABEL AIR WATER 9ltr FIREOUT 4A RATING	WORMALD	LC5WG	LABEL CO2 5kg WORMALD GENUINE
	LAFF3NN	LABEL FOAM 3F FLUORINE FREE RECHARGE LABEL	215	LCCG	LABEL CO2 5.0kg CHUBB GENUINE 10BE 210mm x 210mm
FOUL POINT	LAF	LABEL AIR FOAM 300 W x 135 H		LCL	LABEL CO2 LARGE (3.5 & 5.0) 555 W x 140 H
57 27	LAFCG	LABEL AIR FOAM CHUBB GENUINE 3A:20BE		LCS	LABEL CO2 SMALL 2kg 380 W x 100 H
QUELL S	LAFQ	LABEL AIR FOAM Q GENUINE 3A30BE 290 W x 150 H	CHESTOCK R	LCSS	LABEL CO2 SMALL SWIV- EL ELBOW 160 W x 255 H
QS II PRE ENGINERAED FOAM SYSTEM	LAFQ2	LABEL AIR FOAM QUELL SERIES 2 250 W x 140 H	DRY FOWSER TYPE	LDA	LABEL DCP ABE SMALL LIFT HANDLE 125 W x 120 H
WWORMALD I STATE OF THE PROPERTY OF THE PROPE	LAFW91	LABEL AIR FOAM WORM 9.1LT GEN3A:30B SILVER 300W x 170H	QUELL	LDA45QG	LABEL DCP ABE 4.5kg Q GENUINE 4A:80B:E 290 W x 150 H
E STATE OF THE STA	LAW	LABEL AIR WATER RATING 3A 300 W x 150 H	WORMAN OF THE SECOND	LDA45WG	LABEL DCP ABE 4.5kg W GENUINE 4A:60B:E 280 W x 135 H
FIREX THE STATE OF THE STATE O	LAWF	LABEL AIR WATER 9.1Ltr FIREX GENUINE 3A	S W WORMALD	LDA45WG 80	LABEL DCP ABE 4.5kg W GENUINE 4A:80B:E
STATE OF THE STATE	LAWQG	LABEL AIR WATER Q GENUINE 3A 290 W x 150 H		LDA9CG	LABEL DCP ABE 9kg CH GENUINE 6A:80B:E 230 W x 220 H





FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
FIREX Marine Mar	LDA9FG	LABEL DCP ABE 9kg FIREX GEN 4A:80B:E 295 W x 155 H	DET NAMES	LDBS	LABEL DCP BE SMALL W/O HOSE 400 W x 125 H
	LDA9FM	LABEL DCP ABE 9kg F/M AMEREX BRASS VALVE GEN 6A80BE	EX BRASS		LABEL DCP BE SMALL c/w HOSE 400 W x 125 H
QUELL STATE OF THE	LDA9QG	LABEL DCP ABE 9kg Q GENUINE 6A:80B:E 290 W x 150 H		LDBWNN	LABEL DCP BE NO NAME 600 W x 125 H
W WORMALD	LDA9WG	LABEL DCP ABE 9kg WORM GENUINE 6A:80B:E 295 W x 145 H	CChupe Fire	LDCMCG	LABEL DCP METAL FIRES CHUBB GENUINE 180 W x 250 H
CONTRACTOR OF THE CONTRACTOR O	LDAQNNS	LABEL DCP ABE Q N N SQUARE 245 W x 190 H	POTY CHEMICAL TYPE AND ADMINISTRATION OF THE POTY OF T	LDS	LABEL DCP BE SMALL LIFT HANDLE TYPE 125 W x 120 H
Mar Avenue	LDAS	LABEL DCP ABE SMALL W/O HOSE 400 W x 125 H	Spordsman Chubb Fire	LDSM	LABEL DCP SWORDSMAN 225 W x 105 H
DAY FOWDUS BECOME	LDASH	LABEL DCP ABE SMALL c/w HOSE 400 W x 125 H	The state of the s	LMDA	LABEL MOBILE DCP ABE PICTO 185 W x 185 H
SIN FOM IS	LDAWNN	LABEL DCP ABE NO NAME 600 W x 125 H	Section 201	LMDB	LABEL MOBILE DCP BE PICTO 185 W x 185 H
SECTION AND ADDRESS OF THE PROPERTY OF THE PRO	LDBQNNS	LABEL DCP BE Q N N SQUARE 245 W x 200 H	TO MAKE A TO A	LMF	LABEL MOBILE FOAM OPERATING 180 W x 240 H





STAT-X FIRE SUPPRESSION SYSTEMS

Stat-X Aerosol Fire Suppression

Your Choice for Special Hazard Fire Protection

Stat-X devices are termed condensed aerosol agent generators because they generate an ultra-fine suspension of highly ionized potassium fire fighting particles upon actuation. Suitable for machinery spaces, unoccupied spaces and normally unoccupied spaces **Stat-X** generators come in a variety of sizes.

Actuation can take place by electrical, thermal or manual activation and upon discharge fills the protected area with a soft suspension of **Stat-X** agent without "super-pressurizing" the protected space and inhibit the fire chain reaction.

Due to the minute particle size, agent particles remain suspended for an extended period of time to prevent re-ignition while also absorbing heat from the fire.

Post fire clean-up is simple and replacement generators can be reinstalled immediately meaning virtually no unprotected period.

Carrying key approvals worldwide, **Stat-X** is by far the most efficient fire suppression agent by weight currently available.

Key Features

- ⇒ **Highly effective** rapid class A & B fire suppression
- ⇒ **Compact** weight & space saving up to 90% compared to gaseous systems
- ⇒ **Easy to install** non-pressurized, no cylinders or pipe work necessary
- ⇒ Virtually maintenance free SS construction, 10 year service life
- ⇒ **Cost saving** significant install & maintenance savings over normal systems
- ⇒ **Minimal post fire downtime** simply replace generators and re arm system
- ⇒ **Non-corrosive, non-conductive** extensive testing on many materials
- ⇒ Non-toxic approved for unoccupied and normally unoccupied areas
- ⇒ **Environmentally friendly** zero ozone depleting & global warming potential
- ⇒ Extensive testing & approvals including UL, CSIRO & numerous marine
- ⇒ Selected by US and Australian Military for vehicle and marine applications

























STAT-X FIRE SUPPRESSION SYSTEMS

STAT-X MANUAL OR THERMAL ACTIVATION GENERATORS					
	CODE	DESCRIPTION			
of Wile	S129997	STAT-X 30 T THERMAL or MANUAL GENERATOR			
Tala	S129998L	STAT-X 60 T LONG THERMAL or MANUAL GENERATOR			
Statx	S129999	STAT-X 100 T THERMAL or MANUAL GENERATOR			
Statix	S130000	STAT-X 250 T THERMAL or MANUAL GENERATOR			
**************************************	S130000L	STAT-X 250 T LONG THERMAL or MANUAL GENERATOR			
	S130001	STAT-X 500 T THERMAL or MANUAL GENERATOR			
	S140000	STAT-X 1000 M T THERMAL or MANUAL GENERATOR			
STAT-X MANUAL OR THERMAL ACTUATORS					
	S132161	STAT-X HEAD THERMAL/MANUAL 70C BRASS HORIZONTAL PULL			
	S132162	STAT-X HEAD THERMAL/MANUAL 70C BRASS VERTICAL PULL			
1000	S132163	STAT-X HEAD THERMAL/MANUAL 95C BRASS HORIZONTAL PULL			
2000	S132164	STAT-X HEAD THERMAL/MANUAL 95C BRASS VERTICAL PULL			
	S132165	STAT-X HEAD THERMAL/MANUAL 123C BRASS HORIZONTAL PULL			
	S132166	STAT-X HEAD THERMAL/MANUAL 123C BRASS VERTICAL PULL			
	S130006	STAT-X 316 STAINLESS STEEL MANUAL ONLY VERTICAL PULL			
	S130007	STAT-X 316 STAINLESS STEEL MANUAL ONLY HORIZONTAL PULL			
STAT-X ELECTRIC GENERATOR	RS				
	S129984	STAT-X 30 E ELECTRIC GENERATOR			
	S129985L	STAT-X 60E LONG ELECTRIC GENERATOR			
III II III II	S129986	STAT-X 100E ELECTRIC GENERATOR			
	S129987	STAT-X 250E ELECTRIC GENERATOR			
	S129988	STAT-X 500E ELECTRIC GENERATOR			
	S129989	STAT-X 1000 ELECTRIC GENERATOR			
	S129990	STAT-X 1500 ELECTRIC GENERATOR			
	S129991	STAT-X 2500 ELECTRIC GENERATOR			





SECTION 9 SUPPRESSION SYSTEMS

STAT-X FIRE SUPPRESSION SYSTEMS

STAT-X GENERATOR MOUNTING BRACKETS				
	CODE	DESCRIPTION		
9	S129993	STAT-X 30/60 STAINLESS STEEL MOUNT/BRACKET		
	S129994	STAT-X 100 STAINLESS STEEL MOUNT/BRACKET		
a	S136186	STAT-X VEHICLE BRACKET FOR 30/60 ST/ST HEAVY DUTY		
	S132844	STAT-X VEHICLE BRACKET FOR 100 ST/ST HEAVY DUTY		
	S130396	STAT-X VEHICLE BRACKET FOR 250/500/1000ME/1000MT HEAVY DUTY		
	S130397	STAT-X VEHICLE BRACKET FOR 1000E/1500E/2500E HEAVY DUTY		
	S129995	STAT-X VEHICLE BRACKET FOR 250/500/1000ME/1000MT		
	S129996	STAT-X VEHICLE BRACKET FOR 1000E/1500E/2500E		

STAT-X CONTROL	& DETECTION	N		
	CODE	DESCRIPTION	CODE	DESCRIPTION
	S001-926	STAT-X LIGHT VEHICLE PANEL	S045-928	STAT-X LV/MV PANEL MOUNTING BRACKET
	S020-040	STAT-X 9V LITHIUM BATTERY FOR LV PANEL	S135982	STAT-X CABLE MANUAL RELEASE KIT 1M
	S47129	STAT-X REMOTE MANUAL ACTUATOR FOR LV PANEL	S135983	STAT-X CABLE MANUAL RELEASE KIT 3M
	S001-927	STAT-X MARINE CONTROL PANEL	S135984	STAT-X CABLE MANUAL RELEASE KIT 6M



SECTION 9 SUPPRESSION SYSTEMS



STAT-X FIRE SUPPRESSION SYSTEMS

STAT-X CONTROL & DETECTION					
	CODE	DESCRIPTION		CODE	DESCRIPTION
0	S130423	STAT-X THERMAL SWITCH	1111	SSP668-332	STAT-X 3k3 2watt END OF LINE RESISTOR (USE W/ MV PANELS)
O i	S001-930	STAT-X THERMAL SWITCH KIT WITH 300mm FLY LEAD & JUNCTION		S12011F	SMOKE DETECTOR MARINE GRADE CONVENTIONAL OPTICAL
	S001-987.1	STAT-X END-OF-LINE MODULE FOR USE WITH LV & VS-MK11		S12012F	THERMAL DETECTOR 90oC MARINE GRADE TYPE C
Open The State of	S001-987.4	STAT-X END-OF-LINE RESISTOR KIT FOR MARINE		S12016F	STAT-X THERMAL DE- TECTOR 60oC HOCHIKI MARINE GRADE DCDAR3/M
	S001-987.3	STAT-X 1k ohm END OF LINE RESISTOR ASSEMBLY		S12013F	DETECTOR BASE MARINE GRADE CONVENTIONAL
	S001-984.4	STAT X INLINE BRASS ENCLOSURE WITH CONNECTOR BLOCK		S12014F	STAT-X OPTION WATER TIGHT DETECTOR MOUNT BOX C/W GLANDS
	SH8069	STAT-X LINEAR HEAT DETECTION CABLE RED 177-189oC		S132830	STAT-X SOUNDER/ STROBE 9-15V AMBER
		NLD 177-1050C		S132831	STAT-X SOUNDER/ STROBE 18-30V AMBER
	SH9650	STAT-X LINEAR HEAT DETECTION CABLE		S132445	STAT-X SOUNDER/ STROBE 12V RED
		WHITE 229-251oC	0	S31015F	STAT-X SOUNDER/ STROBE 24V RED





SECTION 9 SUPPRESSION SYSTEMS

STAT-X FIRE SUPPRESSION SYSTEMS

STAT-X THREAD ADAPTORS - ELECTRICAL GENERATORS					
	CODE	DESCRIPTION		CODE	DESCRIPTION
	S130166	STAT-X M20 CABLE GLAND ADAPTOR 3/4" NPT SUIT FR CABLE		S075-077	STAT-X PG9 METAL CABLE GLAND SUITS GKW CABLE
	SCGM20	STAT-X CABLE GLAND METAL 20mm SUITS FR CABLE		S132648	STAT-X REDUCING BUSH 3/4 BSP X 1/2 BSP SUITS M20 CABLE GLAND
				S132649	STAT-X ST/ST ELBOW 3/4IN NPT X 3/4IN BSP
	S136053	STAT-X PG9 CABLE GLAND ADAPTOR 3/4" NPT		S040-080	STAT-X ENCLOSURE ALUMINIUM IP65 58 x 64 x 36

STAT-X CABLING & FASTENERS					
	CODE	DESCRIPTION		CODE	DESCRIPTION
1	S132514	STAT-X FUSE HOLDER BLADE WATERPROOF c/w	- A	S130132	DEUTCH CONNECTOR 2 PIN
6		FAIL LIGHT	- 4100	S130134	DEUTCH CONNECTOR 4 PIN
	S132515	STAT-X FUSE BLADE 5 AMP		S129924	STAT-X DT CLIP S/STEEL SUITS DT04
	S87060	GKW TWIN CORE FIRE RATED 87060 CABLE (2 X 0.75MM)	0	S103198	STAT-X P-CLIP 19MM (1XM6) SUITS 1/2INCH HOSE HOLDS GROMMETS
(A) L	S87061	GKW FOUR CORE FIRE RATED 87061 CABLE (4 X 0.75MM) 87061	0	S128819	P-CLIP TO SUIT TWO CORE CABLE OR PYROTUBE
1	S121256	TWIN CORE FIRE RATED CABLE MARINE FR 2 X 0.75MM 121256		S90950	STAT-X SILICON GROMMET SUIT LHD/ GKW TWIN CORE
The	S128713	FOUR CORE FIRE RATED CABLE MARINE FR 4 X 0.75MM 128713		S103248	STAT-X RUBBER GROM- MET SUIT FR TWO CORE/ GKW FOUR CORE



SECTION 9 SUPPRESSION SYSTEMS



STAT-X FIRE SUPPRESSION SYSTEMS

STAT-X LABELS

CODE	DESCRIPTION		CODE	DESCRIPTION
S66551	STAT-X LABEL VS CAUTION SHUT DOWN SINGLE	WARNES THE CHARGE SET OF THE SHEET OF THE SET	S66547	STAT-X LABEL 'WARNING MAY OPERATE AUTOMATICALLY'
S66538	STAT-X LABEL 'AS5062 IN CASE OF FIRE INITIATE EMERGENCY PROCEDURE'	Station Station WHENCIAN MET ON STATE ONDOTED ONDOTED	S66548	STAT-X LABEL 'DO NOT ENTER'
S66539	STAT-X LABEL 'AS5062 IN CASE OF FIRE- SAFELY STOP MACHINE'	SCALE PROTECTION OF THE PROTEC	S66549	STAT-X LABEL 'EVACUATE ON SOUNDING OF ALARM'
S66545	STAT-X LABEL 'AS5062 FIRE SYSTEM ISOLATOR'	THE MEAN PROPERTY OF STREET, AND STREET, A	S66549AL	STAT-X LABEL 'EVACUATE ON SOUNDING OF ALARM' ALUMINIUM
S66544	STAT-X LABEL 'AS5062 BATTERY ISOLATION'	SECONO SE	S137060	STAT-X LABEL 'CABLE MANUAL RELEASE'
S66546	STAT-X LABEL 'AS5062 DISCHARGE DELAY'			
	\$66551 \$66538 \$66539 \$66545	S66551 STAT-X LABEL VS CAUTION SHUT DOWN SINGLE S66538 STAT-X LABEL 'AS5062 IN CASE OF FIRE INITIATE EMERGENCY PROCEDURE' S66539 STAT-X LABEL 'AS5062 IN CASE OF FIRE- SAFELY STOP MACHINE' S66545 STAT-X LABEL 'AS5062 FIRE SYSTEM ISOLATOR' S66544 STAT-X LABEL 'AS5062 BATTERY ISOLATION' S66546 STAT-X LABEL 'AS5062	S66551 STAT-X LABEL 'AS5062 IN CASE OF FIRE INITIATE EMERGENCY PROCEDURE' S66539 STAT-X LABEL 'AS5062 IN CASE OF FIRE- SAFELY STOP MACHINE' S66545 STAT-X LABEL 'AS5062 FIRE SYSTEM ISOLATOR' S66546 STAT-X LABEL 'AS5062 BATTERY ISOLATION' S66546 STAT-X LABEL 'AS5062	S66551 STAT-X LABEL 'AS5062 IN CASE OF FIRE INITIATE EMERGENCY PROCEDURE' S66539 STAT-X LABEL 'AS5062 IN CASE OF FIRE- SAFELY STOP MACHINE' S66545 STAT-X LABEL 'AS5062 FIRE SYSTEM ISOLATOR' S66546 STAT-X LABEL 'AS5062 BATTERY ISOLATION' S66546 STAT-X LABEL 'AS5062 S7577 STAT-X LABEL 'AS5062

STAT-X TESTING & DEMONSTRATION EQUIPMENT

	CODE	DESCRIPTION
	TEMP IND	ICATOR STICKER (10PK)
	S136003	40-71DEG SERIES A
	S136004	77-116DEG SERIES B
	S136007	121-160DEG SERIES C
	S136005	166-204DEG SERIES D
	S136006	210-260DEG SERIES E
	S14590	STAT-X E-MATCH TESTER
die		

CODE	DESCRIPTION
SUSB-232-1	STAT-X USB TO RS232 CONVERTER
S255-982	STAT-X CABLE RS232 CONNECT





SECTION 9 SUPPRESSION SYSTEMS

EXXFIRE SUPPRESSION SYSTEMS

CALL AWFS FOR MORE INFORMATION



esa

space solutions



EXXFIRE 750/1500/2250 FIRE SUPPRESSION FOR OBJECT PROTECTION

Object protection is considered additional safety which can be installed independently of other fire protection systems to protect mission critical equipment including enclosed server racks and electrical switching cabinets.

Mounted either internally or externally, the stand-alone system incorporates an aspirating smoke detection system utilizing 3 optical sensors and nonpressurized Nitrogen extinguishant. Upon activation Nitrogen is released both at low pressure and importantly, at ambient temperature making it ideal for high value enclosed spaces from 1.5 through to 4.5 cubic metres.

Space qualified, EXXFIRE systems are currently operating in space protecting two satellites and extensive testing has been conducted by TNO Defence & Security (Dutch Certified Laboritory) and other agencies. UL certification is expected in late 2019.



KEY BENEFITS INCLUDE:

- **FULLY SELF CONTAINED**
- GAS OUTPUT AT AMBIENT TEMPERATURE
- **NON-PRESSURIZED NITROGEN STORAGE**
- **LOW NOISE LEVEL GAS RELEASE**
- NO GLOBAL WARMING POTENTIAL
- **LOW PRESSURE** GAS RELEASE
- **MAINTENANCE FREE**
- NO **RESIDUE** CLEAN UP
- LONG SHELF LIFE

SUPPRESSI

SECTION 9

















SUPPRESSION SYSTEM SPARES

	CODE	DESCRIPTION	CODE	DESCRIPTION
~~ c	SSTE	SPRINKLER SPANNER EXPOSED SPRINKLER	G2563LFB	GAUGE 2500 KPA LIQUID FILLED 63mm DIA 1/4 BSP BOTTOM ENTRY
-	SSTR	SPRINKLER SPANNER RECESSED SPRINKLER	G2563LFR	GAUGE 2500KPA LIQUID FILLED 63mm DIA 1/4 BSP REAR ENTRY
	G1000LFB	GAUGE 1000KPA LIQUID FILLED 100mm DIA— 100-1000KPA 3/8IN	G4000LFB	GAUGE 4000KPA LIQUID FILLED SS BOTTOM ENTRY 1/4" BSPT
	G1600L	GAUGE 1600 KPA LARGE FACE 100mm DIA FACE 0-1600KPA	G1200LF	GAUGE 1200KPA LIQUID FILLED 900-2500KPA
	G1600LFL	GAUGE 1600 KPA LIQUID FILLED 100mm DIA 0-1600KPA 3/8IN BSP	G1600LF	GAUGE 0-900-1600-2500 38mm DIA LIQUID FILLED REAR ENTRY
	G1600LFS	GAUGE 1600 KPA LIQUID FILLED 63mm DIA 0-1600KPA 1/4INCH BSP	G1622	GAUGE 1622 KPA WFS FOAM SYSTEM 37mm FACE
	G2500LFB	GAUGE 2500KPA LIQUID FILLED 100mm DI 3/8 BSP BOTTOM ENTRY	GA78707	GAUGE ANSUL RS NITROGEN VALVE 78707
	G2500LFBH	GAUGE 2500kpa LIQUID FILLED SS 63mm DIA 3/8 BSP BOTTOM ENTRY	FLK74	FUSIBLE LINK K 165 DEGREE F 74 DEGREE CELSIUS
	G2500R	GAUGE 2500 KPA 63mm FACE REAR ENTRY 1/2inch BSP 0-2500	FLA74	FUSIBLE LINK A 165 DEGREES F 74 DEGREE CELSIUS





SUPPRESSION SYSTEM SPARES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	C142G	CARTRIDGE CO2 142 GRAM FOR REMOTE ACTUATORS OLD QUELL/ FSI		FE2205	FITTING EMT 1/2 IN COMPRESSION COUPLING 50 PER BOX
	CPRSQ	CAP PLASTIC RED SYSTEM QUELL WORMALD	~ •	NCORVSW	NOZZLE CAP VEHICLE SYSTEMS c/w LANYARD WIRE RETAINER OFF ROAD
	DHCAK	DISCH HOSE CO2 SYS CONNECT 510mm ACTUATORS INCL NIPPLE		NCORVSWP	NOZZLE CAP BLACK PVC HIGH TEMP SMALL
	DHCCS	DISCH HOSE CO2 SYSTEM 750mm c/w FEM SWIVEL ENDS		NCORVSWPL	NOZZLE CAP RED PVC HIGH TEMP LARGE
<u></u>	DHCFS	DISCH HOSE CO2 SYSTEM 450mm - 510mm c/w SWIVEL ENDS		NTORVS60HF	NOZZLE TIP FOAM VEHICLE SYSTEM SUREFLOW 60 DEGREE CAP/FOIL
	DHCMAK	DISCH HOSE CO2 SYSTEM MANIFOLD & ACTUATOR 800mm c/w NIPPLE	8	RGVS	PYROTUBE RUBBER GROMMET MOUNT SUPPRESSION SYSTEMS
	DHNCS	DISCH HORN J803380 CO2 1/2INCH S TYPE METAL HORN	ARTHMENT IN PROPERTY OF THE PR	LSAAFSS	LABEL SELF ADH AUTOMATIC FIRE SUPPRESSION SYS 165mmWx270mmH
	FE1210	FITTING EMT 1/2 IN SET SCREW CONNECTOR 50 PER BOX			



SECTION 9 SUPPRESSION SYSTEMS



LINEAR HEAT DETECTION CABLE

The digital Linear Heat Detection Cable uses simple and proven technology. Making it a product of choice for difficult and challenging applications where other technologies struggle to work. It is easy to install and requires low maintenance, therefore providing a cost effective solution where project expenditure requires to be kept at a minimum.

The sensing cable is created from a pair of twisted steel conductors each with temperature sensitive insulation and then an overall PVC outer sleeve. When the temperature sensitive insulation reaches it's predetermined alarm temperature the two conductors short together providing the digital or switched signal.

The cable can be connected to any unit capable of monitoring a switched signal, i.e. Conventional fire panel, addressable switch monitor unit or PLC. The PVC outer sleeve offers good UV resistance, allowing it to be deployed in external applications.

APPLICATIONS:

CABLE TRAYS



FLOATING ROOF TANKS



CODE	DESCRIPTION
SH8069	LINEAR HEAT DETECTION CABLE RED 177-189oC

TUNNELS



CONVEYORS



BUS & COACHES





CODE	DESCRIPTION
SH9650	LINEAR HEAT
	DETECTION CABLE
	WHITE 229-251oC





SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

EVACUATION SIRENS

CODE	DESCRIPTION		CODE	DESCRIPTION
SESLTS SEE BELOW	SIREN WARNING PORTABLE CARRY EVACUATION ALARM & PA ALERT		SHHP	SIREN WARNING HANDHELD PLASTIC 105-110db @ 1MT AIR RAID NOISE
SSA120	SIREN WARNING STAND ALONE 120dBA @ 1MT OUTPUT 600 Hz Nom	B C C C C C C C C C C C C C C C C C C C	SAH	SIREN AIR HORN UP TO 117db
SHH	SIREN WARNING HAND HELD ALLOY 105-110db @ 1mt AIR RAID NOISE		SHHEB	SIREN HAND HELD ECOBLAST c/w HAND PUMP FOR RECHARGE

SESLTS - PORTABLE EVACUATION ALARM & PA UNIT





SAFETY & BUSHFIRE EQUIPMENT

SECTION 10



* Fully Self-Contained & Portable Evacuation Unit

- Provides full mobility of unit in the event of an incident
- Easily transportable to alternate sites / events
- Weighs less than 5KG with comfortable carry handle

* Incorporated PA (Public Address) System

- Allows clear direction to be given in the event of an incident
- Avoids confusion

* Dual Alert & Evacuation Tones

- Conforms with AS1670.4
- Audible over standard street noise at 250m

* Dual Alert & Evacuation Strobes

- Provides visual indicator as well as audible alarm
- Visible within factory / building at 75+m

* SPECIFICATIONS:

- Australian Made with after sales support available
- Battery and charger included
- LED indicator shows battery status
- High Vis powder coated body with chemical resistant handle
- Total weight 4.1kg
- 115dB+ @ 1m Under Testing audible over 70dB ambient noise @ 100m
- Dimensions 450mm L x 300mm H x 250mm W
- Easy to use 4 Position Switch OFF PA ALERT EVAC





EVACUATION SIRENS continued

	CODE	DESCRIPTION	CODE	DESCRIPTION
13	SMPS	SIREN MEGAPHONE PISTOL GRIP EVAC SIREN OUTPUT 25 WATT MAX	SWP	SCOTTY 0782 SAFETY WHISTLE 112 DECIBEL BLAST c/w KEY RING

ESCAPE LADDERS

CODE	DESCRIPTION		CODE	DESCRIPTION
LF13	ESCAPE LADDER 3.96MT (13FT) 2 STORY FOLD-AWAY LADDER	MAN	LF25	ESCAPE LADDER 7.62MT (25FT) 3 STORY FOLD-AWAY LADDER

LOCK OUTS

CODE	DESCRIPTION	CODE	DESCRIPTION
LODH	LOCK OUT DUAL HASP Z/P METAL 1 3/4 & 3/4 DIAM 6 PADLOKS	LOH	LOCK OUT HASP SINGLE SCISSOR RED METAL 1INCH DIA 4 3/8 L 4 PAD

RESCUE TOOLS

	CODE	DESCRIPTION
	RQT1	RESCUE ME TOOL CUTS SEAT BELTS SHATTERS TEMPERED GLASS
9	SESK	SAFETY EQUIP KNIFE CUTTERS SUIT FIRE HOSE/EXT BAGS

	CODE	DESCRIPTION
	RQEBGHW	RESCUE TOOL
		VEHICLE EMERGENCY
		BREAK GLASS HAMMER
		c/w WEBB CUTTER
Vinia I		





SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

FIRE RAKES, AXES & FIRE BEATERS

	CODE	DESCRIPTION	CODE	DESCRIPTION
MILI	RHCA	FIRE RAKE HOE ORANGE HEAD WITH FIBERGLASS HANDLE	FBEATF	FIRE SWATTER FIBREGLASS HANDLE RUBBER BEATER BLADE
	APM	AXE PULASKI AXE/ MATTOCK BUSH FIRES & OFF ROADERS		1430mm L

FIRE LIGHTER

	CODE	DESCRIPTION	CODE	DESCRIPTION
	FBFL	FIRE BUG FIRE LIGHTER 4Ltr FIRE IGNITOR	FBWO	FIRE BUG WICK ONLY
	FBFL5LR	FIRE BUG FIRE LIGHTER 5Ltr RETRACTABLE WAND	FBWCB	FIRE BUG WICK CLAMP & BOLT
2	FBWA	FIRE BUG WAND ASSEMBLY c/w WICK	FBLO	FIRE BUG LID C/W O RING & LABEL

COLLAPSIBLE FIRE FIGHTER BACK PACKS

	CODE	DESCRIPTION		COLLAPSIBLE FIRE FIGHTER BACK PACK FEATURES
	BPFFS	BACK PACK WATER	◊	15—16LT capacity
		SPRAYER RED KNAPSACK	\Diamond	HF welded flexible tank
		COLLAPSIBLE	◊	Manufactured from UV resistant reinforced material
			\Diamond	Highly effective double action hand pump
	BPFFSPO	BACK PACK 16LT	◊	Jet / fog functions
742 4 035555		KNAPSACK SOFT DUAL	\Diamond	Ergonomic design
1-		ACTION PUMP ONLY	◊	Adjustable shoulder and waist straps



SECTION 10 SAFETY & BUSHFIRE EQUIPMENT



REGA FIRE FIGHTER BACK PACKS

REGA Back Pack Features:

- ♦ 16 Litre polyethylene tank
- ♦ Dual action brass plunger action pump
- ♦ No 8 bushfire nozzle straight jet / flat fantail
- ♦ Spaying capacity 1.25 Litres per minute
- ♦ Adjustable straps
- ♦ Dimensions 650 mm (H) x 495 mm (W)

Optional heavy duty vehicle mounting bracket:

 Ensures safe and secure attachment to vehicles



CODE	PRODUCT DESCRIPTION
BPFF	REGA KNAPSACK 16LT RIGID PVC FIRE FIGHTER SPRAYER
HDVBRK	VEHICLE TRUCK BRACKET REGA KNAPSACK TO SUIT P/N BPFF

REGA FIRE FIGHTER BACK PACK PARTS

CODE	DESCRIPTION		CODE	DESCRIPTION
RBPPA	BACKPACK PUMP ASSEMBLY C/W HOSE AND PUMP (ALT P/N 109724)		BPLO	BACK PACK LID ONLY 109792 FOR REGA POLYTHENE 16It (ALT P/N 109792)
RBPPO	BACKPACK PUMP ASSEMBLY ONLY (ALT P/N 109727)	\bigcirc	BPLS	BACK PACK LID SEAL 16LT PVC REGA POLYTHENE 16It (ALT P/N 109701)
RBPHSUB	REGA BACK PACK HOSE ASSEMBLY SUB C/W ELBOW & VALVE TAIL	I RESERVED TO THE CO.	BPFSA	BACK PACK REGA FIRE FIGHTER 16It PVC STRAINER ASSEMBLY (ALT P/N 109763)
RBPHO	BACK PACK HOSE ONLY BARE POLY FOR REGA UNDERARM PUMP (ALT P/N 109777)	(6.0 (0.0 (0.0 (0.0 (0.0 (0.0 (0.0 (0.0	ВРГОК	BACK PACK FIRE FIGHTER 16LT PVC OVERHAUL KIT (ALT P/N 109778)





SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

REGA FIRE FIGHTER BACK PACK PARTS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RBPN	BACK PACK PUMP NOZZLE ASSY FOR REGA UNDERARM PUMP (ALT P/N 109753)		RBPCC	BACK PACK CLIP c/w CHAIN 16LT PVC UNDERARM PUMP REGA (ALT P/N 109715)
	RBPHTV	BACK PACK HOSE TAIL VALVE FOR REGA UNDERARM PUMP (ALT P/N 109770)		RBPHC	BACK PACK HOSE CLAMP FOR REGA 16LT PVC UNDERARM PUMP (ALT P/N 103330)
	RBPEO	BACK PACK ELBOW ONLY FOR UNDERARM PUMP ASSEMBLY (ALT P/N 109775)	S)	RBPSO	BACK PACK STRAP ONLY 109711 REGA POLY 16LT 1130mm L (ALT P/N 109711)
	RBPOS	BACK PACK OUTLET SOCKET REGA POLY 16LT (ALT P/N 109703)		RBPSPO	BACK PACK SHOULDER PAD ONLY REGA POLY 16LT (ALT P/N 109713)
0	RBPOSN	BACK PACK BACKING NUT TO SUIT REGA OUTLET SOCKET (ALT P/N 109708)		RBPBO	BACK PACK BUCKLE ONLY 109712 REGA POLY 16LT (ALT P/N 109712)

RURAL FIRE HOSE NOZZLES

CODE	DESCRIPTION		CODE	DESCRIPTION
NDAJ	NOZZLE 25MM BSP ALUM DIAL A JET 3-5-8MM & FOG SPRAY MID SCREW	@ (S)	KDAJ12	SERVICE KIT DIAL A JET 12



SECTION 10 SAFETY & BUSHFIRE EQUIPMENT



SCOTTY FIRE FIGHTER NOZZLES

	CODE	DESCRIPTION		CODE	DESCRIPTION
7	NPGSFF	NOZZLE PISTOL GRIP SCOTTY 4037 1.5 BSP FEMALE GR PLASTIC RED		S4005PN	SCOTTY 4005 PENETRATOR NOZZLE ONLY
	N38PSR	NOZZLE 1.5INCH BSP PVC OFF-FOG RED SCOTTY FIREFIGHTER 280lpm	J	BFM	SCOTTY 4095 FOAM BRANCH HOSE REEL STORZ c/w 2 x 19mm + INDUC
	N38PSRLF	NOZZLE 38mm BSP F PVC OFF-FOG RED TWIST LOW FLOW 56-189LPM		NSAAF	SCOTTY 4020 AIR ASPIRATING FOAM NOZZLE 15GPM - 57LT
	NDAJS	SCOTTY 4044 DIAL A FLOW NOZZLE REVOLVER TYPE RATES 3 6 9 12		NSAAFS	SCOTTY 4015 AIR ASPIRATING FOAM NOZZLE 8GPM @ 60 PSI
f	NPSOV	NOZZLE PVC SHUT OFF VALVE ONLY		SMEFNA	SCOTTY 4039MX MEDIUM EXPANSION FOAM NOZZLE ATTACHMENT
-	S400580	SCOTTY 4005 PENETRATING NOZZLE C/W BALE ARM SHUT OFF	TT	SMMS	SCOTTY MINI MONITOR SYSTEMS VARIOUS SETUPS AVAILABLE

SCOTTY FORESTRY COUPLINGS

	CODE	DESCRIPTION		CODE	DESCRIPTION
0	SQCF	FORESTRY CONNECTION FEMALE 1.5 inch BSP FLURO YELLOW GF NYLON	0	SQCM	FORESTRY CONNECTION MALE 1.5 inch BSP FLURO YELLOW GF NYLON





SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

SCOTTY SQUALL WALLS & FITTINGS

CODE	DESCRIPTION	CODE	DESCRIPTION
SSW405615	SCOTTY SQUALL WALL 15gpm 4056 38mm BSP FEMALE	SSW405650M	SCOTTY SQUALL WALL 50gpm 4056 38mm BSP MALE
SSW405615M	SCOTTY SQUALL WALL 15gpm 4056 38mm BSP MALE	S3WV	SCOTTY 3 WAY VALVE 3 x 1.5INCH BSP MALE THREAD PORTS 4050
SSW405630	SCOTTY SQUALL WALL 30gpm 4056 38mm BSP FEMALE	ARS4082BSP	SCOTTY 4082 REDUCER 38mm BSP MALE TO 25mm BSP FEMALE PVC
SSW405630M	SCOTTY SQUALL WALL 30gpm 4056 38mm BSP MALE		

SCOTTY FIRE FIGHTER EQUIPMENT

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SBP	SCOTTY 4000BP 19lt BACK PACK SOFT WITH WATER HAND PUMP	San and the san an	SSHS	SCOTTY 4579 SUPER HYDRANT SPANNER
	BPSLO	BACK PACK SCOTTY LID ONLY		SSWMB	SCOTTY SPANNER WRENCH TRUCK MOUNT BRACKET SUITS SSHS
08	SLW	SCOTTY 4577 STORZ COUPLING & LUG WRENCH			



SECTION 10 SAFETY & BUSHFIRE EQUIPMENT



AUSTRALIA WIDE FIRE SUPPLIES

SECTION 10 SAFETY & BUSHFIRE EQUIPMENT

NOTES





SEALING TIES

SEALING TIES - STANDARD						
	CODE	DESCRIPTION				
+	SPCPB	SEAL PVC COLOR BLUE				
	SPCPBK	SEAL PVC COLOR BLACK				
	SPCPBN	SEAL PVC COLOR BROWN				
	SPCPG	SEAL PVC COLOR GREEN				
	SPCPGY	SEAL PVC COLOR GREY				
0	SPCPO	SEAL PVC COLOR ORANGE				
-	SPCPPK	SEAL PVC COLOR PINK				
\circ	SPCPPU	SEAL PVC COLOR PURPLE				
	SPCPR	SEAL PVC COLOR RED				
7	SPCPW	SEAL PVC COLOR WHITE				
	SPCPY	SEAL PVC COLOR YELLOW				

SEALING TIES - HIGHER TENSION						
	CODE	DESCRIPTION				
4	SPCPPB	SEAL PVC HI/ T BLUE				
	SPCPPG	SEAL PVC HI/T GREEN				
-	SPCPPO	SEAL PVC HI/T ORANGE				
	SPCPPR	SEAL PVC HI/T RED				
	SPCPPW	SEAL PVC HI/T WHITE				
	SPCPPY	SEAL PVC HI/T YELLOW				
SEALING TIES - OT	HER					
***	SETC SEAL EXTINGUISHER TIE CLEAR					
	SL10	SEAL CRIMP TYPE & TIE PVC RED SEAL/ BLK TIE				

SERVICE COLLARS, TAGS & HOLDING RINGS

	CODE	DESCRIPTION
0	SENCP	SERVICE EQUIP NECK COLLAR 76mm PURPLE NOTICE OF H/TEST PK50
0	SENCB	SERVICE EQUIP NECK COLLAR 53mm BLUE NOTICE OF H/TEST PK50
0	SENCGY	SERVICE EQUIP NECK COLLAR 43mm GREY NOTICE OF H/TEST PK100
0	SENCGN	SERVICE EQUIP NECK COLLAR 33mm GREEN NOTICE OF H/TEST PK100
W 1001 (MATTHEW TOTAL)	STA	SERVICE TAG ALLOY MAINTENANCE SERVICE
ALTHE MAYOR PROMI	STA13	SERVICE TAG ALLOY CURRENT AS1851 RECORD W/OUT P/TEST

	CODE	DESCRIPTION
PARTY MADE	STM	SERVICE TAG STEEL AS1851 MAINTENANCE SERVICE - MINES OK
AS LECT MANY PARKET RECORDS	STPY	SERVICE TAG MAINTE- NANCE POLY PROP YELLOW UNDERGROUND
Abits MANTENANCE PROOFD	STSA	SERVICE TAG SELF ADHESIVE LGE 100mm W
MUST STAKE (SCO)	STSAS	SERVICE TAG SELF ADHESIVE SML 85mm W x 45mm H STD SIZE
100 000 000 000 000 000 000 000 000 000	STFDSA	SERVICE TAG FIRE DOOR SELF ADHESIVE AS1851 80mm x 30mm
TOBE (SEE! RECORDING SEE THE TENTH OF T	STFHA	SERVICE TAG FIRE HOSE ALLOY



SECTION 11 SERVICE CONSUMABLES & EQUIPMENT



SERVICE TAGS & HOLDING RINGS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	STPYPE	SERVICE TAG PASSIVE EQUIPMENT AS1851 POLY YELLOW 80mm x 30mm	OMEST SANS	STOOSC	SERVICE TAG OUT OF SERVICE SYNTHETIC
	STPSS	SERVICE TAG SAFETY SHOWER /EYE WASH STATION	00	STRHL	SERVICE TAG RING HOLDING LGE 30mm
A COLUMN DATE OF THE STATE OF T	STA5062	SERVICE TAG ALLOY MAINTENANCE VEH SYS AUST STANDARD 5062	90	STRHS	SERVICE TAG RING HOLDING SML 25mm
FIRE SERVICE WAVE. CLOSE ONLY TO SERVICE FRE HOSE REELS	STEFSVHR	TAG FIRE SERVICE VALVE CLOSE ONLY TO SERVICE HOSE REELS		STHP	SERVICE TAG HOLDING POUCH TAG COVER

BANDIT CLAMPS & BANDIT CLAMP TOOLS

	CODE	DESCRIPTION		CODE	DESCRIPTION
<u></u>	BC19HRH	BANDIT CLAMP 19mm HOSE CLAMP 25.4mm ID x 9.5mm W	1	СВНТ	CLAMP BANDIT HAND TOOL 6mm - 20mm
0_	BC25LF	BANDIT CLAMP 25mm HOSE CLAMP 38.1mm ID x 6.4mm W			WIDE CLAMPS
0_	BC38LF	BANDIT CLAMP 25mm - 38mm HOSE CLAMP 50.8mm ID x 9.53mm W JS			
Q	BC44LFW	BANDIT CLAMP 38mm HOSE CLAMP 44.5mm ID x 15.9mm W	p	СВНТА	CLAMP BANDIT HAND TOOL ADAPTO SUIT JR PREFORMED
9	BC65LF	BANDIT CLAMP 65mm HOSE CLAMP 69mm ID x 12.7mm W	-		CLAMPS LEVER
0	BC76	BANDIT CLAMP 65mm HOSE CLAMP 76.2mm ID x 12.7mm W			





SECTION 11 SERVICE CONSUMABLES & EQUIPMENT

NUMBER PUNCHES & SERVICE TOOLS

		CODE	DESCRIPTION		CODE	DESCRIPTION
		PNP	PUNCH NUMERICAL PREMIUM GRADE PER- MAFIX NUMBERS		BAN	BRUSH APERTURE NYLON WIRE TWIST STEEL HANDLE
		PNPC	PUNCH NUMERICAL HEAVY DUTY PERMFIX NUMBERS TOUGH BODIED	1	ВСВ	BRUSH CLEAN BRASS NYLON HANDLE
	1	PSH	PUNCH SINGLE HOLE		BCN	BRUSH CLEAN NYLON WITH NYLON HANDLE
JENT	D	PSHP3	PUNCH SINGLE HOLE INDUSTRIAL 50mm REACH 3mm ROUND HOLE		BNB	BRUSH CLEAN VALVES NYLON BRISTLE WIRE WOOD HANDLE
EQUIPMENT		PCOA	PLIERS CLAMP O TYPE		BVCB	BRUSH CLEAN VALVES BRASS WIRE SUIT ALLOY VALVES
જ		ORRK	O RING REMOVAL KIT		BVCM	BRUSH CLEAN VALVES METAL WIRE WOOD HANDLE
CONSUMABLES		SSDP	SCALES DIGITAL PORTABLE BATTERY OPERATED < 23kg	9	SEHHP	SERVICE EQUIPMENT HAND HELD PITOT c/w H/DUTY CARRY CASE
		SETEL	SERVICE EQUIP TORCH EXTENDED WAND LIGHT 16 INCH STD BULB	1	SEVTKIT	SMOKE DETECTOR TEST KIT c/w DISPENSER & TELE POLE & C SMOKE
SERVICE	933	SENSS	SERVICE EQUIP NUM- BERS STAMP SET 0-8 (6 SAME AS 9)	0.33. A.7	SESHDTKIT	SMOKE & HEAT DETECTOR TEST KIT
11	1 1	SESH	SERVICE EQUIP STAMP HOLDER	A3	COS250	SMOKE DETECTOR TEST CAN OF SMOKE 250g (FOR USE WITH SESHDTKIT)
SECTION	100	SECIM2	SERVICE EQUIPMENT CYLINDER INSPECTION MIRROR x 2 MAGNIFY		cos	SMOKE DETECTOR CAN OF SMOKE TESTER 100g





RECHARGE & TEST ADAPTORS

RECHARGE ADAPT	ORS		HYDRO TEST ADAPTORS			
	CODE	DESCRIPTION		CODE	DESCRIPTION	
	RAKIT	RECH ADAPT DCP KIT 8 ADAPTORS	60 0	HTAKIT	HYDRO TEST ADAPTOR KIT DCPA/W & A/F 11 ADAPTORS	
	RA1	RECHARGE ADAPTOR W/EG/FW/FG/EV FIREOUT / BFI - AD41	9	HTAKITC	HYDRO TEST ADAPTOR KIT CO24 ADAPTORS 9/11/12/13	
3	RA2	RECHARGE ADAPTOR F/STOP F/BOX AD40		HTA1	PRESSURE TEST ADAPTOR FM/ANS SENTRY / FM / AMX	
	RA3	RECHARGE ADAPTOR FM/BM/ANS/FEX		HTA2	PRESSURE TEST ADAPTOR AMEREX F/M ANS GEM	
	RA4	RECHARGE ADAPTOR FM/BM/WORM/EG FW		НТАЗ	PRESSURE TEST ADAPTOR F/M	
1	RA5	RECHARGE ADAPTOR CHUBB/KIDDE		HTA4	PRESSURE TEST ADAPTOR Q CH WOR E/G F/W F/G F/S F/B	
	RA7	RECHARGE ADAPTOR WORM SENTRY GEM		HTA5	PRESSURE TEST ADAPTOR BFI FOTON	
	RA8	RECHARGE ADAPTOR FIREBOX 2kg QUELL CHUBB		HTA6	PRESSURE TEST ADAPTOR AMEREX FIREMASTER	
	RA9	RECHARGE ADAPTOR WORM SENTRY GEM		НТА7	PRESSURE TEST ADAPTOR WORMALD, E/G 2kg	
0	RACNW	RECHARGE ADAPTOR CO2 NYLON SNAP IN WASHER		НТА8	PRESSURE TEST ADAPTOR CHUBB - SWORDSMAN	





RECHARGE & TEST ADAPTORS continued

HYDRO TEST ADAF	PTORS CONT	INUED
	CODE	DESCRIPTION
- Communication	НТА9	PRESSURE TEST ADAPTOR CO2 CHUBB
	HTA10	PRESSURE TEST ADAPTOR WORMALD
Millians	HTA11	PRESSURE TEST ADAPTOR CO2 F/S F/X F/ B BFI F/M WFS Q93
	HTA12	PRESSURE TEST ADAPTOR CO2 WORMALD

HYDRO TEST ADAP	TORS CONTI	INUED
	CODE	DESCRIPTION
	HTA13	PRESSURE TEST ADAPTOR CO2 GEM
	HTA14	PRESSURE TEST ADAPTOR FIREX
	HTA15	PRESSURE TEST ADAPTOR - CHUBB FIREX

RECHARGE & TESTING EQUIPMENT

	CODE	DESCRIPTION
	BBAG	BAG BLOWOUT
F	PPB	POWDER PAIL BAG CONTROLS FLOW OF POWDER FROM PAIL
P	FL	FUNNEL LARGE - 300mm LONG TOP DIA 265mm - SPOUT DIA 28mm

	CODE	DESCRIPTION
	FM	FUNNEL MEDIUM - 250mm LONG TOP DIA 265mm - SPOUT DIA 55mm
	FS	FUNNEL SMALL - 370mm LONG TOP DIA 150mm - SPOUT DIA 18mm
D	SL	SCOOP LARGE



SECTION 11 SERVICE CONSUMABLES & EQUIPMENT



RECHARGE & TESTING EQUIPMENT

CODE	DESCRIPTION		CODE	DESCRIPTION
RRRD	RECH RECLAIM/REFILL RIG 25K DC SINGLE HOPPER c/w CONSOLE/ LINES		RECFV	RECH EQUIP CYLINDER FLOOR VICE FOR 9kg - 100LB CYLINDERS
RESVRR	RECH RECLAIM/REFILL RIG DC 67K SINGLE HOPPER c/w CONSOLE/ LINES	~	REPO	RECH EQUIP PAIL OPENER ALLOY
RETHR	RECH RECLAIM/REFILL RIG DCP TWIN 68K HOPPERS CONSOLE/ LINES	0	REHTHP	RECH EQUIP HYDRO TEST HAND PUMP 0-1000 PSI
RETW	RECH EQUIP TWIN VALVE c/w PICK TUBE & LINE - SUIT REFILL RIGS		REHTS	RECH EQUIP HYDRO TEST SYSTEMHAND PUMP c/w SAFETY CAGE
REOCG	RECH EQUIP OVERFLOW CONTAINER REPLACEMENT DCP RECH RIG		SECT	SERVICE EQUIP CAGE FILL P/TEST STEEL GAUGE FRAME 800 x 320 x 320
REBP	RECH EQUIP BUCKET PUMP 0 - 820 PSI (0 - 5.6 Mpa)	A Septiment	RD6U	RECH EQUIP DRYER UP TO 4 UNITS CYLINDER DRYER 240V AC
REBVM	RECH EQUIP BENCH VICE MANUAL	# 000	TRMK	RECH EQUIP TWIN RIG MAINTENANCE KIT
REBVP	RECH EQUIP BENCH VICE PNEUMATIC - UP TO 4.5kg		КНТР	SERVICE KIT HYDRO TEST PUMP CHECK STEM RE- PLACES POPPET VALVE





SECTION 11 SERVICE CONSUMABLES & EQUIPMENT

RECHARGE AGENTS

	DRY CHEM DCP	AB(E)		AFFF & FLUOROF	PROTEIN FOAM	1 3% continued
	T	DCA2590	DRY CHEM DCP AB(E) 20kg PAIL H/P HIGH GRADED 90% POWDER		R3FFP	RECHARGE 3% FLUOROPROTEIN FOAM CONCENTRATE 20 L DRUM
		DCA5090	DRY CHEM DCP AB(E)	AFFF & FLUOROF	PROTEIN FOAM	1 6%
			50kg DRUM H/P HIGH GRADED 90% POWDER	1400 A	R6ASCC	RECHARGE 6% AFFF SINGLE CHARGE
	FLUORINE FREE I	OAM 3%				540ML EXT CHARGE
	3 %	R3FFPF20	RECHARGE 3% FLUORINE FREE FOAM F3 PROTEC 20 L DRUM	A.P.P.P.	R6AF20L	RECHARGE 6% AFFF FOAM SOLUTION 20 LITRE DRUM
EQUIPMENT	1000 PROPERTY AND ADMINISTRATION OF THE PROPERTY ADMINISTRATION OF THE PROPERTY AND ADMINISTRATION OF THE PROPERTY ADMINISTRATION OF THE	R3FFPF200	RECHARGE 3% FLUORINE FREE FOAM F3 PROTEC 200 L DRUM	A.F.F.F. ACCRECATE FILM FUNYING FOATS 6 % WATER	R6A200L	RECHARGE 6% AFFF FOAM SOLUTION 200 LITRE DRUM
5	-	R3FFFS1000L	RECHARGE FOAM 3%	SPECIALTY & ALC	COHOL RESISTA	ANT FOAMS
જ	3 %		FLUORINE FREE RE-HEALING 1000L RF3		R3FICAOB20	3% FOAM I.C.A.O.B AVIATION 20lt DRUM ALCOHOL RESISTANT
ES	FLUORINE FREE I	OAM 6%			DCEICA ODAO	
MABL	FEOTOCON FLAM OF HARD THE	R6FFPF20	RECHARGE 6% FLUORINE FREE FOAM F3 PROTEC 20 L DRUM		R6FICAOB20	6% FOAM I.C.A.O.B AVIATION 20It DRUM ALCOHOL RESISTANT
CONSUMABLES	FROME TO FARM OF HARD FROM THE FROM THE AND THE FROM THE	R6FFPF200	RECHARGE 6% FLUORINE FREE FOAM F3 PROTEC 200 L DRUM		R6FICAOB200	RECHARGE 6% AFFF ICAO/B FOAM AVIATION DEFENCE 200L DRUM
ш	AFFF & FLUOROF	PROTEIN FOAM	13%	ARC FORM CONCENTRATE	RARC20	RECHARGE ARC FOAM
SERVIC	A.F.F.F.	R3F20L	RECHARGE 3% AFFF FOAM SOLUTION	20 three		20LT DRUM POLAR SOL- VENT ALCOHOL RESIST
	MANAGE AND ASSESSMENT OF THE PARTY OF THE PA	D252001	20 LITRE DRUM	HIGH EXPANSION FOAM COMPOUND	RFHEX20	RECHARGE FOAM HIGH EXPANSION
N 11	A.F.F.F.	R3F200L	RECHARGE 3% AFFF FOAM SOLUTION 200 LITRE DRUM	TRAINING FOAM		20 LITRE DRUM
SECTION	A.F.F.F. ACUEDOS IILM PORVEYO POLAN 3 % ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS ACUEDOS	R3F1000L	RECHARGE 3% AFFF FOAM SOLUTION 1000 LTR BULK BIN		RTF20	RECHARGE TRAINING FOAM 20 LITRE DRUM





RECHARGE AGENTS continued

CORROSION INHIBITOR



ICWE

INHIBITORS CORROSION
WATER EXT

WET CHEMICAL



RWC21

RECHARGE WET
CHEMICAL SOLUTION
21 LITRE DRUM

FIRE HOSE TESTING EQUIPMENT

PETROL DRIVEN



FHTP450

FIRE HOSE TESTER PETROL 4 OUTLET 450 PSI 10 GPM W/O FITTINGS

- ENGINE 5.5 HP 160 CC HONDA
- PUMP TWIN PISTON PUMP
- INLET 2.5" SWIVEL
- OUTLET 4 X 1.5" MALE NST IND CONTROLLED BALL VALVES
- DOES NOT INCLUDE COUPLING ADAPTORS SOLD SEPARATELY

ELECTRIC POWERED



FHTE500

FIRE HOSE TESTER ELECTRIC 4 OUTLET 500PSI 3 GPM W/O FITTINGS

- MOTOR ELECTRIC 1 HP 1 PHASE 110/220 V 50/60 HERTZ
- PUMP TRIPLEX PLUNGER PUMP
- INLET 2.5" SWIVEL
- OUTLET 4 X 1.5" MALE NST IND CONTROLLED BALL VALVES
- DOES NOT INCLUDE COUPLING ADAPTORS SOLD SEPARATELY

AIR OPERATED



REFHT

RECH EQUIP FIRE HOSE TESTER PORTABLE 3 OUTLETS

- AIR DRIVEN PUMP
- REQUIRES 80-100PSI @ 12-18 CFM AIR SUPPLY
- 3 OUTLETS
- DOES NOT INCLUDE COUPLING ADAPTORS SOLD SEPERATELY





GAUGES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	G620	GAUGE 620 KPA A/W 35mm FACE		G700S	GAUGE 700 KPA SMALL 25mm FACE
	G620A	GAUGE 620 KPA A/W 37mm FACE		G700SA	GAUGE 700 KPA SMALL A 25mm FACE
	G690	GAUGE 690 KPA DCP A/W A/F 30mm FACE		G700ESS	GAUGE 700 KPA EBUR STYLE SS SMALL 20mm FACE
	G690A	GAUGE 690 KPA A 37mm FACE		G700E	GAUGE 700 KPA EBUR STYLE C/PLATED BRASS SML 20mm FACE
	G690FM	GAUGE 690 KPA A/W A/F F/MASTER GEN S/STEEL INT 35mm		G700FB	GAUGE 700 KPA FIRE BOX SML 20mm c/w O RING
	G690SS	GAUGE 690 KPA A/W & A/F W/C S/STEEL CASE & THREAD		G700SSFB	GAUGE 700 KPA S/S FIRE BOX SML 20mm c/w O RING
	G690W	GAUGE 690 KPA S/S BOURDON F/M A/W A/F W/C 100LB		G1000	GAUGE 1000 KPA LARGE 35mm FACE
KF	G700	GAUGE 700 KPA A/W A/F 35mm FACE		G1000A	GAUGE 1000 KPA LGE A 37mm FACE
KP	G700A	GAUGE 700 KPA A/W A/F 37mm FACE	•	G1000FB	GAUGE 1000 KPA FIRE BOX SM 20mm c/w 0 RING
	G700BO	GAUGE 700 KPA SMALL 25mm BFI O RING TYPE		G10BFI	GAUGE 10 BAR BFI c/w O RING 1.0kg 2.5kg & 9L A/FFF 1000kpa



SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS



GAUGES continued

CODE	DESCRIPTION		CODE	DESCRIPTION
G1000E	GAUGE 1000 KPA EBUR STYLE C/PLATED BRASS SMALL 20mm FACE		G1345A	GAUGE 1345 KPA DCP A 37mm FACE
G1030	GAUGE 1030 KPA 35mm FACE		G1350	GAUGE 1350 KPA FOAM SYSTEM 103850 37mm FACE
G1030A	GAUGE 1030 KPA A 37mm FACE	100	G1350A	GAUGE 1350 KPA LGE A 37mm FACE
G1034	GAUGE 1034 KPA LGE 35mm FACE		G1350E	GAUGE 1350 KPA EBUR STYLE C/PLATED BRASS SMALL 20mm FACE
G1035	GAUGE 1035 KPA 35mm FACE		G1350SA	GAUGE 1350 KPA SMALL A 25mm FACE
G1035A	GAUGE 1035 KPA A 37mm FACE	4 0	G1350OR	GAUGE 1350 KPA WITH O RING 35mm FACE FLAMESTOP A/F MOBILE
G1100FB	GAUGE 1100 KPA FIRE BOX SM 20mm c/w O RING		G1350WOA	GAUGE 1350 KPA c/w O RING SUITS WORMALD PREMIUM RANGE
G1200	GAUGE 1200 KPA FOAM SYSTEM 37mm FACE		G1400FSS	GAUGE 1400 KPA DCP F/STOP SML 19mm FACE C/PLATED BRASS ORING
G1200EO	GAUGE 1200 KPA O RING STYLE EVERSAFE EXTINGUISHERS		G14BFI	GAUGE 14 BAR BFI c/w O RING 4.5kg & 9.0kg 1400 KPA
G1207	GAUGE 1207 KPA 35mm FACE		G1500F	GAUGE 1500 KPA FIREX LGE 35mm FACE
G1345	GAUGE 1345 KPA DCP 35mm FACE		G1500FB	GAUGE 1500 KPA FIRE BOX SM 20mm c/w O RING

AWFS



SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

AUSTRALIA WIDE FIRE SUPPLIES PRODUCT REFERENCE MANUAL PAGE 121

SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

GAUGES continued

CODE	DESCRIPTION	CODE	DESCRIPTION
G1620	GAUGE 1620 KPA 35mm FACE	G1620A	GAUGE 1620 KPA LGE A 37mm FACE

HANDLES & LEVERS

		CODE	DESCRIPTION		CODE	DESCRIPTION
GS		HB45DBM	HANDLE BOTTOM DCP 4.5kg B/M	-	HBDFMSS	HANDLE BOTTOM F/M BRASS VALVE DCP CO2 A/W A/F ST/STEEL
FITTINGS		HBCCS	HANDLE BOTTOM CO2 DCP A/F A/W W/CHEM CHUBB STRAIGHT - RED		HBDG	HANDLE BOTTOM DCP 1.13 & 2.1kg GEM SENTRY ALUMINIUM
જ		НВСЕ	HANDLE BOTTOM CO2/DCP EVERSAFE RED		HBDQ	HANDLE BOTTOM MK4 Q S/STEEL CHUBB AQUALOY
PARTS		HBCF	HANDLE BOTTOM CO2 2-5kg FIREX FW BFI ST/ST FRONT & SIDE PORT		HBDW	HANDLE BOTTOM DCP WORMALD OLD
SPARE		HBCQ	HANDLE BOTTOM CO2 QUELL RED CO2 AW WC AF E/G W DCP PREMIUM		HBDWI	HANDLE BOTTOM DCP INT / SENTRY 2.7kg - 9.0kg RED
		HBCQSS	HANDLE BOTTOM 316 ST/ST Q/CH W DCP PREMIUM RANGE EURO VALVE		HBWW	HANDLE BOTTOM AW/AF 9.01LT W WORMALD SILVER
EXTINGUISHER		HBD12DC	HANDLE BOTTOM DCP 1.5 & 2.3kg CHUBB GENERIC BRANDS SHORT		HLCBF	HANDLE & LEVER ASSY CO2 BFI 2kg - 5kg c/w PIN ST/STEEL
TING		HBD1C	HANDLE BOTTOM DCP 1.0kg BLACK CHUBB MODEL 2040/01		HLDBF	HANDLE & LEVER ASSY DCP 2-9 kg A/W A/F - c/w PIN BFI
FIRE EX		HBDBM	HANDLE BOTTOM DCP BLAZMASTER		HVCMSS	HANDLE CHUBB MOBILE VALVE STAINLESS STEEL
12 FII	Y	HBDEGC	HANDLE BOTTOM DCP 9.0kg EG CUT HALF MOON FG - USE WITH LT9DE	.;	LT45DBM	LEVER TOP DCP 4.5kg B/MASTER
_		HBDF	HANDLE BOTTOM DCP FOTON FIREX S/STEEL		LT9DE	LEVER TOP DCP 4.5-9.0kg EG/FG DIMPLE RED - USE WITH HBDEGC
SECTION		HBDFM	HANDLE BOTTOM F/M ALLOY VALVE c/w RIVET		LTCCS	LEVER TOP CO2 DCP A/W A/F W/CH CHUBB STRAIGHT - RED





HANDLES & LEVERS continued

CODE	DESCRIPTION		CODE	DESCRIPTION
LTCE	LEVER TOP CO2/DCP EVERSAFE RED		LTDF	LEVER TOP DCP FOTON/FIREX STAIN- LESS STEEL
LTCQ	LEVER TOP CO2 QUELL RED CO2 AW WC AF E/G W DCP PREMIUM		LTDFM	LEVER TOP F/M ALLOY VALVE c/w RIVET
LTCQSS	LEVER TOP CO2 316 ST/STEEL Q CH W DCP PREMIUM RANGE EURO VALVE	-	LTDFMSS	LEVER TOP F/M BRASS VALVE DCP CO2 A/W A/F ST/STEEL
LTD12DC	LEVER TOP DCP 1.5kg & 2.3kg CHUBB GENERIC BRANDS SHORT		LTDG	LEVER TOP DCP 1.1 & 2.7 GEM SENTRY ALUMINIUM
LTD9S	LEVER TOP DCP 9.0kg SENTRY/INT STAINLESS STEEL DIMPLE		LTDQ	LEVER TOP MARK 4 QUELL CHUBB WET CHEMICAL STAINLESS STEEL
LTDBM	LEVER TOP DCP BLAZEMASTER		LTDW	LEVER TOP DCP WORMALD OLD

RIVETS

		1.5kg & 2.3kg CHUBB GENERIC BRANDS SHORT			1.1 & 2.7 GEM SENTRY ALUMINIUM			
9	LTD9S	LEVER TOP DCP 9.0kg SENTRY/INT STAINLESS STEEL DIMPLE		LTDQ	LEVER TOP MARK 4 QUELL CHUBB WET CHEMICAL STAINLESS STEEL			
	LTDBM	LEVER TOP DCP BLAZEMASTER		LTDW	LEVER TOP DCP WORMALD OLD			
RIVETS								
	CODE		DESCRIPTION					
	RAWW	RIVET AW/AF HANDLE WO	RIVET AW/AF HANDLE WORMALD 30mm					
	RCQ	RIVET CO2 QUELL HANDLI	E SHORT					
	RCQ3	RIVET CO2 QUELL MK3 SE	LLOCK 30mm					
	RDBF	RIVET CO2/DCP BFI HAND	LE 27mm					
	RDBM	RIVET DCP BLAZEMASTER	25mm					
1	RDC	RIVET DCP CO2 CHUBB BF	FI BRASS QUELL & GEN	NERIC BRANI	OS 30 mm			
P	RDFM	RIVET DCP FIREMASTER 1	8mm					
	RDQ	RIVET DCP QUELL CHUBB	AQUALOY BFI ST/ST 2	25mm				
	RDS21	RIVET DCP 2.1kg SENTRY I	RIVET DCP 2.1kg SENTRY HANDLE 23mm					
	RDWI	RIVET DCP WORMALD INT	RIVET DCP WORMALD INTER HANDLE 4.5kg SENTRY ALLOY 30mm					
	RDWP	RIVET DCP WORM PREMIUM NICKEL PLATED 29.5mm						
	RL21GS	RIVET DCP 2.1kg SENTRY I	RIVET DCP 2.1kg SENTRY LEVER 18mm					
	SPCHW	SELLOCK ROLL PIN CO2 DCP OLD WORMALD VALVES 36mm						





CHECK STEMS DCP & AW/AF

		CODE	DESCRIPTION		CODE	DESCRIPTION
	— [:	CS1DC	CHECK STEM DCP 1.0kg CHUBB 2040/01 MODEL SPINDLE		CSDWA	CHECK STEM DCP WORMALD A 4.5kg-9.0kg SPINDLE 67mm
		CS25DC	CHECK STEM DCP 1-2.5kg CHUBB SPINDLE		CSAW91	CHECK STEM A/W 9.1Lt WORMALD SPINDLE 41.44mm
NGS	-	CSDC99SS	CHECK STEM STAINLESS STEEL CHUBB DCP 99 SERIES		CSAW- WEUA	CHECK STEM A/W DCP EURO/00 A WORM PRE- MIUM SPINDLE 45mm
& FITTINGS		CSCDC	CHECK STEM A/W A/F DEFENCE CYL CHUBB 10L A/W 9.1L A/F SPINDLE		CS23DFM	CHECK STEM DCP 2.3kg- 9kg F/M ALUMINIUM VALVE SPINDLE 52mm
PARTS		CSDC90A	CHECK STEM DCP SER 90 CH A A/W A/F W/C SPINDLE 40.0mm		CSDFM	CHECK STEM DCP/AW/AF F/MASTER SPINDLE FOR BRASS VALVE 66.7mm
SPARE	-	CSDC99	CHECK STEM DCP SER 99 CH A/W A/F W/C DCP SPINDLE		CSDFMA	CHECK STEM DCP/AW/AF F/MASTER SPINDLE FOR BRASS VALVE 66.7mm
ISHER	-1-1>	CS1DQ	CHECK STEM DCP 1-2kg QUELL SPINDLE		CS25DBM	CHECK STEM DCP 2.3- 2.5kg B/M (4.5kg OLD) SPINDLE
FIRE EXTINGUISHER		CSAWQ	CHECK STEM A/W & DCP QUELL SPINDLE 4.5 & 9.0kg A/W & A/F		CS1DFG	CHECK STEM DCP 1kg EG/FG/FW SPINDLE
FIRE EX		CSAWBA	CHECK STEM A/W 9Lt DCP B/M A QUELL BAGER FIREX SPINDLE		CS23DEG	CHECK STEM DCP 2-2.3kg EG/FG/ FW SPINDLE 37.3mm
JN 12		CSAWWEU	CHECK STEM A/W DCP EURO/00 W/C WORMLD PREMIUM SPINDLE		CS23DEGA	CHECK STEM DCP 2-2.3kg EG/FG A SPINDLE 37.3mm
SECTION 12	0	CSDWI	CHECK STEM DCP WORMALD INT. SPINDLE - 67.9mm	-	CS9DEGA	CHECK STEM DCP 4.5-9kg E/G F/G SPINDLE 48.2mm





CHECK STEMS DCP & AW/AF continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
-	CS1DFSZX	CHECK STEM DCP 1kg FLAMESTOP ZX MODEL	-	CS1DBF	CHECK STEM DCP 1.0kg BFI SPINDLE
	CS15DFSZX	CHECK STEM DCP 1.5- 2.5kg FLAMESTOP ZX MODEL		CSAW9BF	CHECK STEM A/W A/F BFI SPINDLE
	CS2DFS	CHECK STEM DCP 2-9kg F/S F/G SV5 VALVE W/C A/W A/F SPINDLE		CSDGA	CHECK STEM DCP GEM ALLOY SPINDLE
	CS9DFSZX	CHECK STEM 4.5kg - 9kg F/STOP ZX MODEL		CSDGBA	CHECK STEM DCP GEM BRASS SPINDLE
	CSDFB	CHECK STEM DCP 2-9kg FIRE BOX SPINDLE		CS9DEV	CHECK STEM DCP EVERSAFE 2kg - 9kg SPINDLE
	CSAWFB	CHECK STEM A/W A/F W/C FIREBOX SPINDLE		CS9DF	CHECK STEM DCP 1-9kg FIREX FOTON COMMON SPINDLE 46mm
	CS1DFB	CHECK STEM DCP 0.75- 1.5kg FIRE BOX SPINDLE		CSDA	CHECK STEM DCP 4.5-9kg ANSUL BRASS SPINDLE FOR BRASS VALVE
	CS9DBF	CHECK STEM DCP 2kg-9kg BFI FOT SPINDLE 46mm NOMINAL LENGTH		CSDB	CHECK STEM DCP BUCKEYE SPINDLE
	CS9DBFIS	CHECK STEM DCP BFI FIREMAN SHORT SPINDLE 43.06mm		CS21DSA	CHECK STEM DCP 2.1kg SENTRY A SPINDLE 41mm

SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS





CHECK STEMS CO2

		CODE	DESCRIPTION		CODE	DESCRIPTION
-		CSCC	CHECK STEM CO2 CHUBB SPINDLE		CSCBFS2	CHECK STEM CO2 2kg BFI STEEL CYL BRASS HEAD 1 ORING 53.3mm
	1()-	CSCQ3	CHECK STEM CO2 Q MARK 3 (LONG TYPE 55mm) SPINDLE		CSCBF2	CHECK STEM CO2 2kg BFI ALLOY CYL BRASS HD 2 O RINGS 51.25mm
S		CSCQ	CHECK STEM CO2 Q SQUEEZE GRIP OLD SPINDLE		CSCAN	CHECK STEM CO2 ANSUL SPINDLE
FITTINGS	-	CSCQAC	CHECK STEM CO2 QUELL ALUMINIUM CYLINDER SPINDLE		CSCFM	CHECK STEM CO2 FIREMASTER FIREBOSS SPINDLE
∞	-	CSCQN	CHECK STEM CO2 QU ELL NEW MK3 CEODEUX EURO (SHORT) SPINDLE		CSCFMA	CHECK STEM CO2 FIREMASTER FIREBOSS SPINDLE
RE PARTS	-	CSCW	CHECK STEM CO2 WORMALD SPINDLE		CSCEV	CHECK STEM CO2 EVERSAFE SPINDLE
SPARE		CSCTN	CHECK STEM CO2 TYCO NEW/EG WORM F/BOSS F/M 96 QUE SPINDLE	-	CSCFB2	CHECK STEM CO2 FIRE BOX SPINDLE 2KG 53mm
JGUISHER		CSCTNA	CHECK STEM CO2 TYCO NEW E/G A WORM F/BOSS F/M 96 QUE SPINDLE		CSCFB	CHECK STEM CO2 FIRE BOX SPINDLE 3.5kg AND 5.0kg 50mm
KTING	-	CSCBF	CHECK STEM CO2 3.5- 5kg BFI ALLOY CYL BRASS HEAD 2 O RINGS		CSCFE	CHECK STEM CO2 FIREX FOTON SPINDLE - SHORT
IRE EX	-	CSCBF1	CHECK STEM CO2 3.5 - 5 KG BFI WITH 2 O RINGS		CSCFS	CHECK STEM CO2 FLAMESTOP WORMALD SPINDLE
	-	CSCBF2A	CHECK STEM CO2 2KG BFI ALLOY CYL BRASS HD 2 O RINGS 51.75MM		CSCFSN	CHECK STEM CO2 FLAMESTOP NEW SPINDLE
SECTIO		CSCBFS	CHECK STEM CO2 3.5- 5kg BFI STEEL CYL BRASS HEAD 1 O RING		CSCFSGA	CHECK STEM FLAMESTOP 55.3mm GENERIC CO2 VALVE WHESV50A
SECTION 12 FIRE EXTINGUI		CSCBF1	5kg BFI ALLOY CYL BRASS HEAD 2 O RINGS CHECK STEM CO2 3.5 - 5 KG BFI WITH 2 O RINGS CHECK STEM CO2 2KG BFI ALLOY CYL BRASS HD 2 O RINGS 51.75MM CHECK STEM CO2 3.5- 5kg BFI STEEL CYL BRASS		CSCFSN	CHECK STEM CO2 FIF FOTON SPINDLE - SHO CHECK STEM CO2 FLAMESTOP WORMA SPINDLE CHECK STEM CO2 FLAMESTOP NEW SPINDLE CHECK STEM FLAMES 55.3mm GENERIC CO





CHECK STEM SPRINGS

	CODE	DESCRIPTION	
alla	SAWEU	SPRING C/STEM A/W WORM EURO/00	M
MMM	SCFG	SPRING C/STEM CO2 FIREGARD	M
M	SFCS	SPRING C/STEM DCP 2- 9kg F/STOP STAIN/STEEL INTERNAL MODEL	WW
MM	SDI	SPRING C/STEM DCP W INTER	ann
品本人人名間	SCAS	SPRING C/STEM CO2 ANSUL SENTRY	THYNNINA
	SCCWE	SPRING C/STEM CO2 WORM/GEM EURO B1010 VALVE	

	CODE	DESCRIPTION
M	SECQ	SPRING ELBOW CO2 QUELL
M	SCSDE	SPRING C/STEM DCP E/GARD F/WORLD
MM	SCSWC	SPRING C/STEM A/W DCP ALL MODELS 1993 MK5 SS CHUBB
alla	SD1C	SPRING C/STEM DCP 1.0kg CHUBB
	SCSCC	SPRING C/STEM CO2 CH ALL MODELS

CHECK SEATS & SEALS

	CODE	DESCRIPTION
0	CSTDW	CHECK SEAT DCP WORMALD
0	CSTCC	CHECK SEAT CO2 CHUBB TO FIT SPINDLE
0	CSTCCN	CHECK SEAT CO2 CHUBB NEW
20	CSTCTN	CHECK SEAT CO2 TYCO NEW
0	CSTRFG	CHECK SEAT RUBBER FIREGARD (Q) OLD QUELL CO2 - FITS VARIOUS

	CODE	DESCRIPTION
4	CSTCW	CHECK SEAT CO2 WORM/ KIDDE OLD BRASS SEAT
	CSTCVLQ	CHECK SEAL CO2 BACK GLAND VCUP LURENE CO2 Q
	CSTDQ	CHECK SEAT AW/DCP QUELL
0	ORCK	O RING CHECK SEAT CO2 WORMALD
00	ORCSKCW	O RING CHECK SEAT CO2 W/KIDDIE





SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

SERVICE KITS

	CODE	DESCRIPTION		CODE	DESCRIPTION
8	CSDM	SERVICE KIT C/STEM DCP MAJOR WORMALD SPINDLE	150	KCO2G	SERVICE KIT CO2 GEM, WORM, F/M FBOSS - NZ,EURO
00	CSDMI	SERVICE KIT C/STEM DCP MINOR WORMALD	Î	KCO2F	SERVICE KIT CO2 FIREX FOTON
† O	KAWEU	SERVICE KIT A/W A/F W/C TYCO EURO		KCO2K	SERVICE KIT CO2 WORMALD OLD
0	KCO2AS	SERVICE KIT CO2 ANSUL SENTRY C/STEM & BURST DISC ASSEMBLY	°°°	KDMOB	SERVICE KIT 76/86/90 BALL VALVE CHUBB DCP / FOAM MOBILES
0	KCO2ASM	SERVICE KIT CO2 ANSUL SENTRY MODIFIED C/ STEM SPRING WASHER			

BURSTING DISC

	CODE	DESCRIPTION	CODE	DESCRIPTION
	BDACFM	BURST DISC ASSY CO2 FIREMASTER BURST DISC	BDCP	BURST DISC CO2 CHUBB PYRENE FLAMEGUARD 9.9mm
	BDCBF	BURST DISC CO2 BFI STEEL CYLINDER FLAT DISC 10.02mm	BDCQ	BURST DISC CO2 QUELL (OLD) 16.8mm
00	BDCE	BURST DISC CO2 EVERSAFE COMES WITH WASHER	BDCTN	BURST DISC CO2 TYCO NEW, WORM, EG 190 BAR 2kg - 5kg, QUELL
	BDCF	BURST DISC CO2 F/GUARD 14.2mm	BDCW	BURST DISC CO2 WORMALD KIDDE OLD 13.85mm
A3 A3	BDCFM	BURST DISC CO2 F/MASTER FIREBOSS 12.55mm	BDDCQC	BURST DISC DUST CAP Q CO2
	BDCFS	BURST DISC CO2 FLAMESTOP FIREBOX 8mm	BDRP	BURST DISC RETAINER PLUG CO2 WORMALD



SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS



BURSTING DISC continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	BDRPE	BURST DISC RETAINER PLUG CO2 TYCO EURO VALVE	0	WSBDCF	WASHER SEAL BURST DISC CO2 FG COPPER 18 OD x 12.5 ID x 1.6
0	WSBDCP	WASHER PVC SEAL BURST DISC CO2 CHUBB BRANDS	0	WBDCW	WASHER BURST DISC CO2 WORM OLD
0	WBDCC	WASHER SEAL BURST DISC CO2 CH			

VALVE ASSEMBLIES

	CODE	DESCRIPTION	
	BVDM	BALL VALVE FOAM DCP MOBILE 20mm Fem x Fem St/Steel Valve	
9	VA9DBF	VALVE ASSY DCP 2kg - 9kg BFI	
\$	VA9DE	VALVE ASSY DCP 4.5kg 9kg E/GF/W PLATED MODEL TWIN PIN	
	VAC2FB	VALVE ASSY CO2 FIRE BOX 2kg SWIVEL TYPE - SIDE PORT	
	VACBFI	VALVE ASSY CO2 FIREX / BFI / FLAMESTOP FRONT PORT 3.5-5kg	
	VACC	VALVE ASSY CO2 CHUBB 2-5kg NO S/TUBE OR O RING	
*	VACM	VALVE ASSY CO2 MO- BILE WAND TYP CHUBB	

	CODE	DESCRIPTION
	VACWEU	VALVE ASSY CO2 EURO/00 PARALLEL THREAD O RING SEAL
	VADC	VALVE ASSY DCP CHUBB 1000KPA RED HANDLES LEVERS
	VADCS	VALVE ASSY DCP CHUBB 1000 KPA SHORT RED HANDLES LEVER
	VADQ4	ALVE ASSY DCP 2.3-9kg QUELL CHUBB 1350kPa ST/STEEL HANDLES
-05	VADWP	VALVE ASSY DCP WORM PREMIUM c/w GAUGE
	VAWC	VALVE ASSY A/WATER FOAM CHUBB 700kPa RED HANDLE AND LEVER
	VAWQ	VALVE ASSY A/W QUELL MK6 CHUBB POST 04 SILVER HANDLES





SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

SAFETY PINS

		CODE	DESCRIPTION		CODE	DESCRIPTION
	0	SPS	SAFETY PIN SPRING R TYPE STAINLESS STEEL	0—	SPW	SAFETY PIN WATER WORMALD FLAMESTOP 4.5kg & 9.0kg DCP
	0_	SPSI3	SAFETY PIN STRAIGHT SIDE SHAFT 316 STAINLESS STEEL 3.18 MM DIA	0	SPCQ	SAFETY PIN CO2 c/w RING FITS QUELL / WORMALD 50mm
NGS	0-	SPSL3	SAFETY PIN STRAIGHT LONG 316 STAINLESS STEEL 43mm	Œ	SPPRW	SAFETY PIN PVC 0.9kg ABE WORM RED
& FITTINGS	0—	SPSL	SAFETY PIN (STRAIGHT LONG) CENTER SHAFT	0-	SPPSL	SAFETY PIN PLATED (STRAIGHT/LONG) CENTRE SHAFT
	Q_	SPSIM	SAFETY PIN STRAIGHT SIDE SHAFT 304 STAINLESS STEEL 3.84 MM DIA	0-	SPSLM	SAFETY PIN STRAIGHT- LONG 3.84mm CENTER SHAFT 45mm ST/STEEL
GUISHER SPARE PARTS	0~	SPS3	SAFETY PIN SPRING R TYPE 316 STAINLESS STEEL	0—	SPSN	SAFETY PIN (STRAIGHT NARROW) CENTER SHAFT
ISHER	0_	SPSI	SAFETY PIN STRAIGHT INTER SIDE SHAFT	<u>O</u> —	SPSS	SAFETY PIN STRAIGHT SHORT CENTER SHAFT FITS
	0_	SPDWP3	SAFETY PIN DOUBLE PRONG 316 STAINLESS STEEL	0	SPSSVB	SAFETY PIN SPRING 316 ST/STEEL c/w 45mm RING - VEH BRKT TYPE
FIRE EXTIN	0_	SPDWP	SAFETY PIN DCP DOUBLE PRONG WORM PREM FW	0	SPSWR	SAFETY PIN c/w HOLD RING 55mm LONG x 4mm THICK
	0	SPDPE	SAFETY PIN DOUBLE PRONG EG EXELGARD	0	SPCA	SAFETY PIN CHAIN & RINGS ASSY
SECTION 12						





ELBOWS & FILLER TUBES

	CODE	DESCRIPTION		CODE	DESCRIPTION
1	ECFM	ELBOW CO2 3.5-5kg FIREMASTER	1	FTC91	FILLER TUBE 9.1LT CHUBB MODEL AW0900D
	ECFMT2	ELBOW CO2 2kg F/MASTER TUBE FIREBOSS		FTQ6	FILLER TUBE Q MK6 A/W A/F CHUBB AW AF POST 2004
	ECS	ELBOW CO2 SMALL BRASS FG/QU			

SCHRADER VALVES

CODE	DESCRIPTION	CODE	DESCRIPTION
SV	SCHRADER VALVE NICKEL PLATED	 SVCORE	SCHRADER VALVE CORE
SVB	SCHRADER VALVE 1/8 INCH BSPT TAPER THREAD + CAP FIXED SYSTEM	SVCM	SCHRADER VALVE CAP METAL NICKEL PLATED
SVFS	SCHRADER VALVE FLAMESTOP	SVCP	SCHRADER VALVE CAP PLASTIC
SVQ	SCHRADER VALVE SYSTEMS c/w CAP	SVCR	SCHRADER VALVE CORE REMOVER

AWFS



SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

DIFFUSERS, ADAPTORS & APPLICATORS

	CODE	DESCRIPTION	CODE	DESCRIPTION
E	CIDC	CHARGE INDICATOR DISC CH RED SWORDSMAN	D5CC	DIFFUSER CO2 3.5-5kg CHUBB MODEL CO500D
	CIDQ	CHARGE INDICATOR DISC QUELL	D5CFM	DIFFUSER CO2 5kg F/MASTER
	D2CC	DIFFUSER CO2 2kg CHUBB MODEL CO200C	D5CFS	DIFFUSER CO2 3.5-5kg F/STOP HORN
	D2CCA	DIFFUSER ADAPTOR CO2 2kg CHUBB	D5CQ	DIFFUSER CO2 5kg QUELL
	D2CWM	DIFFUSER ADAPTOR CO2 2kg WORM MALE	D5CW	DIFFUSER CO2 5kg WORMALD OLD
	D355CTE	DIFFUSER CO2 3.5-5kg TYCO EURO	DACQ	DIFFUSER ADAPTOR CO2 QUELL
	D35CFG	DIFFUSER HEAD CO2 FIREGARD	RACW	RECOIL ADAPTOR CO2 WORMALD OLDQUELL
	D35CQ	DIFFUSER CO2 3.5kg QUELL	DA2CHC	DISCH ADAPTOR CO2 2kg HORN CH QUELL VALVE TO CHUBB FIT
	D35CW	DIFFUSER CO2 3.5kg WORMALD OLD	DACHQ	DISCH ADAPTOR CO2 HOSE Q
	DC35HFG	DIFFUSER CO2 3.5kg HORN F/GARD	NWCC	DISCH ADAPTOR WET CHEMICAL CHUBB



SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS



DISCHARGE NOZZLES & CAPS

	CODE	DESCRIPTION		CODE	DESCRIPTION
57	DAAFQ	DISCH NOZZLE APPLICATOR AFFF CHUBB / FLAMESTOP / QUELL		DN1DFB	DISCH NOZZLE DCP .75kg FIREBOX
	DNDFMQ	DISCH NOZZLE DCP/ FOAM MOBILE SQUEEZE GRIP BLACK PVC	150	DN1DFM	DISCH NOZZLE DCP 1.0kg FMASTER AMEREX
	DNFF	DISCH NOZZLE A/F FOTON/FIREX c/w BRASS DISCHARGE DIFFUSER		DN1DFMA	DISCH NOZZLE DCP 1.0kg AMEREX SUIT MODEL EC1.0ABE
	DNWCC	DISCH NOZZLE W/CHEM 7LT CHUBB		DN27DWP	DISCH NOZZLE DCP 2.7kg WORM PR PREMIUM
1	DN113G	DISCH NOZZLE DCP 1.13kg GEM SENTRY		DN45DF	DISCH NOZZLE DCP 4.5kg FOTON FIREX & 2.5kg FOTON FIREX
	DN12DE	DISCH NOZZLE DCP 1kg 2kg E/G		DN45DWP	DISCH NOZZLE DCP 4.5kg WORM PR PREMIUM
	DN15DAC	DISCH NOZZLE DCP 1.5kg ABE CHUBB		DN9DF	DISCH NOZZLE DCP 9.0kg FIREX
600	DN1DAC	DISCH NOZZLE DCP 1.0kg BE/ABE CHUBB		DN9DWP	DISCH NOZZLE DCP 9.0kg WORM PR PREMIUM
	DN1DAC04	DISCH NOZZLE DCP 1kg ABE CHUBB 04 MODEL BLACK PVC		DNDCC	DISCH NOZZLE DUST CAP CHUBB SWORDSMAN
	DN1DBC04	DISCH NOZZLE DCP 1kg BE CHUBB 04 MODEL RED PVC		DNDCQ	DISCH NOZZLE DUST CAP QUELL FOAM SYSTEM / DCP HOSE
	DN1DBFI	DISCH NOZZLE DCP 1.0kg BFI		DNDCWI	DISCH NOZZLE DUST CAP W INT





SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

DISCHARGE HOSES DCP, WC, AW & AF

		CODE	DESCRIPTION		CODE	DESCRIPTION
	-	DH2DE	DISCH HOSE DCP 2.0kg E/GARDF/WORLD	=	DH45DBM	DISCH HOSE DCP 4.5kg B/ MASTER
		DH2DQ	DISCH HOSE DCP 2.0kg QU/CH 2.5kg & 3.0kg - 280mm		DH45DC	DISCH HOSE DCP 4.5kg ABE & BE CH & GENERIC BRANDS FLAMEGUARD
NGS	-	DH225DC	DISCH HOSE DCP 2.25kg ABE CH CHUBB SWORDSMAN		DH45DEG	DISCH HOSE DCP 4.5kg E/ G F/G EXELGARD / FIREGARD / FIRWORLD
& FITTINGS		DH23DAQ	DISCH HOSE DCP 2.3kg ABE Q/CH 350mm	_	DH45DF	DISCH HOSE DCP 4.5kg FIREX FOTON c/w NOZZLE
PARTS 8		DH23DFM	DISCH HOSE DCP 2.3kg F/MASTER		DH45DFM	DISCH HOSE DCP 4.5kg F/MASTER AMEREX - BRASS HEAD (ABE)
SPARE I	-	DH23DQ	DISCH HOSE DCP 2.3kg QUELL BE POST 2004 CHUBB-300mm OVERALL		DH45DG	DISCH HOSE DCP 4.5kg GEM/SENT
GUISHER SPARE	<u> </u>	DH25DAC	DISCH HOSE DCP 2.5kg ABE CHUBB POST 2004 - 280mm		DH45DQ	DISCH HOSE DCP 4.5kg ABE QUELL CHUBB post 2004 CH KIDDE 350mm
		DH25DBM	DISCH HOSE DCP 2.5kg B/M		DH9DAC	DISCH HOSE DCP 9.0kg ABE CHUBB & GENERIC BRANDS FLAMEGUARD
FIRE EXTIN		DH25DC	DISCH HOSE DCP 2.5kg ABE BE CH GENERIC BRANDS FLAMEGUARD	_	DH9DAFM	DISCH HOSE DCP 9.0kg F/MASTER AMEREX - ALLOY HEAD (ABE)
SECTION 12)	DH25DWI	DISCH HOSE DCP 2.5kg W INTER GEM RANGE		DH9DASM	DISCH HOSE DCP 9.0kg ABE S/MAN SWORDSMAN - SEE DH9DSM FOR BE
SECTI		DH45DASM	DISCH HOSE DCP 4.5kg ABE S/MAN		DH9DBF	DISCH HOSE DCP 9.0kg BFI c/w NOZZLE





DISCHARGE HOSES DCP, WC, AW & AF continued

CODE	DESCRIPTION		CODE	DESCRIPTION
DH9DC	DISCH HOSE DCP 9.0kg CHUBB & GENERIC BRANDS FLAMEGUARD		DHWCC	DISCH HOSE W/CHEM CH/QU ASSY AQUALOY 7Ltr c/w NOZZLE NIPPLE
DH9DEG	DISCH HOSE DCP 9.0kg E/G F/GF/W		DH9WC	DISCH HOSE A/W 9.0LT CHUBB FLAMESTOP/ PYRENE /FLAMEGARD
DH9DF	DISCH HOSE DCP 9.0kg FIREX FOTON c/w NOZZLE	<u></u>	DHAWFM	DISCH HOSE A/W 9.0LT F/MASTER
DH9DFM	DISCH HOSE DCP 9.0kg F/MASTER c/w NOZZLE - BRASS HEAD (ABE)		DHWQ	DISCH HOSE A/W 9.0LT QUELL CHUBB A/W POST 2004 - 480mm
DH9DG	DISCH HOSE DCP 9.0kg GEM/SENT		DH91FC	DISCH HOSE A/F 9.1LT CHUBB F/S DEFENCE FOAM c/w NOZZLE DNFCH
DH9DQ	DISCH HOSE DCP 9.0kg QUELL ABE & BE - CHUBB POST 04		DH9AFC	DISCH HOSE A/F 9.0LT HOSE ASSY CHUBB FOAM
DH9DSM	DISCH HOSE DCP 9.0kg BE S/MAN SWORDSMAN - SEE DH9DASM FOR ABE	~	DHAFFM	DISCH HOSE A/F 9.0LT F/MASTER c/w NOZZLE
DH9DWI	DISCH HOSE DCP 9.0kg W INTER GEM RED NOZZLE		DHFF	DISCH HOSE A/F FIREX/ FOTON c/w DISCH NOZZLE & DIFFUSER
DH7WCFB	DISCH HOSE W/CHEM 7.0LT F/BOX		DHFQ	DISCH HOSE A/F 9.0LT QUELL CHUBB POST 04 - NOZZLE DAAFQ







DISCHARGE HOSES & HORNS CO2

		CODE	DESCRIPTION		CODE	DESCRIPTION
		DHCC	DISCH HOSE CO2 CHUBB MALE / FEMALE		DHN2CC	DISCH HORN CO2 2kg CHUBB FIREBRAKE
	<u></u>	DHCCRA	DISCH HOSE CO2 CHUBB R/ANGLE MODEL C0350C	-	DHNCWE	DISCH HORN CO2 BELL WORMALD FM EGARD QUELL CH FITS MOST HOSES
NGS		DHCW	DISCH HOSE CO2 WORMALD OLD MALE x FEMALE		DHN2C	DISCH HORN CO2 2kg (6 INCH) BAKELITE OLD
& FITTINGS		DHCWE	DISCH HOSE CO2 WORM EG EURO PREM LGE FEMALE x SML FEMALE		DHN2CBFI	DISCH HORN CO2 2kg BFI
PARTS 8		DHACBFI	DISCH HOSE ASSY CO2 BFI c/w HOSE & HORN 3.5kg / 5.0kg		DHN2CF	DISCH HORN/ELBOW CO2 2kg FIREX FOTON AMEREX
SPARE I	0	DHACF	DISCH HOSE ASSY CO2 FIREX/FOTO R/A FIT c/w HORN & DIFFUSER		DHN2CFB	DISCH HORN CO2 2kg FIREBOX
IGUISHER	7	DHACFB	DISCH HOSE ASSY CO2 FIREBOX 3.5/5.0kg c/w HORN & DIFFUSER		DHN2CFM	DISCH HORN CO2 2kg F/M FIREBOS
KTINGU	0	DHACFM	DISCH HOSE ASSY CO2 F/MASTER c/w NOZZLE		DHN2CFS	DISCH HORN CO2 2kg FLAMESTOP
FIRE EXTIN		DHCFG	DISCH HOSE CO2 FIREGUARD FEMALE x FEMALE		DHN2CTN	DISCH HORN CO2 2kg TYCO NEW W PREMIUM
		DHCFO	DISCH HOSE CO2 3.5 KG AND 5 KG FIREOUT		DHNCBFI	DISCH HORN CO2 BFI 3.5kg TO 5.0kg c/w HAND GRIP
SECTION 12		DHCFX	DISCH HOSE CO2 FIREX/ FOTON/FST 3.5-5.0kg HOSE ONLY FRONT FIT		DHNCC	DISCH HORN CO2 BELL TYPE FITS ALL TYPES





DISCHARGE HOSES & HORNS CO2 continued

	CODE	DESCRIPTION	CODE	DESCRIPTION
—	DHNCDH	DISCH HORN CO2 BELL TYPE WITH DETACH HAN- DLE—SUITS SM HEX NUT	DHNESACQ	DISCH HORN/ELBOW SWIVEL ASSY CO2 2kg & 2.27kg QUELL BFI
	DHNCF	DISCH HORN CO2 FIREX / FOTON 3.5kg & 5.0kg FLAT/LONG		

RETAINERS CLIPS & STRAPS

	CODE	DESCRIPTION	CODE	DESCRIPTION
C	CPSN	CLIP PVC RETAINER DISCHARGE HOSE SWORDSMAN	RSC	RETAINER STRAP CLIP HOSE
	RCCFMH	RETAINER CLIP CO2 FM HORN	RSCP	RETAINER STRAP HOSE & CLIP ASSEMBLY BLACK PVC - 660mm
	RCCO2	RETAINER CLIP CO2 HORN	RSDH	RETAINER STRAP DISCH HOSE 710mm x 8.8mm BLACK HEAVY DUTY
	RCDHNCC	RETAINER CLIP DISCHARGE NOZZLE TO SUIT DHNCC	RSPCFS	RETAINER SAFETY PIN BLACK PVC 2001 CHUBB MODEL / FLAMESTOP
	RS200	RETAINER STRAP 196mm x 2.5mm WHITE - LIGHT DUTY 100 PER BAG	RSPP	RETAINER SAFETY PIN GREEN PVC CHUBB & GENERIC BRANDS
6	RS200B	RETAINER STRAP 200mm x 4.8mm BLACK / HEAVY DUTY 100 PER BAG	RSPPP	RETAINER SAFETY PIN BLACK PVC AMEREX
	RS300B	RETAINER STRAP		





FIRE EXTINGUISHER SPARE PARTS & FITTINGS

ORDERS P: 02 4954 0333 E: sales@awfs.com.au

300mm BLACK

O RINGS WASHERS & SEALS

		CODE	DESCRIPTION		CODE	DESCRIPTION
	0	ORCK	O RING CHECK SEAT CO2 WORMALD	0	ORNB	O RING NECK DCP B/M 9kg,BFI AW WC 2.5kg 4.5kg 9.0kg 7lt 9lt
	0	ORCSKCW	O RING CHECK SEAT CO2 W/KIDDIE	0	ORNBS	O RING NECK DCP BFI EVERSAFE 1kg, 2kg CO2
3 S	0	ONDI	O RING NECK DCP INT	0	ORNCC	O RING NECK CO2 CHUBB 3.5 5.0 11.5kg DCP/ FIREX/FS DCP & CO2
FITTINGS	0	ORDCN	O RING NECK DCP CHUBB 99 SERIES	0	ORNCQ	O RING NECK CO2 CHUBB QUELL
જ	0	ORDNSN	O RING NECK DCP NU-SWIFT	0	ORNCW	O RING NECK CO2 WORM OLD A/W & A/F A/W E/G
RE PARTS	0	ORDQN	O RING NECK DCP QUELL SAME AS ORNDW		ORNCWE	O RING NECK CO2 WORM PREMIUM EURO
R SPARE	00	ORECFM	O RING ELBOW CO2 FM	0	ORND1E	O RING NECK DCP 1kg E/GARD
GUISHER	0	ORFTC	O RING FILLER TUBE CHUBB	0	ORND2E	O RING NECK DCP 2-2.3kg E/G F/WORLD
	00	ORH2345FM	O RING DISCH HOSE 2.3 4.5 DCP FIREMASTER	0	ORNDAC	O RING DCP A/W CHUBB OLDER STYLE
FIRE EXTIN	0	ORH9FM	O RING DISCH HOSE 9kg FM FIREMASTER	0	ORNDC	O RING NECK DCP 9.0kg CHUBB SUITS VALVE
SECTION 12	0	ORN21DG	O RING NECK DCP 2.1kg GEM SENT	0	ORNDCG	O RING NECK CHUBB GENERIC BRANDS A/W A/F DCP WET CHEM
SECTI	0	ORN9DF	O RING NECK DCP 2-9kg FOTON FIREX	0	ORNDFB	O RING NECK DCP 2-9kg F/BOX, 2.25kg F/M





O RINGS WASHERS & SEALS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
0	ORNDFG	O RING NECK DCP FG,EG,FM & FW	0	ORFHRGB	O RING HOSE REEL GOOSE NECK BFI
0	ORNDFS	O RING NECK DCP 2kg- 9kg F/STOP F/STOP CO2	O	ORFHRSB	O RING HOSE REEL SHAFT BFI & DURA
0	ORNDSM	O RING NECK DCP SWORDSMAN		ORFHRSQ	O RING FHR SHAFT Q/CH F/FIT
	ORNDW	O RING NECK DCP WORMALD OLD & MK11 H/D HOSE REEL CHUBB	0	ORFHRSVW	O RING FHR STOP VALVE WORMALD LARGE 26.7mm ID x 1.78mm
\bigcirc	ORNDWE	O RING NECK DCP WORM PREMIUM EURO, DCP EVERSAFE	0	ORFHRSVWS	O RING FHR STOP VALVE WORMALD SMALL 15.8mm ID x 13mm 1.5THICK
0	ORNFGC	O RING NECK CO2 F/GARD & QUELL	0	WBDCC	WASHER SEAL BURST DISC CO2 CH
0	ORNGS	O RING NECK GEM SENTRY	0	WBDCW	WASHER BURST DISC CO2 WORM OLD
8	ORNGSQ	O RING DCP GEM SEN- TRY QUAD 33.5mmOD x 26.5mmID x 3.6mm TH	C	WCFS	WASHER CIRCLIP FLAMESTOP E SHAPE EXTERNAL MODEL
0	ORNWC	O RING NECK A/WATER CHUBB	0	WCSA	WASHER CAP SODA ACID EXT
0	ORNWFX	O RING NECK A/W A/F FIREX		WDSRW	WASHER DCP SPRING RETAIN OLD W
0	ORNWQ	O RING NECK AW/AF 2-9kg QUELL POST 2004 CHUBB AW/AF 2-9kg	0	WECFM	WASHER ELBOW CO2 F/M WHITE FIB
0	ORFHRFB	O RING FHR FIREBOX & APEX	0	WFCFG	WASHER FIBRE CO2 F/GARD CHUBB RED THIN TYPE

AWFS



SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

O RINGS WASHERS & SEALS continued

		CODE	DESCRIPTION		CODE	DESCRIPTION	
	0	WFCFGT WASHER FIBRE CO2 FG FIREX RED KIDDE - THICK TYPE		0	WSNSCP	WASHER SEAL N/S CHARGE PLUG	
	0	WFCTEU	WASHER FIBRE CO2 TYCO EURO RED VALVE	(30)		WASHER SHAKE PROOF	
NGS		WFWCWS	WASHER FIBRE WHITE CO2 WORMALD SPINDLE SEAT	0	WSVSCW	WASHER SEAL VALVE SEAT CO2 GASKET WORM/K OLD - ANNEALED	
& FITTII	0	WSASMG	WASHER SEAL ALUM S/MAN GENUINE ORIGINAL TYPE		WTDSM	WASHER TEFLON DCP S/MAN	
PARTS	WFWCWS WASHER FIBRE WHITE CO2 WORMALD SPINDLE SEAT WSASMG WASHER SEAL ALUM S/MAN GENUINE ORIGINAL TYPE WSBDCF WASHER SEAL BURST DISC CO2 FG COPPER 18mm OD x 12.5mm ID x 1.6 WSBDCP WASHER PVC SEAL BURST DISC CO2 CHUBB BRANDS WSCAN WASHER SEAL CO2 ANSUL		0	WNCH	WASHER NYLON SUITS CO2 HOSES WHITE		
SPARE	0	WSBDCP	WASHER PVC SEAL BURST DISC CO2 CHUBB BRANDS	0	WSAC	WASHER SEAL ALUM CHUBB S/MAN	
ISHER		WSCAN	WASHER SEAL CO2 ANSUL				
TINGU							
EX	SIPHON TUBE ADAPTORS						

SIPHON TUBE ADAPTORS

CODE	DESCRIPTION	CODE	DESCRIPTION
STAAW	SIPHON TUBE ADAPTOR - FITS NEW TUBE TO OLD WORM ROUND VALVE	STAD1C	SIPHON TUBE ADAPTOR 1.0kg DCP CHUBB MODEL 2040/01 EXT
STAAWW	SIPHON TUBE ADAPTOR 9.1LT A/W A/F WORM DCP WORM PREM BRASS	STADFW	SIPHON TUBE ADAPTOR DCP EG FW



SECTION 12



SIPHON TUBES

	CODE	DESCRIPTION
	ST115DQ	SIPHON TUBE DCP 11.5kg Q MK4 597mm GREEN ADAPTOR
	ST1DC	SIPHON TUBE DCP 1.0kg CHUBB 219mm WHITE ADAPTOR
	ST15DC	SIPHON TUBE DCP 1.5kg CHUBB & GENERIC BRANDS 274.5mm GREY AD
	ST23DQ	SIPHON TUBE DCP 2.3kg QUELL 350mm USE ST45DQ
	ST25DC	SIPHON TUBE DCP 2.5kg CHUBB & GENERIC BRANDS
	ST25DI	SIPHON TUBE DCP 2.5kg INTER 315mm
	ST2CCS	SIPHON TUBE CO2 2.0kg CHUBB 354mm GREEN ADAPTOR STEEL CYL
	ST2DQ	SIPHON TUBE DCP 2.0kg Q MK4 260mm GREEN ADAPTOR
,	ST35CCS	SIPHON TUBE CO2 3.5kg CHUBB 448mm GREEN ADAPTOR STEEL CYL
	ST45DBFI	SIPHON TUBE DCP 4.5kg BFI GREY PVC c/w ADAPTOR 362mm
	ST45DC	SIPHON TUBE DCP 4.5kg CHUBB PVC 374mm BLACK ADAPTOR
1	ST45DFG	SIPHON TUBE DCP 4.5kg F/G E/G F/W
	ST45DI	SIPHON TUBE DCP 4.5kg INTER 372mm
,	ST45DQ	SIPHON TUBE DCP 2.3 4.5kg CHUB QUELL MK4 347mm GREEN ADAPTOR
	ST49DQSS	SIPHON TUBE DCP 4.5kg 9kg Q M4 502mm GREEN ADAPTOR ST ST CYL
	ST5CCS	SIPHON TUBE CO2 5kg CHUBB 618mm GREEN ADAPTOR STEEL CYL
-	ST6DQ	SIPHON TUBE DCP 6.0kg Q MK4 395mm BLACK ADAPTOR
	ST6HSC	SIPHON TUBE HYDRO SPRAY 6LT CHUBB 362mm BLACK TIPS
	ST75DC	SIPHON TUBE DCP 7.5kg CHUBB 405mm BLACK ADAPTOR
-	ST91FCD	SIPHON TUBE A/F 9.1LT CHUBB DEFENCE CYL 530mm BLACK ADAPTR
	ST91WC	SIPHON TUBE A/W A/F 9L 10LT 502mm CHUBB GREEN TIPS
	ST9DBF	SIPHON TUBE DCP 9.0kg BFI GREY PVC c/w ADAPTOR 455mm
	ST9DC	SIPHON TUBE DCP 9.0kg CHUBB 535mm BLACK ADAPTOR
/	ST9DFG	SIPHON TUBE DCP 9.0kg F/G E/G F/W 445mm
	ST9DI	SIPHON TUBE DCP 9.0kg INTER 465mm
	ST9DQ	SIPHON TUBE DCP 9kg QUELL MK4 515mm GREEN ADAPTOR
	ST9DW	SIPHON TUBE DCP 9.0kg WORMALD PREMIUM 430mm LONG
/	STAWC	SIPHON TUBE A/W A/F 9LT CHUBB MODEL 525mm WHITE TIPS
	STAWEM	SIPHON TUBE A/W A/F W/C W E/G 553mm BLACK TIPS PRE 2005
1	STAWFM	SIPHON TUBE A/W F/MASTER 530mm
	STAWQ	SIPHON TUBE A/W A/F QUELL MK6 CHUBB POST 04 530mm





SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

SECTION 13 BUILDING PRODUCTS

FIRE COLLARS & PIPE COLLARS

	CODE	DESCRIPTION	CODE	DESCRIPTION
	FCHB65	FIRE COLLAR BLUE HIGH CAST IN COLLAR 40mm - 65mm	FCR40	FIRE COLLAR 40mm RETROFIT FLANGED
	FCHB100	FIRE COLLAR BLUE HIGH CAST IN COLLAR 80mm - 100mm	FCR50	FIRE COLLAR 50mm RETROFIT FLANGED
	FCHB150	FIRE COLLAR BLUE HIGH CAST IN COLLAR 150mm	FCR100	FIRE COLLAR 100mm RETROFIT FLANGED
9	FCLG40	FIRE COLLAR GREEN LOW CAST IN COLLAR 40mm	FCRUC	FIRE COLLAR UNICOLLAR ROLL 2250mm x 150 x 15mm SEGMENTS
9	FCLG50	FIRE COLLAR GREEN LOW CAST IN COLLAR 50mm	FCC	FIRE COLLAR CONDUIT COLLAR ID 32mm
9	FCLG100	FIRE COLLAR GREEN LOW CAST IN COLLAR 100mm		

FIRE PILLOWS

CODE	DESCRIPTION	CODE	DESCRIPTION
FP4	FIRE PILLOW 250mm x 4cm THICK 250mmL x 100mmW x 40mmD	FP12	FIRE PILLOW 300mm x 40mm THICK 300mmL x 250mmW x 40mmD
FP8	FIRE PILLOW 250mm x 40mm THICK 250mmL x 200mmW x 40mmD	FP16	FIRE PILLOW 600mm x 40mm THICK 600mmL x 250mmW x 40mmD



SECTION 13 BUILDING PRODUCTS



SECTION 13 BUILDING PRODUCTS

FIRE SEALANT

	CODE	DESCRIPTION	CODE	DESCRIPTION
	FS300G	FIRE SEALANT 300ml TUBE GREY	FS600G	FIRE SEALANT 600ml SAUSAGE GREY
3	FS300W	FIRE SEALANT 300ml TUBE WHITE	FS600W	FIRE SEALANT 600ml SAUSAGE WHITE





AWFS GENERAL TERMS & CONDITIONS OF SALE

GENERAL TERMS AND CONDITIONS OF SALE

ANY REFERENCE TO "THE SUPPLIER" REFERS TO AUSTRALIA WIDE FIRE SUPPLIES ABN 80 393 915 621. ANY REFERENCE TO "THE CUSTOMER" REFERS TO THE PURCHASER OF GOODS. IF YOU DO NOT UNDERSTAND ANY OF THE TRADING TERMS AND CONDITIONS CONTAINED IN THIS DOCUMENT IT IS RECOMMENDED THAT YOU SEEK INDEPENDENT LEGAL ADVICE..

- Acceptance Any instructions received by the Supplier from the Customer in relation to the supply of goods shall constitute acceptance of the terms and conditions contained herein.
- Payment terms The agreed trading terms are 30 days. Payment is due on all invoices 30 days from the date on the invoice.
- 3. Account keeping fees The Customer hereby agrees and acknowledges that at the absolute discretion of the Supplier, an account keeping fee of 2% per month, or the maximum rate permissible by law, may be levied on any overdue amounts that remain unpaid by the required due date. The Customer agrees that this fee represents a reasonable pre estimate of the loss suffered by the Supplier in relation to overdue amounts.
- 4. Dishonour fees and collection costs The Customer agrees to indemnify the Supplier for any dishonoured cheque fees incurred. Further, in the event that the Customer's account is in default of these trading terms the Customer will also indemnify the Supplier against its collection fees and any reasonable legal costs incurred by the Supplier, provided the Customer has been provided reasonable opportunity to remedy the default and has failed to do so.
- 5. Stop supply The Supplier may withdraw credit facilities to the Customer at any time upon reasonable notice. Without limiting the Supplier's rights to withdraw credit, the Supplier reserves the right to stop supply and place the account on hold when the Customer is in default of the Trading Terms, until such time as the Customer remedies the default and the Supplier agrees to recommence supply.
- 6. Application These Trading Terms apply to all transactions in relation to which the Customer is supplied goods and or services (including on credit). If any future contract between the Supplier and the Customer is inconsistent with these Terms of Trade, then these Trading Terms will apply unless the subsequent contract refers to and specifically alters these Trading Terms in writing.
- 7. Variation to Customer details Should there be any variation to any of the information supplied by the Customer in this application or in the structure of the Customer's business (such as the conversion to or from a company or trust or the appointment of new directors), the Supplier shall be notified in writing. Until a new application form is signed and approved in writing by the Supplier, then the original application and those person(s) who signed as guarantor(s) shall remain liable to the Supplier as though all goods and services were supplied to the original Customer.
- 8. Amendments The supplier reserves the right to amend these Trading Terms and will publish any amended version of the Trading Terms on its website. The Customer will be provided with reasonable notice prior to any changes of the Trading Terms. In the event that the Customer reasonably considers that the variation causes the Customer a material detriment, the Customer may terminate these Trading Terms without penalty.
- 9. Assignment The Supplier shall be entitled at any time to assign its rights under these Trading Terms to its successors, nominated transferees or assigns, (including but not limited to, where applicable, personal guarantees), and that these Trading Terms shall not be in any way affected or discharged pursuant to such assignment.

- 10. Retention of title Until ALL INVOICES are paid in full, and ALL MONIES receipted and cleared, ownership of the goods remains with the Supplier, but the risk passes to the Customer on delivery. Delivery shall occur if the Supplier or its agent delivers, on delivery, and or if the Customer or its agent (s) takes delivery, at that point of delivery. Until the Supplier is paid in full, the relationship of the Customer to the Supplier shall be fiduciary in respect of the goods and the Customer shall hold the goods as bailee only for the Supplier. The Customer shall store the goods separately from its own until title has passed to the Customer.
- 11. Recovery Should the goods be onsold to a third party before payment, or in the event of the Appointment of an Administrator, Controller, Managing Controller, receiver or Receiver Manager (as those terms are used in the Corporations Act 2001 (Cth)), or entry into an Informal/Formal Deed of Arrangement under the Bankruptcy Act 1966 (Cth) by the Customer, or any other insolvency event of the Customer, then the Customer hereby assigns to the Supplier its right of recovery of payment from the third party. The money(ies) resulting from the sale of the goods are to be specifically earmarked and placed in a separate account on trust for the Supplier, until payment in full is made to the Supplier for the cost of the goods only, to guarantee clear passage of ownership to the third party innocent purchaser.
- 12. Retaking Possession In the event the Customer is in default of the Trading Terms, and after failing to remedy any breach of the Trading Terms after notice and a reasonable period of time, then the Supplier may upon notice to the Customer, enter upon the premises where the goods are reasonably expected to be stored for the sole purpose of retaking possession of the said goods. The Customer indemnifies and holds harmless the Supplier, its servants or agents in relation to loss or damage as a result of the retaking of possession of said goods. Further, in the event the supplier exercises its right of retaking possession of the said goods, the Customer grants power of sale to the Supplier to resell the said goods and the Customer acknowledges that any shortfall owing after the said goods are resold will be the responsibility of the Customer. Notwithstanding any other provision of these Trading terms, it is expressly agreed by the Customer that the Supplier may sue for the price of all goods delivered to the Customer or for damages, notwithstanding that ownership in those goods has not been passed to the Customer.
- 13. Delivery Deliveries shall be made during normal business hours. Deliveries required outside normal business hours will be delivered upon the request of the Customer, and any additional charges will be the sole responsibility of the Customer. In the event the Customer or the Customer's agent is not on site to accept delivery, then the Customer must pay the cost for redelivery of any goods. Any date of delivery quoted in any correspondence, quotation or invoice is an estimated delivery time frame only and is subject to industrial disturbances, delay in transit, damage to goods in transit, shortage of goods and any other cause beyond reasonable control of the Supplier.
- 14. PPSR The Supplier reserves the right to register any security interest provided by the Customer ("the grantor") which creates a performance obligation to secure payment owed by the Customer to the Supplier pursuant to the Personal Property Securities Act 2009 (Cth).



AWFS GENERAL



15. Service of Documents – The Customer acknowledges that service of all documents will be by prepaid postal addressed envelope to the trading address nominated on the application unless a new address is provided by the Customer and such new address is acknowledged by return in writing from the Supplier, or another nominated address at the discretion of the Supplier. The Customer expressly acknowledges that service is deemed to be effected after the expiration of 2 business days from the date of posting of the documents.

- 16. Access to site The Customer at all times is responsible to ensure suitable access to its site for delivery of goods. The Customer indemnifies and saves harmless the Supplier, and or its servants or agents any loss or damage, in the event the Customer fails to provide suitable access to the site for delivery, or whilst on site delivering, except to the extent that any loss or damage is caused or contributed to by the negligence of the Supplier or its servants or agents.
- 17. Price Unless a separate agreement is in place all goods are sold at the price current at the time of purchase as determined by the Supplier. The price of the goods is at the Suppliers works. Costs and charges for freight and handling at the point of delivery to the Customer or Customer's agent are payable by the customer unless otherwise stated on the quotation. All prices may be subject to change without notice. If requested the Customer will be provided a quotation for the purchase price of the goods, and the costs for delivery at the time of ordering. All quotes remain current for 14 days only from the date of the quotation or as otherwise stated on quotation.
- 18. Financial information The Customer agrees to provide financial information as is reasonably required by the Supplier from time to time, for the assessment of current and future credit limits only. The Supplier and the Customer further agree that such information shall be treated as strictly confidential and shall not be disclosed to any third party(ies) without the express written permission of the Customer.
- 19. Claims It is the responsibility of the Customer to carefully inspect the goods immediately when they are delivered. Claims that the goods fail to meet the guarantees under the Australian Consumer Law must be made in accordance with the requirements of that legislation. Claims that the products fail to meet the manufacturer's warranty, suitable quality standard, or claims relating to incorrect goods shipped or incorrect quantities received will only be recognised if made in the first instance by phone within 72 hrs of delivery, and also in writing within 7 days of delivery. Claims outside this period will be at the absolute discretion of the Supplier, and its decision final and binding on the Customer. All claims that the goods fail to meet the manufacturer's warranty or suitable quality standard must be returned in original condition and packaging and complete in every detail and such goods will only be accepted if the freight is prepaid by the Customer unless other agreements have been made in writing.
- 20. Returns & cancellations In the event the Customer elects to return goods or cancel goods on order for any reason other than failure to comply with Australian Consumer Law they must first seek written return authorisation from the Supplier. Acceptance of returns not covered under Australian Consumer Law will be at the absolute discretion of the Supplier and may at the absolute discretion of the supplier attract a 10% handling and restocking fee on the invoice amount involved. The Customer agrees that this represents a reasonable pre estimate of the loss that the Supplier will suffer in restocking and administrative charges.

- 21. Special Orders Special orders attract a 50% deposit which will be debited to the Customer's account upon receipt of a written order for goods outside the Supplier's normal stock lines, or for goods which are specifically modified to meet the customers' requirements. The classification of what stock lines are normally held and those not held by the Supplier and what constitutes a modification is at the absolute discretion of the Supplier and may change from time to time. NOTE unless goods breach the consumer guarantees under Australian Consumer Law, no return of, or cancellation of special orders will be accepted.
- 22. Warranties All goods are warranted by the manufacturer's warranty, if any, as is furnished by the manufacturer thereof. To the extent permitted by law, all implied warranties are expressly excluded. Nothing in these Trading Terms shall be read or applied so as to exclude, restrict or modify, or have the effect of excluding, restricting or modifying, any condition, warranty, guarantee, right or remedy implied by law (including the Competition and Consumer act 2010 (CTH)) and which by law cannot be excluded, restricted or modified.
- 23. Damages To the extent permitted by law, if the Customer is entitled to the benefit of any implied terms which cannot be excluded, the Supplier's liability shall be limited, as its option in the supply of goods to:
 - (a) The replacement of the goods or the supply of equivalent goods:
 - (b) The payment of the costs of replacing the goods or acquiring the relevant goods, or the payment of having the goods repaired:
 - (c) In the case of services, the resupply of the services: or
 - (d) The payment of the cost of having the services performed again
- 24. Limit & liability Subject to the Australian Consumer Law, the Supplier shall not be liable for any claims, loss, expense whatsoever, howsoever arising, or in any event in any way whatsoever for any contingent, consequential direct/indirect special, or punitive damages arising in relation thereto, and the Customer acknowledges this express limit or liability and agrees to limit any claim accordingly. Further the Supplier shall not be responsible directly or indirectly for any consequential loss or damage, or for the maintenance, use or operation of the product by the Customer, or to any third party, or from any failure of the product whether defective or not.
- **25. GST** Expressions set out in italics in this clause 25 bear the same meaning as those expressions in the GST law.
 - A All payments have been set or determined without regard to the impact of GST.
 - B Subject to clause 25.D if the whole or any part of a payment by a party (including amounts referred to in 25.B) is the consideration for a *taxable supply*, the GST amount in respect of the payment must be paid to the Supplier of the *taxable supply* as an additional amount, at the same time and in the same manner as the payment is otherwise payable or as otherwise agreed in writing.
 - C If a payment due under this agreement is a reimbursement or indemnification by one party of an expense, loss or liability incurred by the other party, the payment will exclude any GST forming part of the amount to be reimbursed or indemnified to the extent to which the other party can claim an input tax credit.
 - D A party's obligation to make payment under clause 25.A is subject to a valid tax invoice being delivered to the party liable to pay for the taxable supply.





AWFS GENERAL TERMS & CONDITIONS OF SALE

AWFS GENERAL TERMS & CONDITIONS OF SALE

- E Where the Supplier has become subject to any penalties or interest because of late payment by the Supplier to the Australian Taxation Office of any GST amount and that late payment is a result of the failure of the *recipient* to comply with the terms of this clause 26, the *recipient* must pay to the Supplier an additional amount on demand equal to the amount of those penalties and interest.
- F The recipient must indemnify the Supplier on demand in respect of all loss or damage arising from a breach by the recipient of its obligations under this clause 25.
- 26. Environmental Requirements The Customer confirms and acknowledges that it has made all relevant enquiries in relation to all responsibilities conferred upon the Customer, by all relevant legislation, relating to storage of, use of, and disposal of any or all products supplied by the Supplier.
- 27. Insurance NO INSURANCE IS PROVIDED BY THE SUPPLIER. The Customer expressly acknowledges that insurance of all goods is the responsibility of the Customer upon dispatch from the Supplier's premises.
- 28. Supply The Customer acknowledges that possession of the Suppliers pricelist, possession of an application for credit from the Supplier, an approved credit facility with the Supplier, or a quotation from the Supplier, does not constitute an agreement from the Supplier to supply goods or services to the Customer. The Supplier reserves the right to refuse to accept any purchase order from any Customer for any reason.
- 29. Jurisdiction The Customer acknowledges that this contract shall be governed by the Laws of New South Wales, and the Customer hereby agrees to submit to the non-exclusive jurisdiction of the Courts of that





AUSTRALIA WIDE FIRE SUPPLIES PRODUCT REFERENCE MANUAL PAGE 146

NOTES

NOTES





QUICK REFERENCE GUIDE	
SECTION 1 FIRE FIGHTING APPLIANCES	
SECTION 2 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT	
SECTION 3 BRANCH PIPES & FIRE HOSE NOZZLES	
SECTION 4 FIRE HOSE REEL NOZZLES & SPARE PARTS	
SECTION 5 CABINETS COVERS STANDS & TROLLEYS	
SECTION 6 VEHICLE & GENERAL EXTINGUISHER BRACKETS	
SECTION 7 FLAMMABLE STORAGE CABINETS	
SECTION 8 SIGNS & LABELS	
SECTION 9 SUPPRESSION SYSTEMS	
SECTION 10 SAFETY & BUSHFIRE EQUIPMENT	
SECTION 11 SERVICE CONSUMABLES & EQUIPMENT	
SECTION 12 FIRE EXTINGUISHER SPARE PARTS & FITTINGS	

SECTION 13 BUILDING PRODUCTS