

**Supplying Quality Products & Service  
to the Fire Protection Industry since 1986**



**Australia Wide  
Fire Supplies**

**Product Reference Manual  
Edition 3**

**ABN: 80 393 915 621**

**Mail: PO Box 25 Cardiff NSW 2285**

**Street: Unit 5/54 Pendlebury Road Cardiff NSW 2285**

**[www.awfs.com.au](http://www.awfs.com.au)**

**Orders P: 02 4954 0333 E: [sales@awfs.com.au](mailto:sales@awfs.com.au)**

# INDEX

## SECTION 1 FIRE FIGHTING APPLIANCES

FIREOUT DRY POWDER FIRE EXTINGUISHERS AB:E	PAGE 1	FIRE BLANKETS	PAGE 5
FIREOUT CARBON DIOXIDE FIRE EXTINGUISHERS	PAGE 2	FIREOUT FIRE HOSE REELS	PAGE 5
FIREOUT AIR WATER FIRE EXTINGUISHERS	PAGE 2	FIRE DEPOT BINS	PAGE 6
FIREOUT AIR FOAM FIRE EXTINGUISHERS	PAGE 3	MOBILE FIRE EXTINGUISHERS DCP AB:E & FOAM	PAGE 7
FIREOUT WET CHEMICAL FIRE EXTINGUISHERS	PAGE 3	LAY FLAT FIRE HOSES	PAGE 8
REGA FIRE FIGHTER BACK PACKS	PAGE 4	LAY FLAT FIRE HOSE ACCESSORIES	PAGE 10
COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 4	WATER JEL BLANKETS & VEHICLE HOSE REELS	PAGE 11

## SECTION 2 EMERGENCY LIGHTING LED

EMERGENCY EXIT LIGHTS	PAGE 12	EMERGENCY DOWNLIGHTS & TWIN SPOTLIGHTS	PAGE 13
-----------------------	---------	--	---------

## SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

BRASS LANDING VALVES & MARINE FIRE VALVES	PAGE 14	COUPLINGS - QRT	PAGE 21
STATIC HYDRANT TESTERS & HYDRANT FLOW TESTERS	PAGE 14	COUPLINGS - BIC	PAGE 22
HYDRANT HAND WHEELS	PAGE 15	COUPLINGS - BSP, FORESTRY & NAKAJIMA MARINE	PAGE 23
HYDRANT STRAPS	PAGE 15	COUPLINGS - SHIP TO SHORE	PAGE 23
HYDRANT LOCKS AND PADLOCKS	PAGE 15	ADAPTORS - FBT, MFB, QRT, CFA, 38MM BIC	PAGE 24
STANDPIPES	PAGE 16	ADAPTORS - BIC	PAGE 25
DIVIDING BREECHING CONTROLS BRASS	PAGE 16	STORZ ADAPTORS	PAGE 26
DIVIDING BREECHING CONTROLS ALUMINIUM	PAGE 17	NAKAJIMA MARINE ADAPTORS	PAGE 28
BLANKING CAPS	PAGE 17	HYDRANT SPANNERS & HYDRANT TOOLS	PAGE 29
BLANKING CAPS - STORZ & STORZ COUPLING CIRCLIPS	PAGE 19	WASHERS COUPLINGS	PAGE 30
COUPLINGS - STORZ	PAGE 20	WASHERS HYDRANTS	PAGE 31
COUPLINGS - FBT / MFB	PAGE 21		

## SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES

BRASS, ALLOY, PVC BRANCH PIPES	PAGE 33	FOAM BRANCHES & FOAM EQUIPMENT	PAGE 35
NAKAJIMA, CONTROL & NOZZLE BRANCHES	PAGE 34	FIRE HOSE NOZZLES	PAGE 37

## SECTION 5 FIRE HOSE REEL NOZZLES & SPARE PARTS

FIRE HOSE REEL NOZZLES	PAGE 41	FIRE HOSE REEL STOP COCKS	PAGE 44
NOZZLE ADAPTORS & HOSE CLAMPS	PAGE 42	FIRE HOSE REEL SERVICE KITS	PAGE 44
FIRE HOSE REEL ARMS & HANDLES	PAGE 43	FIRE HOSE REEL SPARE PARTS	PAGE 45
FIRE HOSE REEL RETAINERS	PAGE 43		

# INDEX

## SECTION 6 CABINETS COVERS STANDS & TROLLEYS

METAL CABINETS FOR HOSE REELS & EXTINGUISHERS	PAGE 47	CABINET PARTS & ACCESSORIES	PAGE 55
METAL CABINETS - EMERGENCY & MISCELLANEOUS	PAGE 48	CABINET PARTS & ACCESS RESOLVE & RESOLUTE	PAGE 56
POLY CABINETS IP RATED EXT, FHR & MULTIPURPOSE	PAGE 49	FIRE EXTINGUISHER / HOSE REEL COVERS & BAGS	PAGE 57
IP RATED SIDE LOAD & POLY CABINETS AND MOUNT KITS	PAGE 51	OTHER COVERS & BAGS	PAGE 58
OTHER POLY CABINETS	PAGE 52	FIRE EXTINGUISHER STANDS & TROLLEYS	PAGE 59
FIBERGLASS CABINETS	PAGE 54		

## SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 9KG	PAGE 61	HEAVY DUTY VEHICLE BRACKETS REGA KNAPSACK	PAGE 67
HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMB	PAGE 63	LIGHT DUTY VEHICLE BRACKETS	PAGE 67
HEAVY DUTY VEHICLE BRACKETS - 4.5KG	PAGE 64	EXTINGUISHER HANGERS - UNDERGROUND MINES	PAGE 68
HEAVY DUTY VEHICLE BRACKETS - 2.5KG	PAGE 66	EXTINGUISHER WALL BRACKETS	PAGE 69

## SECTION 8 FLAMMABLE STORAGE CABINETS

FLAMMABLE LIQUID STORAGE CABINETS	PAGE 71		
-----------------------------------	---------	--	--

## SECTION 9 SIGNS & LABELS

LOCATION SIGNS - PVC	PAGE 73	GENERAL SIGNS - METAL	PAGE 88
LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF	PAGE 74	EXIT SIGNS - PVC	PAGE 89
LOCATION SIGNS - SELF ADHESIVE - VEHICLE	PAGE 75	ENGRAVED SIGNS	PAGE 90
LOCATION SIGNS - SELF ADHESIVE	PAGE 76	SIGN ADHESIVE	PAGE 90
LOCATION SIGNS - METAL - STANDARD	PAGE 77	FIRE LABELS - EXTINGUISHER PICTOGRAM	PAGE 91
LOCATION SIGNS - METAL - RIGHT ANGLE	PAGE 77	FIRE LABELS - EXTINGUISHER PRESSURE TEST	PAGE 91
LOCATION SIGNS - ALUMINIUM & METAL BOARDS	PAGE 78	FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY	PAGE 92
IDENTIFICATION SIGNS - PVC	Page 79		
IDENTIFICATION SIGNS - SELF ADHESIVE & METAL	PAGE 80		
GENERAL SIGNS - PVC	PAGE 81		
GENERAL SIGNS - DOORS - PVC	PAGE 83		
GENERAL SIGNS - SELF ADHESIVE	PAGE 85		

# INDEX

## SECTION 10 SUPPRESSION SYSTEMS

STAT-X SUPPRESSION SYSTEMS	PAGE 95	SUPPRESSION SYSTEM SPARES	PAGE 102
SCHRADER VALVES	PAGE 101		

## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

EVACUATION SIRENS	PAGE 105	COLLAPSIBLE FIRE FIGHTER BACK PACKS	PAGE 107
ESCAPE LADDERS	PAGE 105	REGA FIRE FIGHTER BACK PACKS	PAGE 108
LOCK OUTS	PAGE 106	REGA FIRE FIGHTER BACK PACK SPARE PARTS	PAGE 108
RESCUE TOOLS	PAGE 106	RURAL FIRE HOSE NOZZLES	PAGE 109
FIRE RAKES, AXES & FIRE BEATERS	PAGE 106	HOSE KITS & VEHICLE MOUNT HOSE REELS	PAGE 109
FIRE LIGHTER	PAGE 107	SCOTTY FIRE NOZZLES, SQUALL WALLS & FITTINGS	PAGE 111

## SECTION 12 SERVICE CONSUMABLES & EQUIPMENT

SEALING TIES	PAGE 113	RECHARGE & TEST ADAPTORS	PAGE 116
SERVICE COLLARS, TAGS & HOLDING RINGS	PAGE 113	RECHARGE & TESTING EQUIPMENT	PAGE 117
BANDIT CLAMPS & BANDIT CLAMP TOOLS	PAGE 114	RECHARGE AGENTS	PAGE 118
NUMBER PUNCHES & SERVICE TOOLS	PAGE 115		

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

GAUGES	PAGE 119	ELBOWS & FILLER TUBES	PAGE 130
HANDLES, LEVERS & RIVETS	PAGE 121	SCHRADER VALVES	PAGE 130
CHECK STEMS DCP & AW/AF	PAGE 123	DIFFUSERS, ADAPTORS & APPLICATORS	PAGE 131
CHECK STEMS CO2	PAGE 125	DISCHARGE NOZZLES & CAPS	PAGE 132
CHECK STEM SPRINGS	PAGE 126	DISCHARGE HOSES DCP, WC, AW & AF	PAGE 133
CHECK SEATS & SEALS	PAGE 126	DISCHARGE HOSES & HORNS CO2	PAGE 135
SERVICE KITS	PAGE 127	RETAINERS CLIPS & STRAPS	PAGE 136
BURSTING DISC	PAGE 127	O RINGS WASHERS & SEALS	PAGE 137
VALVE ASSEMBLIES	PAGE 128	SIPHON TUBE ADAPTORS	PAGE 139
SAFETY PINS	PAGE 129	SIPHON TUBES	PAGE 140

# INDEX

## SECTION 14 BUILDING PRODUCTS

FIRE COLLARS & PIPE COLLARS	PAGE 141	FIRE SEALANT	PAGE 142
FIRE PILLOWS	PAGE 141		

## AWFS GENERAL TERMS & CONDITIONS OF SALE

GENERAL TERMS & CONDITIONS OF SALE	PAGE 143		
------------------------------------	----------	--	--


### Disclaimer:

Images shown are for representation only and images shown may differ from actual products. Product specifications and pricing are subject to change without notice. Possession of product reference manual or price list does not constitute an agreement to supply any goods. Australia Wide Fire Supplies does not make any representation that products are fit for any particular use or meet any legislative requirements - it is the responsibility of the customer to ensure that goods supplied meet any requirements and are fit for the intended application.

TECHNICAL INFORMATION

DETERMINING BSP M THREAD SIZING


To determine the correct size of a BSP thread a “MAJOR DIAMETER” measurement across the outside of the threads as shown below needs to be taken. The MD measurement should then be cross referenced on the below table to determine the common BSP name.



MAJOR DIAMETER (MD) MM	BSP NAME MM	BSP NAME INCHES
20.995	15	1/2"
26.441	20	3/4"
33.249	25	1"
47.803	38 / 40	1 1/2"
59.614	50	2"
75.184	65	2 1/2"
87.884	75 / 80	3"
113.03	100	4"
138.43	125	5"
163.83	150	6"

DETERMINING STORZ COUPLING SIZE

To determine the correct size of a STORZ coupling face a measurement between the two lugs on the coupling face as shown below must be taken. The measurement figure “K” should then be cross referenced to table (below) to determine the “STORZ” size of the coupling face.




DISTANCE (K) MM	COUPLING SIZE MM	COUPLING SIZE "	STORZ REF
31	25	1"	D
51	38	1.5"	
66	52	2"	C
81	65	2.5"	
89	75	3"	B

DISTANCE (K) MM	COUPLING SIZE MM	COUPLING SIZE "	STORZ REF
105	90	3.5"	
115	100	4"	
133	110	4.5"	A
148	125	5"	
160	150	6"	

TECHNICAL INFORMATION

DETERMINING NAKAJIMA COUPLING SIZE

To determine correct Nakajima sizing use the below measurement diagram and table.



NAKAJIMA SIZE (MM)	NAKAJIMA SIZE (INCH)	LUG DISTANCE (MM) A	HOSETAIL Ø B (MM)
38	1.5"	61	38
50	2"	74	51
65	2.5"	92	64



# SECTION 1 FIRE FIGHTING APPLIANCES

## FIREOUT DRY CHEMICAL POWDER (DCP) FIRE EXTINGUISHERS

### Dry Powder Fire Extinguisher Features:

**CERTIFIED & APPROVED TO AS/NZS 1841.5**

- ◊ Deep drawn steel cylinder with welded base and robust skirt
- ◊ Powder coated with UV resistant paint finish
- ◊ EPDM UV resistant discharge hose with dust cap
- ◊ Brass valve with pressure indicator
- ◊ 316 stainless steel handles and levers suitable for aggressive environments
- ◊ Non-Aluminium Hose Ferrules on 4.5kg & 9.0kg required for underground use
- ◊ 316 Stainless steel hose retaining clip and bands on 2.5kg, 4.5kg & 9.0kg models
- ◊ Sturdy solid stainless-steel hanging bracket, ideal for aggressive environments supplied with 4.5 kg and 9.0 kg models
- ◊ A rugged epoxy coated metal vehicle bracket comes with 1.0kg & 2.5kg models.
- ◊ Aluminium inspection tag and ring (normally removed for underground coal mines)



**FIREOUT ABE Fire Extinguishers are suitable for the following Applications:**

- **A Class Fires (paper, wood, textiles)**
- **B Class Fires (flammable liquid fires such as oils, paints and solvents)**
- **E Class Fires (energised electrical fires such as switchboards and electrical motors)**

PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	OPERATING PRESSURE	DISCHARGE TIME (APPROX)	DIMENSIONS HEIGHT x DIAMETER	OVERALL MASS (APPROX)
<b>E1DAFO</b>	1.0 KG	<b>2A10B:E</b>	DCP ABE	1500 kPa	8—11 SEC	330 x 88 MM	1.9 KG
<b>E15DAFO</b>	1.5 KG	<b>3A30:B:E</b>	DCP ABE	1500 kPa	8—11 SEC	390 x110 MM	3.0 KG
<b>E25DAFO</b>	2.5 KG	<b>3A30B:E</b>	DCP ABE	1500 kPa	11—14 SEC	427 x 125 MM	3.7 KG
<b>E45DAFO</b>	4.5 KG	<b>6A80B:E</b>	DCP ABE	1500 kPa	17—20 SEC	480 x 140 MM	7.5 KG
<b>E9DAFO</b>	9.0 KG	<b>10A80B:E</b>	DCP ABE	1500 kPa	20—23 SEC	565 x 182 MM	13.6 KG

### FIRE EXTINGUISHER ACCESSORIES:

- CABINETS - PAGE 47
- COVERS - PAGE 57
- HEAVY DUTY VEHICLE BRACKETS - PAGE 61
- STANDS & TROLLEYS - PAGE 59
- SIGNAGE - PAGE 73
- SPARE PARTS - PAGE 121





## SECTION 1 FIRE FIGHTING APPLIANCES

### FIREOUT CARBON DIOXIDE (CO2) FIRE EXTINGUISHERS

#### CO2 Fire Extinguisher Features:

**CERTIFIED & APPROVED TO AS/NZS 1841.5**

- ◇ High quality, lightweight Aluminium cylinder
- ◇ Powder coated with UV resistant paint finish
- ◇ High pressure discharge hose assembly with bell horn design
- ◇ 316 stainless steel handles and levers suitable for aggressive environments
- ◇ Sturdy solid stainless-steel hanging bracket, ideal for aggressive environments
- ◇ Aluminium inspection tag and ring
- ◇ Extinguishers have been fire tested for the use in B & E Class fires



**FIREOUT CO2 Fire Extinguishers are suitable for the following Applications:**

- **B Class Fires** (flammable liquid fires such as oils, paints and solvents)
- **E Class Fires** (energised electrical fires such as switchboards and electrical motors)

PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	DISCHARGE TIME	DIMENSIONS HEIGHT x	OVERALL MASS
E35CFO	3.5 KG	10B:E	CO2	10.5 SEC	590 x 150 MM	8.9 KG
E5CFO	5.0 KG	10B:E	CO2	11 SEC	675 x 160 MM	11.9 KG

### FIREOUT AIR WATER FIRE EXTINGUISHERS

#### Air Water Fire Extinguisher Features:

**CERTIFIED & APPROVED TO AS/NZS 1841.5**

- ◇ High quality, stainless steel cylinder
- ◇ Powder coated with UV resistant paint finish
- ◇ 316 stainless steel handles and levers suitable for aggressive environments
- ◇ Sturdy solid hanging bracket
- ◇ Aluminium inspection tag and ring
- ◇ Extinguishers have been fire tested for the use in A Class fires

**FIREOUT Air Water Fire Extinguishers are suitable for the following Applications:**

- **A Class Fires** (paper, wood, textiles)

PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	DISCHARGE TIME	DIMENSIONS HEIGHT x	OVERALL MASS
E9WFO	9.0 Lt	4A	WATER	80 SEC	610 x 193 MM	12.5 KG



## SECTION 1 FIRE FIGHTING APPLIANCES

### FIREOUT AIR FOAM FIRE EXTINGUISHERS

#### Air Foam Fire Extinguisher Features:

**CERTIFIED & APPROVED TO AS/NZS 1841.5**

- ◇ High quality stainless steel cylinder
- ◇ Powder coated with UV resistant paint finish
- ◇ 316 stainless steel handles and levers suitable for aggressive environments
- ◇ Sturdy solid hanging bracket
- ◇ Aluminium inspection tag and ring
- ◇

**FIREOUT Air Foam Fire Extinguishers are suitable for the following Applications:**

- **A Class Fires (wood, paper, textiles)**
- **B Class Fires (flammable liquid fires such as oils, paints and solvents)**

**FLUORINE FREE FOAM**



PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	OPERATING PRESSURE	DIMENSIONS HEIGHT x	OVERALL MASS (APPROX)
E9FFF	9.0 Lt	4A:10B	FLUORINE FREE ECO FOAM	1030 kPa	627 x 180 MM	12.7 KG

### FIREOUT WET CHEMICAL FIRE EXTINGUISHERS

#### Wet Chemical Fire Extinguisher Features:

**CERTIFIED & APPROVED TO AS/NZS 1841.5**

- ◇ High quality stainless steel cylinder
- ◇ Powder coated with UV resistant paint finish
- ◇ 316 stainless steel handles and levers suitable for aggressive environments
- ◇ Sturdy solid hanging bracket
- ◇ Aluminium inspection tag and ring

**FIREOUT Wet Chemical Fire Extinguishers are suitable for the following Applications:**

- **A Class Fires (wood, paper, textiles)**
- **F Class Fires including cooking oils and fats**



PRODUCT CODE	CAPACITY	FIRE RATING	AGENT	DIMENSIONS HEIGHT x DIAMETER	OVERALL MASS (APPROX)
E2WCFO	2.0 Lt	2A:4F	WET CHEMICAL	460 x 125 MM	4.6 KG
E7WCFO	7.0 Lt	3A:4F	WET CHEMICAL	600 x 169 MM	10 KG

## SECTION 1 FIRE FIGHTING APPLIANCES

### REGA FIRE FIGHTER BACK PACKS

#### REGA Back Pack Features:

- ◇ 16 Litre polyethylene tank
- ◇ Dual action brass plunger action pump
- ◇ No 8 bushfire nozzle straight jet / flat fantail
- ◇ Spaying capacity 1.25 Litres per minute
- ◇ Adjustable straps
- ◇ Dimensions 650 mm (H) x 495 mm (W)

#### Optional heavy duty vehicle mounting bracket

- ◇ Ensures safe and secure attachment to vehicles



PRODUCT CODE	PRODUCT DESCRIPTION
BPFF	REGA KNAPSACK 16LT RIGID PVC FIRE FIGHTER SPRAYER
HDVBRK	VEHICLE TRUCK BRACKET REGA KNAPSACK TO SUIT P/N BPFF
RBPPA	BACKPACK PUMP ASSEMBLY C/W HOSE AND PUMP (ALT P/N 109724)
RBPPO	BACKPACK PUMP ASSEMBLY ONLY (ALT P/N 109727)
BPFOK	BACK PACK FIRE FIGHTER 16LT PVC OVERHAUL KIT ( ALT P/N 109778)
SEE PAGE 106 FOR A FULL LIST OF REGA KNAPSACK SPARE PARTS	



### COLLAPSIBLE FIRE FIGHTER BACK PACKS

#### Collapsible Fire Fighter Back Pack Features:

- ◇ 15—16 Litre capacity
- ◇ HF welded flexible tank manufactured from UV resistant reinforced material
- ◇ Highly effective double action hand pump with jet/fog functions
- ◇ Ergonomic design with adjustable shoulder and waist straps



PRODUCT CODE	PRODUCT DESCRIPTION
BPFFSY	BACK PACK WATER SPRAYER YELLOW KNAPSACK COLLAPSIBLE
BPFFS	BACK PACK WATER SPRAYER RED KNAPSACK COLLAPSIBLE
BPFFSPO	BACK PACK 16LT KNAPSACK SOFT DUAL ACTION PUMP ONLY

SECTION 1

FIRE FIGHTING APPLIANCES

FIRE BLANKETS

Fire Blanket Features:

- ◇ Entire range complies with AS/NZISS 3504
- ◇ Available with soft plastic or nyplon material cases
- ◇ Mounting eyelet on all bags
- ◇ Effective for smothering oxygen supply to small fires that may occur in kitchens or on clothing

PRODUCT CODE	FIRE BLANKET DIMENSIONS	CASE MATERIAL
FB11	1000 x 1000 MM	NYPLON
FB11P	1000 x 1000 MM	SOFT PLASTIC
FB1212	1200 x 1200 MM	NYPLON
FB1212P	1200 x 1200 MM	SOFT PLASTIC
FB1218	1200 x 1800 MM	NYPLON
FB1218P	1200 x 1800 MM	SOFT PLASTIC
FB1818	1800 x 1800 MM	NYPLON
FB1818P	1800 x 1800 MM	SOFT PLASTIC
SEE PAGE 71 FOR FIRE BLANKET SIGNAGE		



FIREOUT FIRE HOSE REELS

Fireout Fire Hose Reel Features:

Meets or Exceeds AS 1221

- ◇ Heavy duty 36m fast-fit hose reel
- ◇ Proven design with simple operation / low maintenance cost
- ◇ Stainless steel model available—ideal for marine and other aggressive environments

PRODUCT CODE	DESCRIPTION
HR3619	HOSE REEL 36 MTR X 19MM QUICK-FIT FIXED
HR3619SS	HOSE REEL 36 MTR X 19MM 304 STAINLESS STEEL
HR3625	HOSE REEL 36 MTR X 25MM WASH DOWN



HOSE REEL ACCESSORIES:

- ◇ STANDS - PAGE 46
- ◇ CABINETS - PAGE 47
- ◇ COVERS - PAGE 57
- ◇ SIGNAGE - PAGE 73



Australia Wide  
Fire Supplies

Orders

P: 02 4954 0333

E: sales@awfs.com.au



SECTION 1 FIRE FIGHTING APPLIANCES

FIRE DEPOT BINS

Australia Wide Fire Supplies provide a fully customizable solution for Fire Depot Bins and associated equipment.

Standard Features:

- ◇ Heavy duty 240Lt wheeled bin c/w standard wheels
- ◇ Large mine reflective “FIRE DEPOT” front sign and candy-stripe markings
- ◇ Class H lay-flat hoses c/w couplings attached by wire whipping
- ◇ Breeching control to suit fittings as required
- ◇ Branchpipes and nozzles, both brass and PVC as required
- ◇ Hydrant spanners and brass adaptors as required
- ◇ Removable equipment cage to help organize and separate accessories from fire hoses plus improved access
- ◇ Fire hose straps and clear fire hose covers to keep hoses protected
- ◇

Common Optional Extras:

- ◇ Extra side “FIRE DEPOT” signage as required
- ◇ Dust seals to help prevent ingress of dust and contaminants
- ◇ Lid latch & pin assembly to prevent lid being blown open and contents being exposed to dirt and dust
- ◇ Internal contents labels by order as per client requirements
- ◇ External fire extinguisher mounting brackets, extinguishers and covers
- ◇ Over-sized wheels ideal for rough terrain



PRODUCT CODE	DESCRIPTION
FBO	MINES FIRE DEPOT BOX WHEEL BIN WITH FRONT & SIDE LABELS
FBOLRS	MINES RESCUE DEPOT WHEEL BIN WITH LABELS PIN AND SEAL
FBEH	MINE FIRE DEPOT BOX EQUIPMENT HOLDER BASKET



Fire depot bin requirements vary from site to site. Please contact us to discuss your requirements

## SECTION 1 FIRE FIGHTING APPLIANCES

### MOBILE FIRE EXTINGUISHERS DCP AB:E

#### DCP AB:E Mobile Extinguisher Features:

- ◇ Self contained mobile trolley mounted unit
- ◇ Operating pressure of 1500kPa
- ◇ Range of 3-5 mtrs
- ◇ Rating 10A80B:E
- ◇ Large oversize rear trolley wheels
- ◇ Lockable castor wheels on front of trolley
- ◇ 7m long hose & nozzle assembly

PRODUCT CODE	DESCRIPTION	WEIGHT (APPROX)	BODY DIAM (APPROX)	HEIGHT (APPROX)
EM50DA	MOBILE EXT 50KG DCP ABE WITH TROLLEY	80.5 KG	300 MM	1100 MM
EM100DA	MOBILE EXT 100KG DCP ABE WITH TROLLEY	146 KG	400 MM	1250 MM



### MOBILE FIRE EXTINGUISHERS FOAM

#### Foam Mobile Extinguisher Features:

- ◇ Self contained mobile trolley mounted unit
- ◇ Operating pressure of 1030kPa
- ◇ Performance range 3 - 5 mtrs
- ◇ Foam type C6 or Fluorine Free option below
- ◇ Large oversize rear trolley wheels
- ◇ Lockable castor wheels on front of trolley
- ◇ 7m long hose & nozzle assembly

PRODUCT CODE	DESCRIPTION	WEIGHT (APPROX)	BODY DIAM (APPROX)	HEIGHT (APPROX)
EM50FFF	MOBILE EXT 50 LTR <b>FLUORINE FREE FOAM</b> W/TROLLEY	80.5 KG	300 MM	1100 MM
EM100FFF	MOBILE EXT 100 LTR <b>FLUORINE FREE FOAM</b> W/TROLLEY	146 KG	400 MM	1250 MM



## SECTION 1 FIRE FIGHTING APPLIANCES

### FIRE HOSES AS2792 SOLD BY THE MTR

Australia Wide Fire Supplies offer a comprehensive range of high quality Australian made lay flat fire hoses all of which are manufactured and certified to AS 2792. Standard lay flat fire hose lengths are 30 metres however other lengths are available on request. Hoses are available as bare lengths or can be supplied with a comprehensive range of couplings to your specification. All couplings supplied with hoses can be wire whipped or double band-it clamped and can be supplied with or without pressure test and certificate subject to your requirements.

#### Class M General Purpose:

- ◇ Polyester construction with internal lining
- ◇ Popular choice for domestic and commercial applications 1500kPa working pressure
- ◇ Available in standard and percolating
- ◇ Mildew resistant—can be stored wet

#### Class M Coated:

- ◇ Polyester construction with internal lining
- ◇ Additional protected polyurethane coating provides chemical and abrasion resistance
- ◇ Popular choice for domestic and commercial applications 1500kPa working pressure
- ◇ Maintenance free - can be stored wet

#### Class M Percolating:

- ◇ Polyester construction with internal lining
- ◇ Precision engineered percolating function available in low, medium and high grades depending on application
- ◇ Light weight making it ideal for cartage into inaccessible locations
- ◇ 1500kPa working pressure
- ◇ Maintenance free - can be stored wet

CODE	DESCRIPTION	WORKING PRESSURE
<b>CLASS M GENERAL PURPOSE FIRE HOSE</b>		
FH25CMGP	FIRE HOSE 25MM CLASS M GEN PURPOSE / MTR	1500kPa
FH38CMGP	FIRE HOSE 38MM CLASS M GEN PURPOSE / MTR	1500kPa
FH50CMGP	FIRE HOSE 50MM CLASS M GEN PURPOSE / MTR	1500kPa
<b>CLASS M COATED LINED FIRE HOSE</b>		
FH25CMCO	FIRE HOSE 25MM CLASS M COATED / MTR	1500kPa
FH38CMCO	FIRE HOSE 38MM CLASS M COATED / MTR	1500kPa
FH50CMCO	FIRE HOSE 50MM CLASS M COATED / MTR	1500kPa
FH65CMCO	FIRE HOSE 65MM CLASS M COATED / MTR	1500kPa
<b>CLASS M PERCOLATING FIRE HOSE</b>		
FH25CMPE	FIRE HOSE 25MM CLASS M PERCOLATING / MTR	1500kPa
FH38CMPE	FIRE HOSE 38MM CLASS M PERCOLATING / MTR	1500kPa
FH50CMPE	FIRE HOSE 50MM CLASS M PERCOLATING / MTR	1500kPa
FH65CMPE	FIRE HOSE 65MM CLASS M PERCOLATING / MTR	1500kPa
MORE FIRE HOSE MODELS ON FOLLOWING PAGE		





# SECTION 1 FIRE FIGHTING APPLIANCES

## FIRE HOSES AS2792 SOLD BY THE MTR

### Class H Heavy Duty:

- ◇ Approved for use by FRNSW, CFA & ADF
- ◇ Heavy duty spun polyester construction with internal lining suited for extreme fire fighting conditions
- ◇ High working pressure of 2100kPa
- ◇ Mildew resistant - can be stored wet

### Class H Heavy Duty Percolating:

- ◇ Approved for use by FRNSW CFA & ADF
- ◇ Precision engineered percolating function available in low, medium and high grades depending on application
- ◇ Heavy duty spun polyester construction with internal lining suited for extreme fire fighting conditions
- ◇ High working pressure of 2100kPa
- ◇ Mildew resistant - can be stored wet

### Class H Heavy Duty Extruded (Type 3):

- ◇ High pressure TYPE 3 fire hose
- ◇ Spun polyester construction with PVC Nitrile internal lining and precision engineered extruded synthetic rubber outer cover
- ◇ High resistance to chemical exposure and abrasion
- ◇ High working pressure of 2100 kPa with burst pressure of 5250kPa
- ◇ Maintenance free - long service life

CODE	DESCRIPTION	WORKING PRESSURE
<b>CLASS H HEAVY DUTY FIRE HOSE</b>		
FH25CHHD	FIRE HOSE 25MM CLASS H HEAVY DUTY / MTR	2100kPa
FH38CHHD	FIRE HOSE 38MM CLASS H HEAVY DUTY / MTR	2100kPa
FH50CHHD	FIRE HOSE 50MM CLASS H HEAVY DUTY / MTR	2100kPa
FH65CHHD	FIRE HOSE 65MM CLASS H HEAVY DUTY / MTR	2100kPa
<b>CLASS H HEAVY DUTY PERCOLATING FIRE HOSE</b>		
FH25CHPE	FIRE HOSE 25MM CLASS H PERCOLATING / MTR	2100kPa
FH38CHPE	FIRE HOSE 38MM CLASS H PERCOLATING / MTR	2100kPa
FH50CHPE	FIRE HOSE 50MM CLASS H PERCOLATING / MTR	2100kPa
FH65CHPE	FIRE HOSE 65MM CLASS H PERCOLATING / MTR	2100kPa
<b>CLASS H HEAVY DUTY EXTRUDED FIRE HOSE</b>		
FH25CHEX	FIRE HOSE 25MM CLASS H EXTRUDED / MTR	2100kPa
FH38CHEX	FIRE HOSE 38MM CLASS H EXTRUDED / MTR	2100kPa
FH50CHEX	FIRE HOSE 50MM CLASS H EXTRUDED / MTR	2100kPa
FH65CHEX	FIRE HOSE 65MM CLASS H EXTRUDED / MTR	2100kPa
<b>FITTING &amp; TESTING NEW HOSES</b>		
FHWIWH	FIRE HOSE SS WIRE WHIPPING PER HOSE	
FHTEST	FIRE HOSE TEST WITH TAG PER HOSE	

## FIRE HOSES MARINE SOLAS AND OTHER SOLD IN 30M ROLLS ONLY



CODE	DESCRIPTION
FH25CMECO	FIRE HOSE 25MM GENERAL PURPOSE 30M ROLL
FH38CMECO	FIRE HOSE 38MM MARINE SOLAS FIRE HOSE 30M ROLL
FH50CMECO	FIRE HOSE 50MM MARINE SOLAS FIRE HOSE 30M ROLL
FH38CHER30	FIRE HOSE 38MM EXTRUDED RUBBER CLASS H 30M
FH65CHER30	FIRE HOSE 65MM EXTRUDED RUBBER CLASS H 30M

ALSO SEE BUSHFIRE EQUIPMENT SECTION FOR BUSHFIRE & RURAL FIRE HOSE KITS

SECTION 1 FIRE FIGHTING APPLIANCES







FIRE HOSE ROLLER & STAND



PRODUCT CODE	DESCRIPTION
FHER	FIRE HOSE EASY ROLL ROLLER ONLY COMPLETE WITH FOLDAWAY HANDLE
FHERS	FIRE HOSE EASY ROLL STAND ONLY



FIRE HOSE ACCESSORIES

	PRODUCT CODE	DESCRIPTION
	FHRV	FIRE HOSE REPAIR VULCANIZER
	FHB38 FHB65	FIRE HOSE BANDAGE 38MM FIRE HOSE BANDAGE 65MM
	FHS38 FHS65	FIRE HOSE BINDING CUFF 38MM FIRE HOSE BINDING CUFF 65MM
	FHRVG	FIRE HOSE REPAIR GLUE
	FHRVP35 FHRVP50 FHRVP65	FIRE HOSE REPAIR VULCANIZING PATCH 35MM FIRE HOSE REPAIR VULCANIZING PATCH 50MM FIRE HOSE REPAIR VULCANIZING PATCH 65MM
	SFH38Y SFH65R	STRAP FIRE HOSE 38MM YELLOW 650MM LONG SUITS 38MM HOSE STRAP FIRE HOSE 65MM RED 800MM LONG SUITS 65MM HOSE

SECTION 1

FIRE FIGHTING APPLIANCES

WATER JEL FIRE BLANKETS

WATER JEL Fire Blankets offer one of the quickest, easiest and most direct methods of administering emergency first aid burn care. When placed on a victim, gel-soaked blankets ease the pain, cool the burn, and help protect against airborne contamination all in one easy step. They can also be used to extinguish flames on a victim and put out small fires.

The Fire Blankets are composed of a 100% worsted wool carrier with an intercellular weave capable of absorbing up to 13x its own weight. The wool is soaked in a water-based, water soluble gel that is bacteriostatic and biodegradable. Fire Blankets have a 5 year shelf life.



CODE	DESCRIPTION
FBWGS	FIRE BLANKET WATER JEL SMALL 760MM x 910MM
FBWG1518	FIRE BLANKET WATER JEL MEDIUM 1520MM x 1830MM
FBWG1824	FIRE BLANKET WATER JEL LARGE 1830MM x 2440MM


VEHICLE MOUNT FIRE HOSE REEL

Designed to be mounted on light trucks or trailers, this hose reel incorporates high quality, durable core components in an economical package suitable for rural land owners and community fire trailers. The hose reel is easily deployed and operated by a single person.

Designed to be used with portable fire fighting pumps, the hose reel has a maximum working pressure of 20bar (2000 kPa) and is easily connected with a 25mm (1") BSP male brass inlet fitting.

Fitted with a 30m long premium rubber hose to resist kinking and a plated brass jet, spray, fog nozzle this unit is fully pressure tested once assembled.

CODE	DESCRIPTION
HR3019VM	HOSE REEL 30M X 19MM VEHICLE MOUNT



SECTION 2    EMERGENCY LIGHTING LED

EMERGENCY LIGHTING LED

Our range of emergency & exit lighting products are sourced from an Australian based specialized lighting company who have extensive experience in the electrical lighting wholesale industry.

The range makes use of high quality major components, rather than locally produced Chinese components. In particular, our main integrated circuits are sourced from US and European suppliers, while our LED's are high quality, long life Bridge Lux components sourced from the US.

Our plastic components are made from Polycarbonate (unlike other suppliers who use ABS plastics) resulting in Much stronger and longer lasting components. Polycarbonate shells are also much more fire-resistant than ABS shells.

All our products use leading edge technology Lithium batteries produced by one of the world's largest and most respected battery manufacturers.

All lights have been certified by either Global Mark or SAI global as meeting AS/NZ 2293. In addition, all lighting complies with EMC requirements.

**Our entire range of Emergency Exit Lighting comes with a 3 year warranty\***

\* 3 Year Warranty applies to all components other than the battery which has an industry benchmark 2 year warranty

EMERGENCY EXIT LIGHTS LED

CODE	DESCRIPTION
ELE1610	EMERGENCY EXIT LIGHT UNIVERSAL FIT PREMIUM LED



- Key Features**
- Quick fit bracket for fast ceiling and wall mount
  - 50,000hr LED - Energy efficient & long life
  - 3 hour runtime in emergency mode
  - Low 3w standby power consumption
  - Maintained
  - Large terminal block for easy installation
  - Easy testing & maintenance
  - Designed and manufactured to AS/NZS2293.3
  - Supplied with pictograph running-man and pictograph exit decals plus diffuser for single sided wall mounting
  - 3 year warranty\*



VOLTAGE	CLASSIFICATION	FREQUENCY	CHARGING TIME	DURATION	OPERATING TEMP	BATTERY CAPACITY
220-240	CO: D12.5 C90: D8	50/60	16 HOURS	3 HOURS	1 - 40°C	2200mAh

BATTERY TYPE	POWER CONSUMPTION	VIEWING DISTANCE	MODE	MOUNTING TYPE	IP RATING	BATTERY VOLTAGE
LITHIUM	3 WATTS	24m	MAINTAINED	WALL / CEILING	IP20	3.7V

## SECTION 2 EMERGENCY LIGHTING LED

### EMERGENCY DOWNLIGHT LED

CODE	DESCRIPTION
ELE6030	EMERGENCY DOWNLIGHT LED FLUSH FIT WHITE



#### Key Features:

- 50,000hr LED - Energy efficient & long life
- 2 hour runtime in emergency mode
- Low 3w standby power consumption
- Maintained
- Easy testing & maintenance
- 1.2M flex and plug for easy install /replacement
- Designed and manufactured to AS/NZS2293.3
- 3 year warranty\*


DIAMETER	HEIGHT
140mm	17mm

VOLTAGE	CLASSIFICATION	FREQUENCY	CHARGING	DURATION	OPERATING TEMP	BATTERY CAPACITY
220-240	D40	50/60	16 HOURS	2 HOURS	1 - 40°C	2200mAh

BATTERY	POWER	CUTOUT	MODE	MOUNTING	IP RATING	BATTERY VOLTAGE
LITHIUM	3 WATTS	85mm	MAINTAINED	CEILING	IP20	4.8V

### EMERGENCY TWIN SPOTLIGHT LED

CODE	DESCRIPTION
ELE1704	EMERGENCY TWIN SPOTLIGHT LED



#### Key Features:

- 50,000hr LED - Energy efficient & long life
- 3 hour runtime in emergency mode
- Low standby power consumption
- Non - Maintained
- Easy testing & maintenance
- 1.2M flex and plug for easy install /replacement
- Designed and manufactured to AS/NZS2293.3
- Wall mount IP65 Rated
- 3 year warranty\*

LENGTH	WIDTH	HEIGHT
273mm	68mm	290mm incl spots

VOLTAGE	CLASSIFICATION	BATTERY TYPE	CHARGING TIME	DURATION	OPERATING TEMP	BATTERY CAPACITY	IP RATING
220-240	CO: D40 C90: D40	LITHIUM	16 HOURS	3 HOURS	1 - 40°C	2200mAh	IP65



## SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

### BRASS LANDING VALVES & MARINE FIRE VALVES



CODE	NSW FBT MFB, QLD & BSP
HLV65B	HYDRANT LANDING VALVE 65MM FBT MFB M OUTLET x 65MM BSP M INLET
HLV65BFRA	HYDRANT LANDING VALVE 65MM FBT MFB OUTLET ROLL GROOVE INLET
HLV65QR	HYDRANT LANDING VALVE 65MM QRT ROLL GROOVE INLET
HLV65BR	HYDRANT LANDING VALVE 65MM BSP ROLL GROOVE INLET
HLV65BB	HYDRANT LANDING VALVE 65MM BSP 65MM BSP M INLET
<b>STORZ</b>	
HLV65BFRAS	HYDRANT LANDING VALVE 65 STORZ AS ROLL GROOVE INLET
HLV65BS	HYDRANT LANDING VALVE 65 STORZ x 65MM BSP M INLET
<b>BRITISH INSTANTANEOUS (BIC)</b>	
HLV65BI	HYDRANT LANDING VALVE 65MM BIC x 65MM BSP M INLET
HLV65BIRG	HYDRANT LANDING VALVE 65MM BIC ROLL GROOVE INLET
<b>MARINE FIRE VALVES</b>	
HLV38B	HYDRANT LANDING VALVE 38MM BSP MALE OUTLET x 38MM BSP M INLET
HLV50B	HYDRANT LANDING VALVE 50MM BSP MALE OUTLET x 50MM BSP M INLET
HLVMDN40	HYDRANT LANDING VALVE MARINE DN40 FLANGED INLET x 38MM BSP MALE OUT
VALVES LISTED ABOVE WITH ROLL-GROOVE INLET INCLUDE AN INTERNAL 65MM BSP F THREAD	







### STATIC HYDRANT TESTERS & FLOW GAUGE TESTERS




CODE	DESCRIPTION
HTSN	HYDRANT TESTER STATIC NSW FBT / MFB GUNMETAL
HTSQ	HYDRANT TESTER STATIC QRT GUNMETAL
HTSB	HYDRANT TESTER STATIC BIC GUNMETAL
HFGFBT	HYDRANT FLOW GAUGE FBT/MFB C/W 3 BRASS NOZZLES & CONV CHART
HFGBI	HYDRANT FLOW GAUGE BIC C/W 3 BRASS NOZZLES & CON VERSION CHART
HFGQRT	HYDRANT FLOW GAUGE QRT C/W 3 BRASS NOZZLES & CONVERSION CHART
HFGCFA	HYDRANT FLOW GAUGE CFA C/W 3 BRASS NOZZLES & CONVERSION CHART

## SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT


### HYDRANT HAND WHEELS

	PRODUCT CODE	DESCRIPTION
	HHWALVA	HYDRANT HAND WHEEL ALVIN ALLOY VINCENT SQUARE HOLE 14.4MM TAPER
	HHWALVS	HYDRANT HAND WHEEL ALVIN STEEL SQUARE HOLE 14MM TAPER
	HHWQA	HYDRANT HAND WHEEL QUELL ALLOY TAPERED SQUARE CENTRE
	HHWQM	HYDRANT HAND WHEEL QUELL CAST METAL OLD ELONGATED HOLE

### HYDRANT STRAPS

	PRODUCT CODE	DESCRIPTION
	SL13450B	STRAP LEATHER 13x450 BUCKLED 13MM W x 450MM L
	SL13600B	STRAP LEATHER 13x600 BUCKLED 13MM W x 600MM L
	SL25450H	HYDRANT LOCKING STRAP LEATHER 25MM W x 450MM L HOLED
	SL25600H	HYDRANT LOCKING STRAP LEATHER 25MM W x 600MM L HOLED

### HYDRANT LOCKS AND PADLOCKS

	PRODUCT CODE	DESCRIPTION
	LPL003	LOCKWOOD 003 PADLOCK FIRE LOCK C/W 2 x 003 KEYS
	K003	LOCK KEY ONLY 003 GENUINE TO SUIT PADLOCK P/N LPL003
	LPL003A	003 PADLOCK FIRE SERVICE LOCK BRASS C/W 2 x 003 KEYS
	K003A	LOCK KEY ONLY 003 TO SUIT PADLOCK P/N LPL003A
	K003MR	LOCK KEY ONLY 003 MOLDED PREMIUM
	WVL6	HYDRANT VALVE LOCK 5-6.5 INCH 170MM ID HYDRANT WHEEL LOCK











# SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

## STANDPIPES



PRODUCT CODE	DESCRIPTION
<b>CONTRACTOR STANDPIPES</b>	
SPC25G	STANDPIPE CONTRACTORS 25MM GUNMETAL - UNMETERED
SPC40G	STANDPIPE CONTRACTORS 40MM GUNMETAL - UNMETERED
<b>HYDRANT STANDPIPES 65MM ALUMINIUM</b>	
SP65SA	STANDPIPE 65MM STORZ OUTLET ALLOY
SP65FMA	STANDPIPE 65MM FBT MFB SINGLE OUTLET ALLOY
SP65DSHA	STANDPIPE 65MM STORZ DUAL HEAD ALLOY W HANDWHEEL
SP65QA	STANDPIPE 65MM QRT ALUMINIUM
SP65BFA	STANDPIPE 65MM BIC FEM OUTLET ALLOY
SP65CA	STANDPIPE 65MM CFA ALLOY
<b>HYDRANT STANDPIPES 65MM GUNMETAL</b>	
SP65FG	STANDPIPE 65MM FBT MFB 5V GUNMETAL
SP65QC	STANDPIPE 65MM QRT GUNMETAL

## DIVIDING BREECHING CONTROLS BRASS













	CODE	DESCRIPTION		CODE	DESCRIPTION
	BSC65F38B	DIVIDING BREECH CONTROL BRASS 65MM FBT INLET x 2 38MM BSP OUTLET		BSC65BIB	DIVIDING BREECH CONTROL BRASS 65MM BI MALE x 2 65MM BI FEMALE OUTLET
	BSC65FB	BREECHING CONTROL BRASS 65MM FBT F INLET x 2 65MM FBT M OUTLET		BSC65SB	DIVIDING BREECH 65mm STORZ x 2 65MM STORZ OUTLETS BRASS
	BSC65QB	BREECHING CONTROL BRASS 65MM QRT F INLET x 2 65MM QRT M OUTLET		BSC65BB	BREECHING CONTROL BRASS 65MM BSP INLET X 2 65MM BSP M OUTLET

# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## DIVIDING BREECHING CONTROLS ALUMINIUM

	CODE	DESCRIPTION		CODE	DESCRIPTION
	BSC65SA	DIVIDING CONTROL BREECH ALLOY 65MM STORZ INLET & 2 x 65MM STORZ OUTLET		BSC6550A	DIVIDING CONTROL BREECH ALLOY 65MM BSPM INLET & 2 x 50MM BSP M OUTLET WITH HANDLE
	BSC6538SA	DIVIDING CONTROL BREECH ALLOY 65MM STORZ INLET & 2 x 38MM STORZ OUTLET		BSC65BIA	DIVIDING CONTROL BREECH ALLOY 65MM BIC M INLET & 2 x 65MM BIC F OUTLET

## BLANKING CAPS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	BC65FP	BLANKING CAP 65MM FBT PVC BLACK FEMALE NSW		BC63QPM	BLANKING CAP 63MM QRT PVC MALE PLUG
	BC65FPA	BLANKING CAP 65MM FBT PVC RED FEMALE NSW		BC65BICPM	BLANKING CAP 65MM BIC PVC MALE PLUG
	BC65B	BLANKING CAP 65MM FBT & MFB BRASS FEMALE		BC65BICBM	BLANKING CAP 65MM BIC MALE BRASS PLUG
	BC65FPM	BLANKING CAP 65MM FBT PVC MALE PLUG		BC65BICPF	BLANKING CAP 65MM BIC PVC FEMALE
	BC63QRTP	BLANKING CAP 63MM QRT NYLON FEMALE		BC65BICFB	BLANKING CAP 65MM BIC F BRASS FEMALE
	BC65QFB	BLANKING CAP 65MM QRT FEMALE BRASS		BC65BICFA	BLANKING CAP 65MM BI FEM ALLOY SINGLE RELEASE LUG

## SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT


### BLANKING CAPS - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	BC38BB	BLANKING CAP 38MM BSP FEMALE BRASS		BC65SPM	BLANKING CAP 65MM SART PVC MALE PLUG WITH LUGS
	BC38BICBM	BLANKING CAP 38MM BIC MALE BRASS		BCPSA	BLANKING CAP 65MM SART PVC SART 2 1/8 TPI
	BC65CFA	BLANKING CAP 65MM CFA FEMALE BRASS		BC65NB	BLANKING CAP 65MM NAKAJIMA BRASS
	BC65CFAP	BLANKING CAP 65MM CFA PVC FEMALE		BC50NB	BLANKING CAP 50MM NAKAJIMA BRASS
	BC65CPM	BLANKING CAP 65MM CFA PVC MALE PLUG		BC38NB	BLANKING CAP 38MM NAKAJIMA BRASS


# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## BLANKING CAPS - STORZ


### ALLOY STORZ BLANKING CAPS

	SBC25	STORZ BLANKING CAP 25MM ALLOY
	SBC38	STORZ BLANKING CAP 38MM ALLOY
	SBC50	STORZ BLANKING CAP 50MM ALLOY
	SBC65	STORZ BLANKING CAP 65MM ALLOY
	SBC65DV	STORZ BLANKING CAP 65MM ALLOY FORGED W/ DRAIN VALVE
	SBC75	STORZ BLANKING CAP 75MM ALLOY
	SBC90	STORZ BLANKING CAP 90MM ALLOY
	SBC100	STORZ BLANKING CAP 100MM ALLOY
	SBC125	STORZ BLANKING CAP 125MM ALLOY
	SBC150	STORZ BLANKING CAP 150MM ALLOY

### PVC STORZ BLANKING CAPS


	SBC65P	STORZ BLANKING CAP 65MM PVC
	SBC100P	STORZ BLANKING CAP 100MM PVC

### BRASS STORZ BLANKING CAPS

	SBC38B	STORZ BLANKING CAP 38MM BRASS
	SBC50B	STORZ BLANKING CAP 50MM BRASS
	SBC65B	STORZ BLANKING CAP 65MM BRASS

## STORZ COUPLING CIRCLIPS


### STORZ COUPLING CIRCLIPS

	SCC38	STORZ COUPLING CIRCLIP 38 MM
	SCC50	STORZ COUPLING CIRCLIP 50 MM
	SCC65	STORZ COUPLING CIRCLIP 65 MM


## SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

### COUPLINGS - STORZ


#### FORGED BRASS STORZ COUPLINGS - SOLD IN COUPLING SETS - WITH DELIVERY TYPE SEAL

	SCS38B	STORZ COUPLING SET 38MM x 38MM TAIL FORGED BRASS
	SCS50B	STORZ COUPLING SET 52MM x 52MM TAIL FORGED BRASS
	SCS6538B	STORZ COUPLING SET 65MM x 38MM TAIL FORGED BRASS
	SCS6550B	STORZ COUPLING SET 65MM x 50MM TAIL FORGED BRASS
	SCS65B	STORZ COUPLING SET 65MM x 65MM TAIL FORGED BRASS
	SCS75B	STORZ COUPLING SET 75MM x 75MM TAIL FORGED BRASS

#### FORGED ALLOY STORZ COUPLINGS - SOLD AS INDIVIDUAL COUPLINGS - WITH DELIVERY TYPE SEAL

	SC2519	STORZ COUPLING 25MM x 19MM TAIL FORGED ALLOY
	SC25	STORZ COUPLING 25MM x 25MM TAIL FORGED ALLOY
	SC3825	STORZ COUPLING 38MM x 25MM TAIL FORGED ALLOY
	SC38	STORZ COUPLING 38MM x 38MM TAIL FORGED ALLOY
	SC50	STORZ COUPLING 52MM x 52MM TAIL FORGED ALLOY
	SC6538	STORZ COUPLING 65MM x 38MM TAIL FORGED ALLOY
	SC6550	STORZ COUPLING 65MM x 52MM TAIL FORGED ALLOY
	SC65	STORZ COUPLING 65MM x 65MM TAIL FORGED ALLOY

#### FORGED BRASS STORZ COUPLINGS - A RANGE - SOLD IN COUPLING SETS - WITH DEL TYPE SEAL

	SCS38BA	STORZ COUPLING SET 38 A RANGE 38MM TAIL FORGED BRASS
	SCS50BA	STORZ COUPLING SET 52 A RANGE 52MM TAIL FORGED BRASS
	SCS65BA	STORZ COUPLING SET 65 A RANGE 65MM TAIL FORGED BRASS

**To correctly determine STORZ coupling sizes please refer to the Technical Information section at the front of this Product Reference Manual**





# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## COUPLINGS - FBT / MFB


COUPLING SETS - FBT / MFB		BRASS
	CS6565FB	COUPLING SET 65MM NSW FBT x 65MM TAIL BRASS
	CS65F50TB	COUPLING SET 65MM NSW FBT x 50MM TAIL BRASS
	CS6538FB	COUPLING SET 65MM NSW FBT x 38MM TAIL BRASS
COUPLINGS IND - FBT / MFB		BRASS
	C65F	COUPLING 65MM NSW FBT FEMALE x 65MM TAIL BRASS
	C65FF38TB	COUPLING 65MM NSW FBT FEMALE x 38MM TAIL BRASS
	C65FM65TB	COUPLING 65MM NSW FBT MALE x 65MM TAIL BRASS
	C65FM38TB	COUPLING 65MM NSW FBT MALE x 38MM TAIL BRASS

## COUPLINGS - QRT


COUPLING SETS - QRT		BRASS
	CS6565QB	COUPLING SET 65MM QRT x 65MM TAIL BRASS
	CS6538QB	COUPLING SET 65MM QRT x 38MM TAIL BRASS
	ALLOY	
	CS6565QA	COUPLING SET 65MM QRT x 65MM TAIL ALLOY
	CS6538QA	COUPLING SET 65MM QRT x 38MM TAIL ALLOY
COUPLINGS IND - QRT		BRASS
	C65QF65TB	COUPLING 65MM QRT FEMALE x 65MM TAIL BRASS
	C65QF50TB	COUPLING 65MM QRT FEMALE x 50MM TAIL BRASS
	C65QF38TB	COUPLING 65MM QRT FEMALE x 38MM TAIL BRASS
	C65QM65TB	COUPLING 65MM QRT MALE x 65MM TAIL BRASS


# SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

## COUPLINGS - QRT continued

COUPLINGS IND - QRT cont		BRASS
	C65QM50TB	COUPLING 65MM QRT MALE x 50MM TAIL BRASS
	C65QM38TB	COUPLING 65MM QRT MALE x 38MM TAIL BRASS
	ALLOY	
	C65QF65TA	COUPLING 65MM QRT FEMALE x 65MM TAIL ALLOY
	C65QF50TA	COUPLING 65MM QRT FEMALE x 50MM TAIL ALLOY
	C65QM65TA	COUPLING 65MM QRT MALE x 65MM TAIL ALLOY
	C65QM50TA	COUPLING 65MM QRT MALE x 50MM TAIL ALLOY

## COUPLINGS - BIC

COUPLING SETS - BIC		BRASS
	CS65B65TB	COUPLING SET 65MM BI x 65MM TAIL BRASS
	CS65BI50B	COUPLING SET 65MM BI x 50MM TAIL BRASS
	CS65BI45B	COUPLING SET 65MM BI x 45MM TAIL BRASS
	CS65BI38TB	COUPLING SET 65MM BI x 38MM TAIL BRASS
	ALLOY	
	CS65B65A	COUPLING SET 65MM BIC x 65MM TAIL ALLOY
	CS65BI50A	COUPLING SET 65MM BI x 50MM TAIL ALLOY
	CS65B38A	COUPLING SET 65MM BIC x 38MM TAIL ALLOY


COUPLINGS IND - BIC		BRASS
	C65BIF65TB	COUPLING 65MM BIC F x 65MM TAIL BRASS
	C65BIF38TB	COUPLING 65MM BIC F x 38MM TAIL BRASS
	C65BIM65TB	COUPLING 65MM BIC MALE x 65MM TAIL BRASS
	C65BIM38TB	COUPLING 65MM BIC MALE x 38MM TAIL BRASS
	C38BIF38TB	COUPLING 38MM BIC FEMALE x 38MM TAIL BRASS
	C38BIM38TB	COUPLING 38MM BIC MALE x 38MM TAIL BRASS
	ALLOY	
	C65BIF65A	COUPLING 65MM BIC FEMALE x 65MM TAIL ALLOY
	C65BIF38A	COUPLING 65MM BIC FEMALE x 38MM TAIL ALLOY
	C65BIM65A	COUPLING 65MM BIC MALE x 65MM TAIL ALLOY
	C65BIM38A	COUPLING 65MM BIC MALE x 38MM TAIL ALLOY




# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## COUPLINGS - BSP, FORESTRY & NAKAJIMA MARINE


### COUPLING SETS & COUPLINGS - BSP

	CS25BBL	COUPLING SET 25MM BSP x 25MM TAIL BRASS MALE/FEMALE
	CS38BBL	COUPLING SET 38MM BSP x 38MM TAIL BRASS MALE/FEMALE

### COUPLINGS IND - FORESTRY CONNECTION

	SQCF	FORESTRY CONNECTION FEMALE 1.5" BSP YELLOW GF NYLON
	SQCM	FORESTRY CONNECTION MALE 1.5 " BSP YELLOW GF NYLON


### COUPLING SETS - NAKAJIMA MARINE

	CS65NKB	COUPLING SET 65MM NAKAJIMA x 65MM HOSE TAIL BRASS
	CS6550NKB	COUPLING SET 65MM NAKAJIMA x 50MM HOSE TAIL BRASS
	CS50NKB	COUPLING SET 50MM NAKAJIMA x 50MM HOSE TAIL BRASS
	CS38NKB	COUPLING SET 38MM NAKAJIMA x 38MM HOSE TAIL BRASS

**To correctly determine NAKAJIMA coupling sizes please refer to the Technical Information section at the front of this Product Reference Manual**

## COUPLINGS - SHIP TO SHORE


### COUPLINGS - SHIP TO SHORE

	CSSS38B	COUPLING SHIP TO SHORE 38MM BSP MALE BRASS
	CSSS50B	COUPLING SHIP TO SHORE 50MM BSP MALE BRASS
	CSSS65BM	COUPLING SHIP TO SHORE 65MM BSP MALE BRASS
	CSSS65B	COUPLING SHIP TO SHORE 65MM BSP FEMALE BRASS


## SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

### ADAPTORS - FBT/MFB, QRT & CFA


#### ADAPTORS 65MM FBT

	A65FF50BFS	ADAPTOR 65MM FBT F x 50MM BSP FEMALE SWIVEL TYPE BRASS
	A65FF50BF	ADAPTOR 65MM FBT F x 50MM BSP FEMALE BRASS
	A65F50BM	ADAPTOR 65MM FBT F x 50MM BSP MALE BRASS
	A65F38BM	ADAPTOR 65MM FBT F x 38MM BSP MALE BRASS
	A65F38BMA	ADAPTOR 65MM FBT Fx 38MM BSP MALE ALLOY
	A65FF25BM	ADAPTOR 65MM FBT F x 25MM BSP MALE BRASS

#### ADAPTORS 65MM QRT


	A65QF65BMB	ADAPTOR 65MM QRT F x 65MM BSP MALE BRASS
	A65QF50BMB	ADAPTOR 63MM QRT F x 50MM BSP MALE BRASS
	A65QF38BMB	ADAPTOR 63MM QRT F x 38MM BSP MALE BRASS
	A65QF25BMB	ADAPTOR 65MM QRT F x 25MM BSP MALE BRASS
	A65QF50BFS	ADAPTOR 65MM QRT F x 50MM BSP FEMALE SWIVEL TYPE BRASS
	A65QM38BFB	ADAPTOR 65MM QRT M x 38MM BSP FEMALE BRASS
	A65QM50BFA	ADAPTOR 65MM QRT M x 50MM BSP FEMALE ALLOY
	A65QF50BF	ADAPTOR 63MM QRT F x 50MM BSP FEMALE ALLOY SWIVEL TYPE
	A65QM38BMA	ADAPTOR 63MM QRT M x 38MM BSP MALE ALLOY

#### ADAPTORS 65MM CFA

	A65CM65MF	ADAPTOR 65MM CFA M x 65MM MFB FEMALE BRASS
	A65MM65CF	ADAPTOR 65MM MFB M x 65MM CFA FEMALE BRASS
	A65CFAFS65BFB	ADAPTOR 65MM CFA FEMALE SWIVEL x 65MM BSP FEMALE BRASS
	A65CF50BF	ADAPTOR 63MM CFA F x 50MM BSP FEMALE BRASS
	A65CF50BFA	ADAPTOR 65MM CFA F x 50MM BSP FEMALE ALLOY

### ADAPTORS - BI 38MM


#### ADAPTORS BI MARINE 38MM BIC

	ABI38F38BMB	ADAPTOR 38MM BI FEMALE x 38 BSP MALE BRASS
	ABI38F38BFB	ADAPTOR 38MM BI FEMALE x 38 BSP FEMALE BRASS
	ABI38M38BMB	ADAPTOR 38MM B.I. MALE x 38MM BSP MALE BRASS
	ABI38M50BFB	ADAPTOR 38MM B.I. MALE x 50MM BSP FEMALE BRASS

# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## ADAPTORS - BIC 65MM


### ADAPTORS BIC FEMALE BRASS

	ABI65F65BMB	ADAPTOR 65MM BI FEMALE x 65MM BSP MALE BRASS SINGLE LUG
	ABI65BFB	ADAPTOR 65MM BI FEMALE x 65MM BSP FEMALE GUNMETAL
	ABI65F50BMB	ADAPTOR 65MM BI FEMALE x 50MM BSP MALE BRASS
	ABI65F50BFB	ADAPTOR 65MM BI FEMALE x 50MM BSP FEMALE BRASS
	ABI65F38BMBM	ADAPTOR 65MM BI FEMALE x 38MM BSP MALE BRASS 2 HANDLE RELEASE
	ABI65F38BFB	ADAPTOR 65MM BI FEMALE x 38MM BSP FEMALE BRASS
	ABI65BF65CF	ADAPTOR 65MM BI FEMALE x 65MM CFA FEMALE BRASS


### ADAPTORS BIC MALE BRASS

	ABI65BMB	ADAPTOR 65MM BI MALE x 65MM BSP MALE GUNMETAL
	ABI65BBF	ADAPTOR 65MM BI MALE x 65MM BSP FEMALE BRASS
	ABI6550BMB	ADAPTOR 65MM BI MALE x 50MM BSP MALE BRASS
	ABI6550BFB	ADAPTOR 65MM BI MALE x 50MM BSP FEMALE BRASS
	ABI6538BMB	ADAPTOR 65MM BI MALE x 38MM BSP MALE BRASS
	ABI6538BFB	ADAPTOR 65MM BI MALE x 38MM BSP FEMALE BRASS - ROUND
	ABI65M25BMB	ADAPTER 65MM BI MALE x 25MM BSP MALE BRASS
	ABI65M65MB	ADAPTOR 65MM BI MALE x 65MM BI MALE BRASS NIPPLE JOINER
	ABI65BM65CM	ADAPTOR 65MM BIC M x 65MM CFA MALE BRASS

### ADAPTORS BIC FEMALE ALLOY

	ABI65F65BM	ADAPTOR 65MM BI FEMALE x 65MM BSP MALE ALLOY
	ABI6565BF	ADAPTOR 65MM BI FEMALE x 65MM BSP FEMALE ALLOY
	ABI65F50BM	ADAPTOR 65MM BI FEMALE x 50MM BSP MALE ALLOY
	ABI65F50BF	ADAPTOR 65MM BI FEMALE x 50MM BSP FEMALE ALLOY
	ABI65F38BM	ADAPTOR 65MM BI FEMALE x 38MM BSP MALE ALLOY
	ABI65F38BF	ADAPTOR 65MM BI FEMALE x 38MM BSP FEMALE ALLOY
	ABI65F65BIF	ADAPTOR 65MM BI FEMALE x 65MM BI FEMALE ALLOY


### ADAPTORS BIC MALE ALLOY

	ABI6565BM	ADAPTOR 65MM B.I. M x 65MM BSP MALE ALLOY
	ABI65M65BF	ADAPTOR 65MM B.I. M x 65MM BSP FEMALE ALLOY
	ABI6550BM	ADAPTOR 65MM B.I. M x 50MM BSP MALE ALLOY
	ABI6550BF	ADAPTOR 65MM B.I. M x 50MM BSP FEMALE ALLOY
	ABI6550BFH	ADAPTOR 65MM B.I.M x 50MM BSP FEM ALLOY HEX TYPE
	ABI6538BM	ADAPTOR 65MM B.I. M x 38MM BSP MALE ALLOY
	ABI6538BF	ADAPTOR 65MM B.I. M x 38MM BSP FEMALE ALLOY

# SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

## ADAPTORS STORZ

### STORZ ADAPTORS BSP FORGED BRASS

	SA6565BFB	STORZ ADPT 65MM x 65MM BSP FEMALE FORGED BRASS
	SA6565BMB	STORZ ADPT 65MM x 65MM BSP MALE FORGED BRASS
	SA6550BFB	STORZ ADPT 65MM x 50MM BSP FEMALE FORGED BRASS
	SA6550BMB	STORZ ADPT 65MM x 50MM BSP MALE FORGED BRASS
	SA5050BFB	STORZ ADPT 50MM x 50MM BSP FEMALE FORGED BRASS
	SA5050BMB	STORZ ADPT 50MM x 50MM BSP MALE FORGED BRASS
	SA5038BMB	STORZ ADPT 50MM x 38MM BSP MALE FORGED BRASS
	SA3850BFB	STORZ ADPT 38MM x 50MM BSP FEMALE FORGED BRASS
	SA3850BMB	STORZ ADPT 38MM x 50MM BSP MALE FORGED BRASS
	SA3838BFB	STORZ ADPT 38MM x 38MM BSP FEMALE FORGED BRASS
	SA3838BMB	STORZ ADPT 38MM x 38MM BSP MALE FORGED BRASS
	SA2525BFB	STORZ ADPT 25MM x 25MM BSP FEMALE FORGED BRASS

### STORZ ADAPTORS BSP FORGED ALLOY


	SA150BF	STORZ ADPT 150MM x 150MM BSP FEMALE FORGED ALLOY
	SA125BF	STORZ ADPT 125MM x 125MM BSP 5 INCH FEMALE FORGED ALLOY
	SA125BM	STORZ ADPT 125MM x 125MM BSP 5 INCH MALE FORGED ALLOY
	SA125100BF	STORZ ADPT 125MM x 100MM BSP 4 INCH FEMALE FORGED ALLOY
	SA125100BM	STORZ ADPT 125MM x 100MM BSP 4 INCH MALE FORGED ALLOY
	SA100BF	STORZ ADPT 100MM x 100MM BSP 4 INCH FEMALE FORGED ALLOY
	SA100BM	STORZ ADPT 100MM x 100MM BSP 4 INCH MALE FORGED ALLOY
	SA9075BF	STORZ ADPT 90MM x 75MM BSP FEMALE FORGED ALLOY
	SA7575BF	STORZ ADPT 75MM x 75MM BSP FEMALE FORGED ALLOY
	SA7575BM	STORZ ADPT 75MM x 75MM BSP MALE FORGED ALLOY
	SA7550BF	STORZ ADPT 75MM x 50MM BSP FEMALE FORGED ALLOY
	SA7550BM	STORZ ADPT 75MM x 50MM BSP MALE ALLOY
	SA6565BF	STORZ ADPT 65MM x 65MM BSP FEMALE FORGED ALLOY
	SA6565BFS	STORZ ADPT 65MM x 65MM BSP FEMALE FORGED ALLOY SWIVEL
	SA6565BM	STORZ ADPT 65MM x 65MM BSP MALE FORGED ALLOY
	SA6550BF	STORZ ADPT 65MM x 50MM BSP FEMALE FORGED ALLOY
	SA6550BM	STORZ ADPT 65MM x 50MM BSP MALE FORGED ALLOY
	SA6538BF	STORZ ADPT 65MM x 38MM BSP FEMALE FORGED ALLOY
	SA6538BM	STORZ ADPT 65MM x 38MM BSP MALE FORGED ALLOY
	SA5050BF	STORZ ADPT 50MM x 50MM BSP FEMALE FORGED ALLOY




# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## ADAPTORS STORZ


### STORZ ADAPTORS BSP FORGED ALLOY - continued

	SA5050BM	STORZ ADPT 50MM x 50MM BSP MALE FORGED ALLOY
	SA5050BMS	STORZ ADPT 50MM x 50MM BSP MALE SWIVEL FORGED ALLOY
	SA5038BF	STORZ ADPT 50MM x 38MM BSP FEMALE FORGED ALLOY
	SA5038BM	STORZ ADPT 50MM x 38MM BSP MALE FORGED ALLOY
	SA3850BF	STORZ ADPT 38MM x 50MM BSP FEMALE FORGED ALLOY
	SA3850BM	STORZ ADPT 38MM x 50MM BSP MALE FORGED ALLOY
	SA3838BF	STORZ ADPT 38MM x 38MM BSP FEMALE FORGED ALLOY
	SA3838BM	STORZ ADPT 38MM x 38MM BSP MALE FORGED ALLOY
	SA3825BF	STORZ ADPT 38MM x 25MM BSP FEMALE FORGED ALLOY
	SA2525BF	STORZ ADPT 25MM x 25MM BSP FEMALE FORGED ALLOY
	SA2525BM	STORZ ADPT 25MM x 25MM BSP MALE FORGED ALLOY
	SA2519BF	STORZ ADPT 25MM x 19MM BSP FEMALE FORGED ALLOY
	SA2519BM	STORZ ADPT 25MM x 19MM BSP MALE FORGED ALLOY

### STORZ ADAPTORS FBT MFB CFA FORGED BRASS & FORGED ALLOY

	SA6565FFB	STORZ ADPT 65MM x 65MM FBT MFB FEMALE FORGED BRASS
	SA6565FFBA	STORZ ADPT 65 x 65 FBT MFB FEMALE FORGED BRASS A RANGE
	SA6565FF	STORZ ADPT 65MM x 65MM FBT MFB FEMALE FORGED ALLOY
	SA6565FFA	STORZ ADPT 65MM x 65MM FBT MFB FORGED ALLOY TO AS2419.4
	SA6565FMB	STORZ ADPT 65MM x 65MM FBT MFB MALE FORGED BRASS
	SA6565FM	STORZ ADPT 65MM x 65MM FBT MFB MALE FORGED ALLOY
	SA65CFAFA	STORZ ADPT 65MM x 65MM CFA F/M FORGED ALLOY ADAPTED

### STORZ REDUCERS FORGED ALLOY


	SR150125	STORZ REDUCER 150MM to 125MM FORGED ALLOY
	SR150100	STORZ REDUCER 150MM x 100MM FORGED ALLOY
	SR125100	STORZ REDUCER 125MM x 100MM FORGED ALLOY
	SR10075	STORZ REDUCER 100MM x 75MM FORGED ALLOY
	SR7565	STORZ REDUCER 75MM x 65MM FORGED ALLOY
	SR6538A	STORZ REDUCER 65MM x 38MM SWIVEL TYPE FORGED ALLOY
	SR2538	STORZ REDUCER 25MM x 38MM FORGED ALLOY

**To correctly determine STORZ adaptor sizes please refer to the Technical Information section at the front of this Product Reference Manual.**

## SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

### NAKAJIMA MARINE COUPLINGS

#### ADAPTORS NAKAJIMA

	AN3825BFB	ADAPTOR 38MM NAKAJIMA x 25MM BSP FEMALE BRASS
	AN3838BFB	ADAPTOR 38MM NAKAJIMA x 38MM BSP FEMALE BRASS
	AN3838BMB	ADAPTOR 38MM NAKAJIMA x 38MM BSP MALE BRASS
	AN3850BFB	ADAPTOR 38MM NAKAJIMA x 50MM BSP FEMALE BRASS
	AN5038BFB	ADAPTOR 50MM NAKAJIMA x 38MM BSP FEMALE BRASS
	AN5050BFB	ADAPTOR 50MM NAKAJIMA x 50MM BSP FEMALE BRASS
	AN5050BMB	ADAPTOR 50MM NAKAJIMA x 50MM BSP MALE BRASS
	AN6550BFB	ADAPTOR 65MM NAKAJIMA x 50MM BSP FEMALE BRASS
	AN6550BMB	ADAPTOR 65MM NAKAJIMA x 50MM BSP MALE BRASS
	AN6565BFB	ADAPTOR 65MM NAKAJIMA x 65MM BSP FEMALE BRASS
	AN6565BMB	ADAPTOR 65MM NAKAJIMA x 65MM BSP MALE BRASS




















**To correctly determine Nakajima adaptor sizes please refer to the Technical Information section at the front of this Product Reference Manual.**

#### STORZ ADAPTORS BSP FORGED BRASS A RANGE

	SA6565BMBA	STORZ ADAPTOR 65MM x 65MM BSP MALE A RANGE
	SA6565BFBA	STORZ ADAPTOR 65MM x 65MM BSP FEMALE A RANGE
	SA6550BMBA	STORZ ADAPTOR 65MM x 50MM BSP MALE A RANGE
	SA6550BFBA	STORZ ADAPTOR 65MM x 50MM BSP FEMALE A RANGE
	SA5050BMBA	STORZ ADAPTOR 50MM x 50MM BSP MALE A RANGE
	SA5050BFBA	STORZ ADAPTOR 50MM x 50MM BSP FEMALE A RANGE
	SA5038BMBA	STORZ ADAPTOR 50MM x 38MM BSP MALE A RANGE
	SA5038BFBA	STORZ ADAPTOR 50MM x 38MM BSP FEMALE A RANGE
	SA3850BMBA	STORZ ADAPTOR 38MM x 50MM BSP MALE A RANGE
	SA3850BFBA	STORZ ADAPTOR 38MM x 50MM BSP FEMALE A RANGE
	SA3838BMBA	STORZ ADAPTOR 38MM x 38MM BSP MALE A RANGE
	SA3838BFBA	STORZ ADAPTOR 38MM x 38MM BSP FEMALE A RANGE

# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## HYDRANT SPANNERS & HYDRANT TOOLS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HS	HYDRANT SPANNER HEAVY DUTY WITH CHAIN		SFA	SPANNER FOLDING ALLOY STORZ 38MM - 125MM
	HSSS	HYDRANT SPANNER S/S GRADE 316 WITH S/S LANYARD		SFP	SPANNER FOLDING PVC 25MM - 125MM
	HCSC	HYDRANT COUPLING SPANNER COMBO COLD GALVANIZED		SSHC	SPANNER STORZ & HYDRANT COMBINATION GALVANIZED
	SCCPNG	SPANNER COUPLING CHISEL POINT GAL		SCN38	SPANNER 38MM NAKAJIMA MARINE BRASS
	SCHB	SPANNER COUPLING / HYD BRONZE 36MM - 65MM		SCN50	SPANNER 50MM NAKAJIMA MARINE BRASS
	SHLCB	SPANNER HYDRANT L LUG & CHISEL POINT BRASS		SCN	SPANNER 65MM NAKAJIMA MARINE BRASS
	SSR	SPANNER STORZ COUPLING RED SINGLE END B C 75MM & 52MM		HSC	HYDRANT SPANNER CHAIN
	SLW	SCOTTY 4577 STORZ COUPLING & LUG WRENCH		HRK	HYDRANT ROAD KEY STEEL
	SCS	SPANNER COUPLING STORZ 38MM & 65MM PLATED STEEL			HANDLE DETACHES AND SLIDES INTO KEY SHAFT FOR STORAGE WHEN NOT IN USE
	SCSBC	SPANNER STORZ TYPE B C 52MM - 75MM			
	SCSB	SPANNER COUPLING STORZ BRONZE 38MM & 65MM			




# SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

## WASHERS COUPLINGS

### WASHERS COUPLINGS, BIC, NAKAJIMA

	WC25	WASHER COUPLING 25MM NEOPRENE
	WC38	WASHER COUPLING 38MM 49MM OD
	WC50	WASHER COUPLING 50MM
	WC65	WASHER COUPLING 65MM x 6MM 82MM OD
	WC65X3	WASHER COUPLING 65MM x 3MM
	WC65L	WASHER COUPLING 65MM LEATHER
	WCBIC38	WASHER COUPLING BIC 38MM BLACK TO SUIT AWFS BIC COUPLING
	WCBIC50	WASHER COUPLING BIC 50MM BLACK
	WCBIC	WASHER COUPLING BIC 65MM BLACK
	WC38NK	WASHER COUPLING 38MM NAKAJIMA
	WC50NK	WASHER COUPLING 50MM NAKAJIMA
	WC65NK	WASHER COUPLING 65MM NAKAJIMA
	WQRT65	WASHER QRT 65MM NEO 85MM OD x 6MM THICK


### WASHERS STORZ COUPLINGS

	WCS25	WASHER COUPLING STORZ 25MM
	WCS38	WASHER COUPLING STORZ 38MM DELIVERY & SUCTION
	WCS38F	WASHER COUPLING STORZ 38MM DELIVERY ONLY
	WCS51	WASHER COUPLING STORZ 52MM DELIVERY & SUCTION
	WCS51DO	WASHER COUPLING STORZ 52MM DELIVERY ONLY BLACK NITRILE
	WCS65	WASHER COUPLING STORZ 65MM TO SUIT FORGED STORZ FITTINGS
	WCS65F	WASHER COUPLING STORZ 65MM DELIVERY FLAT FACE
	WCS90DS	WASHER COUPLING STORZ 90MM DELIVERY SUCTION
	WCS100DS	WASHER COUPLING STORZ 100MM DELIVERY SUCTION
	WCS100F	WASHER COUPLING STORZ 100MM DELIVERY FLAT FACE


# SECTION 3 HYDRANT / FIREHOSE FITTINGS & EQUIPMENT

## WASHERS HYDRANTS


### WASHERS LANDING VALVES

	WLV	WASHER LANDING VALVE 65MM 75MM x 65MM x 3MM
	WLVGBF	WASHER LANDING VALVE GLOBE 99MM x 80MM FIBRE BODY GASKET
	WLVGALV	WASHER LANDING VALVE GALVIN 65 BODY WASHER 82MM ID x 97MM OD
	WLVRF	WASHER LANDING VALVE FIBRE 65MM BODY WASHER
	WTB	WASHER L/VALVE TOP BOSS 40MM WITH SMALL HOLE IN CENTRE
	WLVGBFI	GASKET BFI / SRI VALVE

### WASHERS JUMPER VALVES

	WJVALV	WASHER JUMPER VALVE ALVIN POTABLE WATER 78MM x 16MM x 6MM
	WJVALV2	WASHER JUMPER VALVE 76MM x 13MM x 6MM
	WJVBF1	WASHER JUMPER VALVE BFI 72MM x 12.7MM x 5MM
	WJVG	WASHER JUMPER VALVE GLOBE FHC 79MM x 22MM x 6MM
	WJVGAL	WASHER JUMPER VALVE 72MM x 12.7MM x 6MM
	WJVGAL6	WASHER JUMPER VALVE GALVIN HYDRANT 74MM x 16MM x 6MM
	WJVMAS	WASHER JUMPER VALVE M.A.S/QU 74MM x 16MM x 4.5MM
	WJVMFA	WASHER JUMPER VALVE MFA HYD 75MM x 15MM x 5MM
	WJVBF6	WASHER JUMPER VALVE VARIOUS 70MM x 12.5MM x 6MM HARD BLACK
	WJVMFAPW	WASHER JUMPER VALVE MFA POTABLE WATER 75MM x 15MM x 5MM

### WASHERS STANDPIPES

	WSPL	WASHER STANDPIPE LEATHER BASE WASHER
	WSPR	WASHER STANDPIPE RUBBER NEOPRENE 89MM x 69MM x 6MM
	WSPRL	WASHER STANDPIPE RUBBER NEOPRENE 83MM x 55MM x 6MM

SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT

NOTES

SECTION 3 HYDRANT / FIRE HOSE FITTINGS & EQUIPMENT




## SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES

### BRASS, ALLOY, PVC BRANCH PIPES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	B65SBCN	BRANCHPIPE 65MM STORZ BRASS C/W 16MM NOZZLE		B65QRTAP	BRANCHPIPE 65MM QRT ALLOY
	B65SB	BRANCH ONLY 65MM STORZ INLET x 38MM BSPM OUTLET BRASS		B65BIA	BRANCHPIPE 65MM B.I.C ALLOY 38MM BSP OUTLET C/W 16 MM JET NOZZLE
	B65FBCN	BRANCHPIPE 65MM FBT BRASS C/W JET NOZZLE 16MM OULET - 270MM		B65QACN	BRANCHPIPE 65MM QRT x 38MM BSP ALLOY C/W JET NOZZLE
	B65MFBB	BRANCHPIPE 65MM MFB BRASS 38MM BSP OUTLET		B65SPCN	BRANCHPIPE 65MM STORZ PVC WITH ALLOY ADAPTER C/W JET NOZZLE
	B65QBCN	BRANCHPIPE 65MM QRT BRASS C/W JET NOZZLE 16MM OUTLET		B65FPCN	BRANCHPIPE 65MM FBT PVC C/W 38MM BSP x 12MM JET NOZZLE
	B65QB	BRANCHPIPE 65MM QRT BRASS x 38MM BSP OUTLET - NO NOZZLE		B65FP	BRANCHPIPE 65MM FBT PVC BRANCH ONLY
	B65BI	BRANCHPIPE 65MM B.I BRASS BRANCH ONLY 38MM BSP OUTLET		B65MFBP	BRANCHPIPE 65MM MFB PVC C/W 38MM BSP x 12MM JET NOZZLE
	B38BIB	BRANCHPIPE 38MM BI BRASS 38MM MALE x 25MM BSP MALE		B65QPCN	BRANCHPIPE 65MM QRT PVC C/W STRAIGHT JET NOZZLE 12MM
	B65BB	BRANCHPIPE 65MM BSP F INLET x 38MM BSP M OUTLET BRASS		B65BICP	BRANCHPIPE 65MM B.I. MALE ALLOY BASE PVC BRANCH
	B38BB	BRANCHPIPE 38MM BSP BRASS 25MM BSP MALE OUTLET		B65BIPCN	BRANCHPIPE 65MM BIC ALL PVC C/W FIXED STRAIGHT JET NOZZLE

## SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES

### NAKAJIMA MARINE BRANCH PIPES WITH NOZZLES

	CODE	DESCRIPTION
	B38NKBCN	BRANCHPIPE 38MM NAKAJIMA BRASS WITH NOZZLE
	B50NKBCN	BRANCHPIPE 50MM NAKAJIMA BRASS WITH NOZZLE
	B65NKBCN	BRANCHPIPE 65MM NAKAJIMA BRASS WITH NOZZLE

### CONTROL BRANCHES & NOZZLE BRANCHES

	CODE	DESCRIPTION
	CB65SJSF	CONTROL BRANCH 65MM STORZ JET SPRAY/CURTAIN ALLOY DIN14365 AWG
	CB50JSC	CONTROL BRANCH 50MM BSP MALE JET/SPRAY/CURTAIN ALLOY DIN14365 AWG
	CB50JSCPA	CONTROL BRANCH 50MM BSP MALE STRAIGHT JET ALLOY
	NB50SA	NOZZLE BRANCH STORZ 50MM INLET BRASS WITH ALLOY STORZ ADAPTOR APPROX. 252LPM @ 2BAR-442LPM@6BAR
	NBBIC	BRANCH 65MM BI W/ NOZZLE JET SPRAY FOG BRASS W/ ALLOY ADAPT APPROX. 252LPM @ 2BAR-442LPM@6BAR
	NJSFBIA	BRANCH 65MM BIC W/ NOZZLE ALLOY JET SPRAY FOG C/W RUBBER IMPACT COLLAR
	NJSFBIB	BRANCH 65MM BIC W/ NOZZLE BRASS JET SPRAY FOG C/W RUBBER IMPACT COLLAR



# SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES

## FOAM BRANCHES & FOAM EQUIPMENT

	CODE	DESCRIPTION
	BFM	SCOTTY 4095 FOAM BRANCH HOSE REEL STORZ C/W 2 x 19MM STORZ COUPLINGS AND INDUCTOR VARIABLE 1%, 3% & 6% <i>DESIGNED TO CONVERT EXISTING FIRE HOSE REELS INTO FOAM MAKING STATIONS</i>
	BFMA BFMA3 BFMAR BFMFF3 BFMFF6	BRANCH FOAM HOSE REEL KIT TO SUIT 6% AFFF C/W B V & STORZ BRANCH FOAM HOSE REEL KIT TO SUIT 3% AFFF C/W B V & STORZ BRANCH FOAM HOSE REEL KIT TO SUIT A RES AFFF C/W B V & STORZ BRANCH FOAM HOSE REEL KIT TO SUIT 6% FLUOFREE C/W B V & STORZ BRANCH FOAM HOSE REEL KIT TO SUIT 3% FLUOFREE C/W B V & STORZ
	BFMHK	BRANCH FOAM HOSE REEL KIT CONVERSION FOR P/N BFMA & BFMAA
	BFMAA	FOAM BRANCH KIT 19MM HOSE REEL HFB-001 PRESET AT 6% <i>DESIGNED TO CONVERT EXISTING FIRE HOSE REELS INTO FOAM MAKING STATIONS</i>
	FB225	FOAM BRANCH 225 LT ALLOY 52MM BSP MALE INLET
	FB225HU	FOAM BRANCH 225 LT ALLOY C/W BUILT IN INDUCTOR @ NOM % 52MM BSP MALE INLET
	FB225HUSS	FOAM BRANCH 225 LT ST/STEEL C/W INDUCTOR @ NOM % 52MM BSP MALE INLET SUITABLE FOR UG MINES
	FB225SS	FOAM BRANCH 225 LT STAINLESS STEEL 52MM BSP MALE INLET

## SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES

### FOAM BRANCHES & FOAM EQUIPMENT continued

	CODE	DESCRIPTION
	NPSOV	NOZZLE GRP SHUT OFF VALVE GLASS REINFORCED NYLON WITH NYLON BALL VALVE 38MM BSP F INLET x 38MM BSP M OUTLET  <i>CAN BE USED WITH BRANCH NSAAF BELOW</i>
	NSAAF	SCOTTY 4020 AIR ASPIRATING FOAM NOZZLE 15 GPM (57 LPM)  38MM BSP FEMALE INLET— <i>CAN BE USED WITH NPSOV ABOVE</i>
	NSAAFS	SCOTTY 4015 AIR ASPIRATING FOAM NOZZLE 8 GPM (30 LPM)
	SMEFNA	SCOTTY 4039MX MEDIUM EXPANSION FOAM NOZZLE ATTACHMENT  DESIGNED TO BE USED IN CONJUNCTION WITH SCOTTY 4037 NOZZLE SEE PART NUMBER NPGSFF ON PAGE 39
	HRFK	HOSE REEL FOAM KIT UNIT WITH TROLLEY, BRANCH KIT & 20 L FOAM  AVAILABLE IN A VARIETY OF BRANCH OPTIONS DEPENDING ON APPLICATION AND INDIVIDUAL SITE REQUIREMENTS.  AVAILABLE WITH A VARIETY OF FOAM OPTIONS  PLEASE CONTACT AWFS FOR FULL DETAILS AND PRICING OF OPTIONS

SEE PAGE 115 FOR FOAM SUPPLIES

## SECTION 4 BRANCH PIPES &amp; FIRE HOSE NOZZLES

## FIRE HOSE NOZZLES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	NJ25B	NOZZLE 25MM BSP BRASS JET 12MM OUTLET TO SUIT BRANCHPIPE		N38JSFBP	NOZZLE 38MM BSP POLY J/S/FOG SUIT ELECT FIRE (POLYCARBONATE)
	NJ38B	NOZZLE 38MM BSP BRASS JET 16MM OUTLET SUIT BRANCHPIPE		N38JSP	NOZZLE 38MM BSP PVC JET SPRAY BRASS FRONT NUT
	NJ38BAP	NOZZLE 38MM BSP ALLOY 16MM OUTLET TO SUIT BRANCHPIPE		N38PSR	NOZZLE 38MM BSP F PVC OFF-FOG RED SCOTTY FIREFIGHTER 280LPM
	NJ38BP	NOZZLE 38MM BSP PVC JET 12MM OUTLET TO SUIT BRANCHPIPE		N38PSRLF	NOZZLE 38MM BSP F PVC OFF-FOG RED TWIST LOW FLOW 56-189LPM
	N19BSS	NOZZLE 19MM BSP ALLOY / PVC WITH BLACK IMPACT COLLAR		N38SL150	NOZZLE 38MM BSP PVC SL150 JET/ SPRAY/FOG - N38JSFBP
	N19FPR	NOZZLE 19MM BSP FEM PVC RED WITH BLACK NOZZLE TIP WN19FPR		N38SL150F	NOZZLE 38MM BSP PVC SL100 FIREPOWER PJN038 POWERJET
	N19SL100	NOZZLE 19MM BSP PLEXONE SL075 C/W BRASS FRONT INSERT		ND25B	NOZZLE 25MM BSP FEM DIFFUSER JET SPRAY BRASS SUITS B38BB
	N25A	NOZZLE 25MM BSP F JET/SPRAY ALLOY AGRICULTURAL		NDAJS	SCOTTY 4044 DIAL A FLOW NOZZLE REVOLVER TYPE RATES 3 6 9 12
	N25JSFBP	NOZZLE 25MM BSP PVC J/S/F JET/SPRAY/FOG (POLYCARBONATE)		NDAJ	NOZZLE 25MM BSP ALUM DIALaJET 3-5-8MM & FOG SPRAY MID SCREW
	N25P	NOZZLE 25MM BSP 19MM TAIL PVC JET/SPRAY/FOG NOZZLE		KDAJ12	SERVICE KIT DIAL A JET 12
	N25SL100	NOZZLE 25MM BSP PLEXONE SPRAY / FOG			
	N25SL100F	NOZZLE 25MM BSP PVC SL100 FIREPOWER PJN025 POWERJET			

**SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES****FIRE HOSE NOZZLES continued**

	CODE	DESCRIPTION		CODE	DESCRIPTION
	NTB1019	NOZZLE TB10 19MM BSP F BRASS JET/SPRAY FOG HIGH PERFORMANCE		NKIT2062	NOZZLE KIT BRASS NAKAJIMA 38MM MARINE FIRE HOSE NOZZLE
	NTB1025	NOZZLE TB10 25MM BSP F BRASS JET/SPRAY/FOG HIGH PERFORMANCE		NKIT2063	NOZZLE KIT BRASS NAKAJIMA 50MM MARINE FIRE HOSE NOZZLE
	NTB1525	NOZZLE TB15 25MM BSP F BRASS JET/SPRAY/FOG HIGH PERFORMANCE		NKIT2064	NOZZLE KIT BRASS NAKAJIMA 65MM MARINE FIRE HOSE NOZZLE
	NTB1538	NOZZLE TB15/5 38MM BSP F BRASS JET/SPRAY/FOG HIGH PERFORMANCE		NKIT2065	NOZZLE KIT BRASS STORZ 38MM MARINE FIRE HOSE NOZZLE
	NTB2538	NOZZLE TB25 38MM BSP F BRASS JET SPRAY FOG HIGH PERFORMANCE		NKIT2066	NOZZLE KIT BRASS STORZ 50MM MARINE FIRE HOSE NOZZLE
	NTPB1019	NOZZLE 19MM BSP PVC & BRASS TPB10 JET SPRAY FOG HI PERFORMANCE		NKIT2067	NOZZLE KIT BRASS STORZ 65MM MARINE FIRE HOSE NOZZLE
	NTPB1025	NOZZLE 25MM BSP PVC & BRASS TPB10/5 JET SPRAY FOG HI PERFORMANCE			
	NTB25A	NOZZLE 25MM BSP FEM BRASS A JET/SPRAY SHORT BODY			
	NTB38A	NOZZLE 38MM BSP FEM BRASS A JET/SPRAY/FOG			



## SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES













### FIRE HOSE NOZZLES - pistol grip style

	CODE	DESCRIPTION		CODE	DESCRIPTION
	NPG475	NOZZLE PISTOL GRIP HANDLINE 38MM BSP 115-475LPM VAR PATTERN		NPGSFF	NOZZLE PISTOL GRIP SCOTTY 4037 38MM BSP GRP 50-100 GPM
	NPG150	NOZZLE PISTOL GRIP HANDLINE 25MM BSP 19-150 LPM VAR PATTERN		NPGSFFL	NOZZLE PISTOL GRIP SCOTTY 4037 38MM BSP GRP 15-50 GPM LOW FLOW
	NPG366E	NOZZLE PISTOL GRIP PROTEK 366E 38MM BSP INLET C/W FOAM RETRACT		NPGVPS 1560	NOZZLE PISTOL GRIP 25MM SELECT FLOW 50-125-200-230 LPM VIPER SG1560
 	NPGVPP	NOZZLE PISTOL GRIP PROTEK 38MM BSP INLET LA SELECT FLOW (366)		NPGVPS 3012	NOZZLE PISTOL GRIP 38MM SELECT FLOW 115-230-360-475 LPM VIPER SG3012
	NPGVPS	NOZZLE PISTOL GRIP PROTEK 25MM BSP FEM 19-37-90-150 LPM (360)		NPGVPS 540	NOZZLE 25MM BSP F FORESTRY VP SELECT 19-37-90-150 LPM VIPER SG540 (FORESTRY)
	NPGVPSL	NOZZLE PISTOL GRIP PROTEK 25MM BSP FEM 50-100-150-230 LPM (361)		NPGVPS 7515	NOZZLE PISTOL GRIP 38MM SELECT FLOW 265-380-500-600 LPM VIPER SG7515
	NPSOVA	NOZZLE PISTOL GRIP D HANDLE SHUT OFF WITHOUT NOZZLE ALLOY BODY NYLON HANDLE & GRIP  38MM BSP F INLET  38MM BSP OUTLET			



## SECTION 4 BRANCH PIPES & FIRE HOSE NOZZLES

### FIRE HOSE NOZZLES - washers & parts

	CODE	DESCRIPTION		CODE	DESCRIPTION
	WQRT65BP	WASHER QRT 65MM PVC BRANCHPIPE		NTB10RC	NOZZLE RUBBER IMPACT RING LARGE FITS NTB1019 & NTB1025 NOZZLES
	NTB25RC	NOZZLE RUBBER IMPACT COLLAR MD FITS TB25 NOZZLES		NTB15RC	NOZZLE RUBBER IMPACT COLLAR MEDIUM FITS TB15 NOZZLES
	WN2947	WASHER NOZZLE 29MM x 47MM x 4.5MM BLACK NEOPRENE			
	WN3343	WASHER NOZZLE 33MM x 43MM x 3MM BLACK NEOPRENE			
	WN3350	WASHER NOZZLE 33MM x 50MM x 3MM BLACK NEOPRENE			
	WN4055	WASHER NOZZLE 40MM x 55MM x 3MM BLACK NEOPRENE			
	WN6070	WASHER NOZZLE 60MM x 70MM x 4.5MM BLACK NEOPRENE			
	NPGSK366	NOZZLE PISTOL GRIP SERVICE KIT PROTEK 366			
	NPGSK150	NOZZLE PISTOL GRIP SERVICE KIT TO SUIT NPG150			
	NPGSK475	NOZZLE PISTOL GRIP SERVICE KIT TO SUIT NPG475			








# SECTION 5 FIRE HOSE REEL NOZZLES & SPARE PARTS

## FIRE HOSE REEL NOZZLES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HRN13B	HOSE REEL NOZZLE 13MM TAIL BRASS TWIST		HRN19P	HOSE REEL NOZZLE 19MM PVC JET/SPRAY
	HRN13BV	HOSE REEL NOZZLE 13MM TAIL BALL VALVE TYPE		HRN19PBT	HOSE REEL NOZZLE 19MM PVC BRASS TAIL JET/FOG
	HRN19B	HOSE REEL NOZZLE 19MM B/TWIST JET NOZZLE BRASS		HRN19PT	HOSE REEL NOZZLE 19MM TAIL SPRAY JET TWIST TYPE
	HRN19BCH	HOSE REEL NOZZLE 19MM TAIL BRASS TWIST CHROME BODY		HRN19SS	HOSE REEL NOZZLE 19MM TWIST 304 STAINLESS STEEL
	HRN19BRC	HOSE REEL NOZZLE 19MM B/RUBBER JET SPRAY		HRN25BRC	HOSE REEL NOZZLE 25MM B/RUBBER JET SPRAY
	HRN19BV	HOSE REEL NOZZLE 19MM B/VALVE SMALL FLANGE		HRN25BV	HOSE REEL NOZZLE 25MM B/VALVE JET 6MM - 7MM OUTLET 132852
	HRN19BVG	HOSE REEL NOZZLE 19MM BALL VALVE GALVIN HOSE REELS			
	HRN19BVW	HOSE REEL NOZZLE 19MM B/VALVE WIDE FLANGE			

## SECTION 5 FIRE HOSE REEL NOZZLES & SPARE PARTS

### NOZZLE ADAPTORS




	CODE	DESCRIPTION		CODE	DESCRIPTION
	A19M19TB	ADAPTOR 19MM BSP MALE x 19MM TAIL BRASS		A25M25TP	ADAPTOR 25MM BSP MALE x 25MM HOSE TAIL PVC
	A19M19TP	ADAPTOR 19MM BSP MALE x 19MM HOSE TAIL PVC		NA1925	NOZZLE SLEEVE PVC 19MM - 25MM
	A25M19TP	ADAPTOR 25MM BSP MALE x 19MM HOSE TAIL PVC		A25M25TB	ADAPTOR 25mm BSP MALE x 25mm HOSE TAIL BRASS
	A25M19TB	ADAPTOR 25MM BSP MALE x 19MM HOSE TAIL BRASS			

### HOSE CLAMPS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CHR19SS	CLAMP FHR HOSE 19MM WORM DRIVE 316 STAINLESS STEEL		COHR1315	CLAMP OTK HOSE REELS 13-15MM 9/16 INCH
	CHR19Z	CLAMP FHR HOSE 19MM SAFETY ZINC ABA COLLARED WORM DRIVE		COHR1517	CLAMP OTK HOSE REELS 15-18MM 5/8 INCH
	PCOA	PLIERS CLAMP O TYPE FOR USE ON OTK CLAMPS		COHR19	CLAMP OTK HOSE REEL 19MM 1-1/16 INCH SUITS 19MM ID FIRE HOSE
				COHR25	CLAMP OTK HOSE REEL 25MM 1 INCH SUITS 25MM ID FIRE HOSE

## SECTION 5 FIRE HOSE REEL NOZZLES & SPARE PARTS

### FIRE HOSE REEL ARMS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HRFAASS	HOSE REEL ARM ASSY FIGURE 8 FIXED STAINLESS STEEL		HRSAAS	HOSE REEL ARM ASSY SWING SHORT ARM LENGTH 220MM NON ADJUSTABLE
	HRSAAL	HOSE REEL ARM ASSY SWING LONG 325MM - 365MM ADJUSTABLE			

### FIRE HOSE REEL HANDLES



	CODE	DESCRIPTION		CODE	DESCRIPTION
	HRSCHB	HANDLE STOPCOCK HR LEVER TYPE REPLACEMENT HANDLE SUIT HRSCBL STOP COCK		HSCHRRQ	HANDLE STOPCOCK HOSE REEL CHUBB QUELL PVC ROUND
	HRSCHLT	HANDLE STOPCOCK LEVER TYPE REPLACEMENT HANDLE SUIT HRSCLT STOP COCK		HSCHRRW	HANDLE STOPCOCK HR WORMALD PVC

### FIRE HOSE REEL RETAINERS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HRHS19	HOSE REEL HOSE STOPPER BUMPER 19MM PVC HOSE		RHRN8	RETAINER FHR NOZZLE 19MM FIGURE 8 31MM ID METAL BLACK PAINTED
	RCHRN25	RETAINER FHR NOZZLE 25MM FIGURE 8 37MM ID PLATED FIT 25MM PVC HOSE		RHRN8P	RETAINER FHR NOZZLE FIGURE 8 RED NYLON / PLASTIC
	RCHRN	RETAINER LOCK CUP FHR NOZZLE TO FIT WIDE FLANGE NOZZLES		RKHRQ	RETAINER INTERLOCK KIT H/REEL Q CHUBB
	RCHRNQ	RETAINER CLIP FHR NOZZLE Q (7)		RCHRSW	RETAINER CLIP SPRING FHR WORM CHUBB / QUELL

## SECTION 5 FIRE HOSE REEL NOZZLES & SPARE PARTS






### FIRE HOSE REEL RETAINERS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RIHRW	RETAINER INTERLOCK HOSE REEL NOZZLE BRASS WORMALD		RLBHRBV	RETAINER LOCK BRACKET HOSE REEL BALL VALVE - NOZZLE CLIP

### FIRE HOSE REEL STOPCOCKS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HRSCBL	HOSE REEL STOPCOCK M/F LEVER TYPE 25MM		HRSC	HOSE REEL STOPCOCK REPAIR KIT WORMALD 25MM VALVE SPINDLE KIT
	HRSCLT	HOSE REEL STOPCOCK M/F LEVER 25MM EXELGARD/WORMALD/TYCO		HRSCRKQ	HOSE REEL STOPCOCK REPAIR KIT LARGE QUELL
	HRSCFF	HOSE REEL STOPCOCK FEM/FEM 25MM TWIST HANDLE TYPE		HRSCJVQ	HOSE REEL JUMPER VALVE 25MM BRASS
	HRSCQ	HOSE REEL STOPCOCK Q M/F 25MM CHUBB/QUELL FAST FIT TWIST		HRSCJVQ19	HOSE REEL JUMPER VALVE 19MM BRASS

### FIRE HOSE REEL SERVICE KITS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	KHRQ2	SERVICE KIT FHR QUELL MK2 1 x OR 2 x FIBRWASH, 1 x CCLIP, 2 x WRNG		KHRWP	SERVICE KIT FHR WORMALD PVC
	KHRQFF	SERVICE KIT FHR Q FAST FIT 2 x ORINGS, 2 x CIRCLIPS, 3 x PLUGS		KSASVW	SERVICE KIT STOP VALVE 02470H 1 INCH WORMALD HOSE REEL
	KHRSQ	SERVICE KIT FHR Q SELECTOR			




















## SECTION 5 FIRE HOSE REEL NOZZLES &amp; SPARE PARTS

## FIRE HOSE REEL SPARE PARTS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	HP3619	HOSE PVC 36M x 19MM HOSE REEL HOSE ONLY		LFHRFO	LABEL FHR FIREOUT 175 DIA SELF ADHESIVE
	HRPIPQFF	HOSE REEL INSTRUCT PLATE PVC FAST FIT LARGE MK2 315MM		HRSQS	HOSE REEL SHAFT Q SHORT BRASS SELECTOR 2012 WORM/FS/CHUBB
	HRIPPQFF	HOSE REEL INSTRUCT PLATE PLUG FAST FIT Q/ CHUBB (3 REQUIRED)		HRSQFF	HOSE REEL SPOOL Q FAST FIT FEMALE / FEMALE
	HRPIPQS	HOSE REEL INSTRUCT PLATE PVC SMALL - SELECTOR 210MM		HRSQFFS	HOSE REEL SPOOL Q F/F SCREW SUITS P/N HRSQFF
	HRGNB	HOSE REEL GOOSE NECK PVC NYLON WHITE		HREMB	HOSE REEL ELBOW MOUNTING BLOCK CHUBB
	HRGNC	HOSE REEL GOOSENECK CHUBB		HRIPBSC	HOSE REEL INLET PIPE BRACKET SUPPORT CHUBB
	HRHK	HOSE REEL REWINDING HANDLE WHITE KNOB STYLE C/W BOLT		HRDGC	HOSE REEL DISC GALVANISED CHUBB
	HRLNBFI	HOSE REEL LOCKING NUT BFI		LFHRNN	LABEL FHR NO NAME 180 DIA S/A
	HRSBC	HOSE REEL WALL BRACKET CHUBB HOSE REEL SUPPORT BRACKET		HRRBA	HOSE REEL RETROFIT BRACKET
	WBHRBFI	WALL BRK FHR BFI / FIREBOX		HRRBAL	HOSE REEL RETROFIT BRACKET LONG





## SECTION 5 FIRE HOSE REEL NOZZLES & SPARE PARTS

### FIRE HOSE REEL SPARE PARTS continued










	CODE	DESCRIPTION		CODE	DESCRIPTION
	HRHS	HOSE REEL HOSE SPRING		ORFHRSQ	O RING FHR SHAFT Q/CH F/FIT
	HRCCQ2	HOSE REEL CIRCLIP QUELL MK2 46MM OD		WFHRQ	WASHER FHR QUELL BLACK RUBBER 32MM OD x 20MM ID x 3MM THICK
	HRCCQFF	HOSE REEL CIRCLIP QUELL FAST FIT 28MM OD		WFHRQ2	WASHER FHR Q MK2 GREEN FIBRE 55MM OD x 43MM ID x 1.5MM THICK
	HRCCWP	HOSE REEL CIRCLIP SUIT WORMALD PVC GLAND 38MM OD		WFIGHRW	WASHER FIBRE INNER GLAND FHR WORMALD 30MM OD x 24MM ID x 2MM
	HRQORWP	HOSE REEL QUAD O RING WORMALD 41MM OD		WHRUC	WASHER HOSE REEL UNION CHUBB 42MM OD x 32MM ID x 2.8MM THICK
	ORFHRFB	O RING FHR FIREBOX & APEX		WROQHR	WEAR RING OPAQUE QUELL FHR 43MM OD x 38MM ID x 3MM THICK
	ORFHRGB	O RING HOSE REEL GOOSE NECK BFI		HRSF	HOSE REEL STAND FIXED TYPE 1620MM H C/W FIX PLATE & BRK
	ORFHRSB	O RING HOSE REEL SHAFT BFI & DURA			
	ORFHRSVW	O RING FHR STOP VALVE WORMALD LARGE 26.7MM ID x 1.78MM			
	ORFHRSVWS	O RING FHR STOP VALVE WORMALD SMALL 15.8mm OD x 13MM ID 1.5THICK			

## SECTION 6 CABINETS COVERS STANDS &amp; TROLLEYS

## METAL CABINETS - FIRE HOSE REELS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CMFHRSD  CUSTOM COLOURS AVAILABLE	CABINET METAL FIRE HOSE REEL WALL MOUNT 1000H x 760W x 370D SINGLE DOOR CAN BE SUPPLIED WITH LOCKING OR NON-LOCKING LATCH		CMFHRDS  CUSTOM COLOURS AVAILABLE	CABINET METAL FIRE HOSE REEL DOOR & 40MM SURROUND <u>ONLY</u> . SUITABLE FOR CAVITY MOUNT WITH 100MM RETURN. LOCKING OR NON LOCKING LATCH
	CMFHRSDSS STAINLESS STEEL  CUSTOM COLOURS AVAILABLE	CABINET STAINLESS STEEL FIRE HOSE REEL WALL MOUNT 1000H x 760W x 370D SINGLE DOOR CAN BE SUPPLIED WITH LOCKING OR NON-LOCKING LATCH		CMFHRSDFP  CMFHRSDFPB	CABINET METAL FLAT PACK SINGLE DOOR 1050MM x 760MM x 350MM <u>BACKLESS</u>  LOW FREIGHT COST EASY POP RIVET ASSEMBLY  <b>BACK ONLY</b> TO SUIT

## METAL CABINETS - FIRE EXTINGUISHERS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CME45A  FULL LENGTH STAINLESS STEEL HINGE	CABINET METAL EXT 2 - 4.5KG 570H x 280W x 220D C/W BREAK GLASS KEYHOLDER		CMELSB	CABINET METAL 2.5 / 4.5KG EXT LOCKABLE KEY HOLDER NO VIEW PANEL 570H x 280W x 220D
	CME9A  FULL LENGTH STAINLESS STEEL HINGE	CABINET METAL EXT 9KG 710H x 320W x 220D C/W BREAK GLASS KEYHOLDER		CMELLB	CABINET METAL EXT 9KG LOCKABLE KEY HOLDER NO VIEW PANEL 710H x 320W x 220D
	CMENS	CABINET METAL EXT 2.5 - 4.5KG NON LOCKING 570 H x 280 W x 220 D		CMEC	CABINET METAL EXT 5KG CO2 LOCKABLE C/W KEY HOLDER 900 H x 320 W x 220 D
	CMENL	CABINET METAL EXT 9KG NON LOCKABLE 710 H x 320 W x 220 D		CMEI2	CABINET METAL 2 x 4.5 / 9kg EXT 760 H x 570 W x 220 D
	CMECNL	CABINET METAL EXT 5KG CO2 NON LOCK 900 H x 320 W x 220 D			

## SECTION 6 CABINETS COVERS STANDS &amp; TROLLEYS

## METAL CABINETS - EMERGENCY &amp; MISCELLANEOUS

EMERGENCY	CODE	DESCRIPTION	MISCELLANEOUS	CODE	DESCRIPTION
	CMEHBS	CABINET METAL HAZMAT BOX SMALL 425H x 325W x 100D STANDARD C/W 003 KEY		CMNVLB	CABINET METAL FHR VALVE AND NOZZLE LOCK BOX C/W 003 KEY
	CMEIBS	CABINET METAL EMERGENCY INFO BOX SMALL 425H x 325W x 100D STANDARD C/W 003 KEY		CMVC	CABINET METAL VALVE COVER 200 H x 160 W x 100 D
	CMSIBS	CABINET METAL SAFETY INFO BOX SMALL 425H x 325W x 100D STANDARD C/W 003 KEY		CMVNK	HYDRANT COVER NED KELLY ROUND 185MM ID REQUIRES 2 x 003 PADLOCKS SOLD SEPARATELY
	CMESLB	CABINET METAL ESSENTIAL SERVICES LOG BOOKS BOX SMALL 425H x 325W x 100D C/W 003 KEY		CMCC38FS	CABINET M CRADLE / COVER / STAND 38MM FREE STANDING
	CMEIBL	CABINET METAL EMERGENCY INFO BOX LARGE 500H x 500W x 150D C/W 003 KEY  SPECIFY WORDING ON ORDER		CMCL	CABINET M CRADLE / COVER / STAND 65MM FREE STANDING
MISCELLANEOUS	CODE	DESCRIPTION	<div> <h3>Custom Made Cabinets</h3> <p>AWFS can provide a fully customized solution for all your metal cabinet requirements including both custom sizes as well as custom colour finishes to meet specific architectural requirements.</p> <p><b>Contact our sales team to obtain a quotation today.</b></p> </div>		
	CMNLB	CABINET METAL FHR NOZZLE LOCK BOX C/W 003 KEY WALL MOUNT			
	CMSS	CABINET METAL SPRINKLER SPARES 345 H x 260 W x 65 D HOLDS 24			



SECTION 6 CABINETS COVERS STANDS & TROLLEYS

SECTION 6 CABINETS COVERS STANDS & TROLLEYS

RESOLUTE POLY CABINETS IP59K RATED

RESOLUTE POLYPROPYLENE CABINETS FOR EXTREME ENVIRONMENTS

The **RESOLUTE** range of cabinets are designed to meet the requirements of harsh industrial environments. Injection molded Polypropylene construction coupled with high quality nylon and polycarbonate fixtures provide high resistance to the effects of fuels, oils, UV rays as well as water and dust ingress achieving a **IP59K** rating.



- TÜV RHEINLAND Certification:**
- Flammability (Flame Speed)
  - Dust and water resistance (IP59K)
  - Resistance to hydrocarbons and lubricating oils
  - Accelerated weathering (UV rays)
  - Compression (12.000 N)

	CP070IP	CABINET POLY <b>RESOLUTE</b> 4.5KG RED IP59K RATED VIEW WINDOW EXT 611 H x 310 W x 250 D		CP030IP	CABINET POLY <b>RESOLUTE</b> 4-9KG RED IP59K RATED VIEW WINDOW EXT 675 H x 310 W x 250 D
---	---------	---	---	---------	---



## SECTION 6 CABINETS COVERS STANDS & TROLLEYS

### RESOLUTE POLY CABINETS IP59K RATED



#### RESOLUTE IP59K RATED DUAL EXT CABINETS

Utilising the same materials and features of the RESOLUTE single extinguisher cabinet range, these dual cabinets are ideal for use in harsh environments where additional protection is required.



#### TÜV RHEINLAND Certification:

- Flammability (Flame Speed)
- Dust and water resistance (IP59K)
- Resistance to hydrocarbons and lubricating oils
- Accelerated weathering (UV rays)
- Compression (12.000 N)

	CODE	DESCRIPTION
	CPD100	CABINET POLY DOUBLE EXTINGUISHER WINDOW FRONT NON LOCKING EXT 735 H x 616 W x 270 D
	CPD101	CABINET POLY DOUBLE EXTINGUISHER PLAIN FRONT LOCKING EXT 735 H x 616 W x 270 D
	CPD102	CABINET POLY DOUBLE EXTINGUISHER WINDOW FRONT LOCKING WITH KEY HOLDER EXT 735 H x 616 W x 270 D

#### RESOLUTE IP59K RATED FIRE HOSE CABINETS



\* Shown with optional shelf

	CODE	DESCRIPTION
	CPD100FH	CABINET POLY FIRE HOSE WINDOW FRONT NON LOCKING EXT 735 H x 616 W x 270 D
	CPD101FH	CABINET POLY FIRE HOSE PLAIN FRONT LOCKING EXT 735 H x 616 W x 270 D
	CPDS	CABINET POLY DUAL INTERNAL SHELF ONLY SUITS CPD100FH & CPD101FH CABINETS

SECTION 6 CABINETS COVERS STANDS & TROLLEYS

SECTION 6 CABINETS COVERS STANDS & TROLLEYS




RESOLUTE POLY SIDE LOAD CABINET SYSTEMS IP59K RATED

The Resolute range of side load cabinets and mounting hardware provide a complete solution for superior protection of fire extinguishers and limitless mounting options including underbody and angled options for a variety of transport and machinery situations.



CODE	TOP LOAD CABINET DESCRIPTION
CPTL410	CABINET POLY 4-6kg TOP LOAD WITH WINDOW RED (IP59K)
CPTL412	CABINET POLY 4-6kg TOP LOAD NO WINDOW BLACK (IP59K)
CPTL420	CABINET POLY 9-12kg TOP LOAD WITH WINDOW RED (IP59K)
CPTL421	CABINET POLY 9-12kg TOP LOAD WITH WINDOW BLACK (IP59K)



	CODE	MOUNTING KIT DESCRIPTION
	CPTLB402	CPTL CABINET VERTICAL MOUNT KIT HOT DIPPED GALVANISED SUPPLIED WITH FIXING KIT
	CPTLB512	CPTL CABINET HORIZONTAL MOUNT KIT HOT DIPPED GALVANISED SUPPLIED WITH MOUNTING KIT
	CPTLB32	CPTL CABINET ANGLE MOUNT KIT HOT DIPPED GALVANISED SUPPLIED WITH MOUNTING KIT

## SECTION 6 CABINETS COVERS STANDS & TROLLEYS

### RESOLVE AND CRYSTAL POLY CABINETS

#### RESOLVE POLYPROPYLENE LIGHTWEIGHT FUNCTIONAL

Offering superior protection over traditional metal cabinets, the RESOLVE range of cabinets offer added protection from dust water and UV rays. Utilizing injection molded Polypropylene the RESOLVE cabinet range is lightweight and durable. The unique design also allows for cabinets to be staked inside each other with covers removed making them the “smart” logistical choice.



	CODE	DESCRIPTION
	CP170	CABINET POLY RESOLVE SMALL 2.5KG - 4.5KG RED WITH WINDOW EXT 620 H x 335 W x 240 D
	CP130	CABINET POLY RESOLVE MEDIUM 4.5KG - 9KG RED WITH WINDOW 715 H x 335 W x 240 D
	CP190	CABINET POLY RESOLVE LARGE CO2 / 9KG A/W RED WITH WINDOW 865 H x 335 W x 240 D

#### ABS / POLY CRYSTAL INDOOR CABINETS

	CODE	DESCRIPTION
	CP270	CABINET ABS/POLY CRYSTAL SMALL 640 H x 300 W x 210 D 4.5KG DCP / 3.5KG CO2
	CP290	CABINET ABS/POLY CRYSTAL LARGE 800 H x 340 W x 240 D 9KG DCP / 5KG CO2



## SECTION 6 CABINETS COVERS STANDS &amp; TROLLEYS

## POLY CABINETS GENERAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CPESL	CABINET PVC EXT 9KG DCP / 5KG CO2 830 H x 324 W x 263 D		CPFHR36	CABINET POLYETHYLENE FIRE HOSE REEL COVER 36MT
	CPE9	CABINET POLY EXT 9KG RED 800 H x 310 W x 310 D		WVL6	HYDRANT VALVE LOCK 5-6.5 INCH 170MM ID HYDRANT WHEEL LOCK
	CPED	CABINET PVC EXTINGUISHER DOUBLE 715 H x 580 W x 280 D		WVL4	WHEEL VALVE LOCK OUT 2.5 - 5 INCH 130MM INTERNAL DIAMETER
	CPFHDDS	CABINET POLYETHYLENE FIRE HOSE & EQUIPMENT 1220 H x 1060 W x 470 D		WVL2	WHEEL VALVE LOCK OUT 2 1/2 INCH 70MM INTERNAL DIAMETER
	CPEO1	CABINET PVC ABS EXTINGUISHER 1-2KG 480 H x 185 W x 145 D		CPBA	CABINET POLY BA GEAR 800 H x 310 W x 310 D ALSO AVAILABLE IN GREEN
	CPEO45	CABINET PVC ABS EXTINGUISHER 4-6KG 620 H x 320 W x 190 D			
	CPEOL	CABINET PVC ABS EXTINGUISHER CO2 9KG 9.0LT 835 H x 370 W x 245 D		CPDSB	CABINET POLY DOCUMENT STORAGE BOX SMALL TOP OPENING 320 H x 260 W x 60 D



## SECTION 6 CABINETS COVERS STANDS & TROLLEYS





















### FIBREGLASS CABINETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CFGES	CABINET FIBREGLASS SMALL 4.5KG 655 H x 285 W x 225 D		CFDLM	CABINET FG DOME STYLE MEDIUM 9KG DCP 3.5KG CO2 720 H x 320 W x 210 D
	CFGE	CABINET FIBREGLASS WCFG-LATCH UP TO 9kg 750 H x 300 W x 230 D		CFDLL	CABINET FG DOME STYLE LARGE CO2 5KG 890 H x 320 W x 210 D
	CFGEMT30	CABINET FIBREGLASS FIRE EXTINGUISHER HI Q WITH VIEW PANEL & DOUBLE SS LATCHES 850 H x 390 W x 260 D		CFGMDH	CABINET FIBREGLASS DECK HOSE 573 H x 573 W x 215 D
	CFG9LKH	CABINET FIBREGLASS 9KG WITH BREAK GLASS KEY HOLDER 750 H x 300 W x 225 D		CFGEMP	CABINET FIBREGLASS MULTI PURPOSE 420 H x 420 W x 210 D
	CFDLS	CABINET FG DOME STYLE SMALL 4.5KG DCP & 3.5KG CO 2		CFGDHTO29	CABINET MARINE DECK HOSE BOX FIBREGLASS TOP OPENING 600 W x 500 H x 200 D















## SECTION 6 CABINETS COVERS STANDS &amp; TROLLEYS

## CABINET PARTS &amp; ACCESSORIES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CBGH	CABINET B/GLASS HAMMER C/W 370MM CHAIN 150MM HAMMER		RGHPCA	REPLACEMENT GLASS SUITS CBGHP 75MM X 100MM
	CBGHPB	CABINET B/GLASS HAMMER PVC C/W ALLOY INSERT 200MM HAMMER		CCL003	CABINET LOCK COIN TYPE 003 BARREL C/W KEY
	HBGAS	BREAK GLASS HAMMER METAL ALARM SMALL 160MM LENGTH		CFML CFMNL	CABINET LATCH FLUSH MOUNT 003 LOCKING NONLOCKING
	CBGKH	CABINET B/GLASS KEY HOLDER METAL 95MM H x 100MM W		CLBS	CABINET LOCK PUSH BUTTON STYLE
	RGKBM	REPLACEMENT GLASS KEYBOX METAL 65MM x 90MM FITS P/N CBGKH		THNLE	T HANDLE NON LOCKABLE C/W TONGUE / REAR FIXING
	CBGKHP	CABINET B/GLASS KEY HOLDER PVC 115MM DIA		THLE	T HANDLE LOCKABLE C/W TONGUE / REAR FIXING
	RGKBP	REPLACEMENT GLASS KEY BOX PVC FITS PVC HOLDER P/N CBGKHP		CFEA	CABINET ALARM EXT THEFT STOPPER 85DB 83 W x 83 H x 25 D
	CBGKHPC	CABINET B/GLASS KEY HOLDER METAL C/W HAMMER 170x145x55MM		CFDLLOL	CABINET DOME LID ONLY LGE 5KG CO2 890 H x 320 W
	RGKHECA	REPLACEMENT GLASS EXT CAB KEY HOLDER A RANGE 95MM x 95MM		CFDLOM	CABINET DOME LID ONLY MED 9KG/3.5KG CO2 750 H x 320 W
	RGKNLB	REPLACEMENT GLASS NOZZLE LOCK BOX 95MM x 55MM FITS CMNLB		CPP45A	CAB PERSPEX PANEL SUITS CME45A VIEWING PANEL
				CPP9A	CAB PERSPEX PANEL SUITS CME9A VIEWING PANEL

## SECTION 6 CABINETS COVERS STANDS & TROLLEYS

### CABINET PARTS & ACCESSORIES RESOLUTE / RESOLVE RANGE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RHPC	REPLACEMENT HANDLE FOR POLY CABINET RANGE (RESOLUTE/DUAL)		SSCC	SECURITY SEAL FOR CRYSTAL CABINET YELLOW 2PC
	RIWR05	REPLACEMENT INSPECTION WINDOW RESOLUTE CABINET		KTBL	KEY T BUDGET KEY LOCK
	RIWRD15	REPLACEMENT INSPECTION WINDOW RESOLVE/DUAL CABINETS		CPDS	CABINET POLY DUAL INTERNAL SHELF ONLY SUITS CPD100FH
	CRP160	CLAMPING RING PLASTIC 160MM TO SUIT POLY RANGE CABINETS		TM040	SUPPORT BRACKET FOR EXT CAB PAINTED STEEL 223 x 260 x 220
	CRP180	CLAMPING RING PLASTIC 180MM TO SUIT POLY RANGE CABINETS		TM041	FIXING KIT FOR RESOLUTE/RESOLVE COLD GAL 3MM
	CRR	CLAMPING RING RUBBER STRAP FOR USE POLY RANGE CABINETS		TM042	FIXING KIT FOR RESOLUTE/RESOLVE HOT DIP GAL 3MM













### 003 PADLOCKS & 003 KEYS

CODE	DESCRIPTION
LPL003	LOCKWOOD 003 PADLOCK FIRE LOCK C/W 2 x 003 KEYS
K003	LOCK KEY ONLY 003 GENUINE TO SUIT PADLOCK P/N LPL003
LPL003A	003 PADLOCK FIRE SERVICE LOCK BRASS C/W 2 x 003 KEYS
K003A	LOCK KEY ONLY 003 TO SUIT PADLOCK P/N LPL003A
K003MR	LOCK KEY ONLY 003 MOULDED PREMIUM



## SECTION 6 CABINETS COVERS STANDS &amp; TROLLEYS

## FIRE EXTINGUISHER / HOSE REEL COVERS &amp; BAGS

FIRE EXTINGUISHER COVERS			FIRE HOSE REEL COVERS		
	CODE	DESCRIPTION		CODE	DESCRIPTION
	CTE9T	COVER <b>HIGH RATED UV</b> 9KG FIRE EXT TUBE STYLE 730 H x 430 W 50MM REFLECTIVE STRIP		CNHRFR	COVER FIRE HOSE REEL <b>U.V &amp; F.R TREATED</b> 550 x 620 x 225 <b>HEAVY DUTY</b> <b>EXTERNAL USE</b>
	CTE45T	COVER <b>HIGH RATED UV</b> 4.5KG FIRE EXT TUBE STYLE 550 H x 330 W 50MM REFLECTIVE STRIP		CNHRA	COVER FIRE HOSE REEL UV NYLON 550 W x 620 H x 225 D <b>INTERNAL USE</b>
	CNE9AR	COVER NYLON EXT 9KG WINDOW 650 H x 420 W <b>REFLECTIVE STRIP</b>		CTRHRFP	COVER FIRE HOSE REEL FITTED <b>U.V &amp; F.R TREATED</b> 650mm DIAMETER <b>HEAVY DUTY</b> <b>EXTERNAL USE</b>
	CNE45AR	COVER NYLON EXT 4.5KG WINDOW 530 H x 330 W <b>REFLECTIVE STRIP</b>		CTRHRF	COVER NYLON RED FHR FITTED 650MM DIAMETER <b>INTERNAL USE</b>
	CHDPRCE	COVER H/D RED/CLEAR EXT LARGE 740 H x 400 W <b>UV TREATED</b> SUITS 9KG EXT		CTRHRL	COVER NYLON RED FHR LGE 25MM 770 W x 620 H x 290 D
	CHDPRCES	COVER H/D RED/CLEAR EXT SMALL 520 H x 330 W <b>UV TREATED</b> SUITS 2.5 - 4.5 KG EXT		CTRHRS	COVER RED HOSE REEL SLIDE REELCRAFT VERSION C/W REFLECTIVE STRIPS
	CHDPRCESS	COVER H/D CLEAR EXT EXTRA SMALL 500 H x 250W <b>UV TREATED</b> SUITS 1 - 1.5 KG EXT		CPFHR36	CABINET POLYETHYLENE FIRE HOSE REEL HARD COVER 36MT

## SECTION 6 CABINETS COVERS STANDS & TROLLEYS

### OTHER COVERS & BAGS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CTRM50	COVER HEAVY DUTY RED MOBILE 50KG 500 W x 1200 H PRINTED <b>U.V &amp; F.R TREATED</b>		CPCFH	COVER CLEAR FIRE HOSE RED PRINT UV TREATED 600 W x 900 H
	CTRM90	COVER HEAVY DUTY RED MOBILE 90KG 620 W x 1520 H PRINTED <b>U.V &amp; F.R TREATED</b>		CTRBP	COVER RED FITS REGA BACKPACK FIRE FIGHTER BPFF
	CTRFDL	COVER FIRE DEPOT BIN HEAVY DUTY PRINTED 620W x 1000H x 760D <b>UV &amp; FR TREATED</b>		CNBBPFFS	COVER HOLDING BAG SUITABLE FOR BPFFS SOFT PACK SPRAYER
	CNFDR	COVER FIRE DEPOT BIN LID ONLY HEAVY DUTY <b>UV &amp; FR TREATED</b>		CTRC	COVER TAPOL RED CRADLE 730 W x 430 H
	CNFDR	COVER FIRE DEPOT BIN LID ONLY HEAVY DUTY <b>UV &amp; FR TREATED</b>		CTRCL	COVER TAPOL RED CRADLE LARGE 780 W x 560 H
	CND20LFR	COVER DRUM 20 LTR FOAM HEAVY DUTY PRINTED <b>UV &amp; FR TREATED</b>		CHDPGCEW	COVER H/D PVC GREEN/ CLEAR EYE WASH 400 W x 740 H
	CNFHBA	COVER FIRE HYDRANT VALVE WITH VELCRO AND REFLECTIVE <b>UV &amp; FR TREATED</b>		CPRSD	COVER PVC STONE DUST 390 W x 1040 H
	CNFHA	COVER FIRE HYDRANT PRV4 VALVES WITH VELCRO & REFLECTIVE		CTRHRR	COVER TIE ROPE ORANGE WITH HOOK ATTACHED AS USED ON CNHRA & CNHRAFR



## SECTION 6 CABINETS COVERS STANDS &amp; TROLLEYS



## FIRE EXTINGUISHER STANDS &amp; TROLLEYS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	ESS	EXTINGUISHER FIRE POINT STAND SINGLE EXT 4.5 - 9KG C/W SIGN POLE		TF20	TROLLEY ONLY 20LT FOAM DRUM RED
		COLLAPSIBLE FOR TRANSPORT AND STORAGE			SHOWN WITH FOAM AND BRANCH SOLD SEPARATELY
	TED	FIRE RACK EXTINGUISHER TROLLEY MOBILE FIRE STATION FOR 2 x EXTINGUISHERS		TSED	SAFETY STATION TROLLEY FIRE EXTINGUISHER & FIRST AID STAND
	ESFSS	EXTINGUISHER STAND FIBERGLASS SINGLE SMALL 4-9KG 760 x 320 x 300		FPLBHS	FIRE POINT LOCATION BOARD HANGING SINGLE 450W x 1200H
	ESFSL	EXTINGUISHER STAND FIBERGLASS SINGLE LGE 6-12KG 760 x 325 x 275		FPLBHD	FIRE POINT LOCATION BOARD HANGING DOUBLE 600W x 1200H



SECTION 6 CABINETS COVERS STANDS & TROLLEYS






FIRE EXTINGUISHER STANDS & TROLLEYS continued

	CODE	DESCRIPTION
	ESFP2	FIRE POINT STATION 2 UNIT FREE STANDING WITH LEGS FOR MOUNTING TO SLAB
	ESFP4	FIRE POINT STATION 4 UNIT FREE STANDING WITH LEGS FOR MOUNTING TO SLAB





# SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

## HEAVY DUTY VEHICLE BRACKETS - 9KG

	CODE	DESCRIPTION
	HDVB9C	<b>HEAVY DUTY VEHICLE BRACKET 9KG CANNON STYLE CAST ALLOY ARMS</b> ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS ⇒ SUITS EXTINGUISHER 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN & KEY RING
	HDVB9CL	⇒ OVERALL DIMENSIONS 275 H x 265 W x 210 D WEIGHT 4.1KG <b>SAME AS HDVB9C BUT LEFT OPENING</b>
	HDVB9CH	<b>HEAVY DUTY VEHICLE BRACKET 9KG 155 MM - 180 MM</b> ⇒ 8MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ SINGLE MOUNTING HOLE IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE
	HDVB9CHL	⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 360 H x 270 W x 220 D WEIGHT 5.1KG <b>SAME AS HDVB9CH BUT LEFT OPENING</b>
	HDVBLT	<b>HEAVY DUTY OVER CENTRE LEVER 9KG EXTINGUISHER BRACKET 180MM</b> ⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ SUITABLE FOR EXTINGUISHERS APPROX 180 MM DIAMETER ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE AND LEVER ARMS ⇒ OVERALL DIMENSIONS 360 H x 250 W x 300 D WEIGHT 7.9KG
	HDVB9GA	<b>HEAVY DUTY EXTINGUISHER TRUCK BRACKET 155-180MM 9KG COLD GAL</b> ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 155 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 315 H x 260 W x 210 D WEIGHT 4.2KG
	HDVB9D	<b>HEAVY DUTY VEHICLE BRACKET 9.0KG DELUXE 150-180MM</b> ⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES IN BACK PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 150 - 180MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 290 H x 260 W x 220 D WEIGHT 4.1KG

SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

HEAVY DUTY VEHICLE BRACKETS - 9KG continued

	CODE	DESCRIPTION
	HDVB0550	<b>VEHICLE BRACKET LARGE 9KG DCP /9LT WATER/FOAM 172 - 183MM GAL</b> <ul style="list-style-type: none"><li>⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES</li><li>⇒ 4 X MOUNTING HOLES IN BACK PLATE</li><li>⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS</li><li>⇒ ARMS SUIT EXTINGUISHERS 172 - 183MM WITH PLATED ADJUSTMENT HARDWARE</li><li>⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING</li><li>⇒ OVERALL DIMENSIONS 310 H x 265 W x 190 D WEIGHT 4.7KG</li></ul>
	HDVB9NZG	<b>HEAVY DUTY EXTINGUISHER BRACKET 9KG NEW ZEALAND 2 STRAP GAL</b> <ul style="list-style-type: none"><li>⇒ 5MM THICK PAINTED MILD STEEL BACK AND BASE PLATES</li><li>⇒ 3MM THICK PAINTED MILD STEEL ARMS</li><li>⇒ COLD GALVANISED FINISH</li><li>⇒ 4 X MOUNTING HOLES IN ARM BACKS</li><li>⇒ ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS</li><li>⇒ BOTH ARM LATCHES FITTED WITH SAFETY PINS</li><li>⇒ ADDITIONAL NECK SECURING LANYARD WITH R PIN FOR ADDITIONAL SAFETY</li></ul>



IMAGES SHOW DETAIL OF BRACKET MODEL HDVB9C

# SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS





## HEAVY DUTY VEHICLE BRACKETS - 4.5KG / 9KG COMBINATION

	CODE	DESCRIPTION
	HDVBWDEW	<b>HEAVY DUTY VEH BRACKET WEBB DOUBLE EAR WIDE BASE ULTIMATE</b> <ul style="list-style-type: none"> <li>⇒ 4MM THICK ZINC PLATED /POLY PC MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 6MM THICK FULLY WELDED SIDE ARM BRACES</li> <li>⇒ 4 X MOUNTING HOLES IN BACK PLATE AND 4 IN BASE</li> <li>⇒ FITTED WITH PROTECTION RUBBERS BOTH BASE &amp; REAR</li> <li>⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP LOCALLY SOURCED AND ASSEMBLED WITH STAINLESS STEEL BUCKLE AND PIN</li> <li>⇒ OVERALL DIMENSIONS 335 H x 260 W x 215 D WEIGHT 3.9KG</li> </ul>
	HDVBWDE	<b>HEAVY DUTY VEH BRACKET WEBB DOUBLE EAR BLACKSTRAP</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 4 X MOUNTING HOLES IN BACK PLATE</li> <li>⇒ ELECTROPLATED ZINC REAR EARS FITTED WITH PROTECTION RUBBERS</li> <li>⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN</li> <li>⇒ OVERALL DIMENSIONS 330 H x 230 W x 220 D WEIGHT 3.7KG</li> </ul>
	HDVBWDESS	<b>EXTINGUISHER TRUCK BRACKET 316 STAINLESS STEEL WEBB TWO EAR</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK STAINLESS STEEL BACK AND BASE PLATES</li> <li>⇒ 4 X MOUNTING HOLES IN BACK PLATE</li> <li>⇒ STAINLESS STEEL REAR EARS FITTED WITH PROTECTION RUBBERS</li> <li>⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN</li> <li>⇒ OVERALL DIMENSIONS 330 H x 230 W x 220 D WEIGHT 3.7KG</li> </ul>
	HDVBWDEA	<b>HEAVY DUTY BRACKET WEBB A OLD STYLE COLD GAL FINISH ROUND RM</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 4 X MOUNTING HOLES IN BACK PLATE</li> <li>⇒ COLD GALVANISED REAR ARMS FITTED WITH PROTECTION RUBBERS</li> <li>⇒ ADJUSTABLE HEAVY DUTY BLUE WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN</li> <li>⇒ OVERALL DIMENSIONS 315 H x 250 W x 210 D WEIGHT 4.2KG</li> </ul>
	HDVBWBAB	<b>HEAVY DUTY BLACK WEBB &amp; BUCKLE ASSEMBLY FOR HDVBWDE (PIN)</b> <ul style="list-style-type: none"> <li>⇒ REPLACEMENT BLACK WEBBING STRAP AND BUCKLE ASSEMBLY ONLY</li> <li>⇒ LOCALLY SOURCED AND ASSEMBLED UV STABLE CARGO WEBBING MATERIAL</li> </ul>
	HDVBWBA	<b>HEAVY DUTY BLUE WEBB &amp; BUCKLE ASSEMBLY FOR HDVBWDEG DEA</b> <ul style="list-style-type: none"> <li>⇒ REPLACEMENT BLUE WEBBING STRAP AND BUCKLE ASSEMBLY ONLY</li> <li>⇒ LOCALLY SOURCED AND ASSEMBLED UV STABLE WEBBING MATERIAL</li> </ul>



## SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS



### HEAVY DUTY VEHICLE BRACKETS - 4.5KG

	CODE	DESCRIPTION
	HDVB45C	<b>HEAVY DUTY VEH BRACKET 4.5KG CANNON STYLE CAST ALLOY ARMS</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 4 X MOUNTING HOLES IN BACK PLATE</li> <li>⇒ CAST ALLOY CLAMP ARMS FITTED WITH FRONT AND REAR RUBBER PROTECTORS</li> <li>⇒ SUITS EXTINGUISHER 125 - 145MM WITH PLATED ADJUSTMENT HARDWARE</li> <li>⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN &amp; KEY RING</li> <li>⇒ OVERALL DIMENSIONS 295 H x 230 W x 190 D WEIGHT 3.75KG</li> </ul>
	HDVB45CH  <b>ALSO FITS SOME 2.5KG EXT</b>	<b>HEAVY DUTY BRACKET 2.5- 4.5KG 125 -150MM CHUBB 70074 BLACK</b> <ul style="list-style-type: none"> <li>⇒ 8MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ SINGLE MOUNTING HOLE IN BACK PLATE</li> <li>⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS</li> <li>⇒ ARMS SUIT EXTINGUISHERS 125 - 150MM WITH PLATED ADJUSTMENT HARDWARE</li> <li>⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING</li> <li>⇒ OVERALL DIMENSIONS 310 H x 260 W x 160 D WEIGHT 4.3KG</li> </ul>
	HDVBLTS	<b>HEAVY DUTY OVER CENTRE LEVER 4.5KG VEHICLE BRACKET 140MM</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK ELECTROPLATED ZINC MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 4 X MOUNTING HOLES ON BACK PLATE</li> <li>⇒ SUITABLE FOR EXTINGUISHERS APPROX 140 MM DIAMETER</li> <li>⇒ PROTECTION RUBBERS FITTED TO BACK PLATE AND LEVER ARMS</li> <li>⇒ OVERALL DIMENSIONS 300 H x 200 W x 260 D WEIGHT 5.9KG</li> </ul>
	HDVB45GA	<b>HEAVY DUTY EXTINGUISHER TRUCK BRACKET 130-157MM 4.5KG COLD GAL</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 4 X MOUNTING HOLES ON BACK PLATE</li> <li>⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS</li> <li>⇒ ARMS SUIT EXTINGUISHERS 130 - 145MM WITH PLATED ADJUSTMENT HARDWARE</li> <li>⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING</li> <li>⇒ OVERALL DIMENSIONS 320 H x 210 W x 210 D WEIGHT 4.0KG</li> </ul>



# SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

## HEAVY DUTY VEHICLE BRACKETS - 4.5KG continued

	CODE	DESCRIPTION
	HDVB45GMA	<b>HEAVY DUTY VEHICLE BRACKET 4.5KG, A/WATER FOAM EXTINGUISHERS</b> ⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES ⇒ 4 X MOUNTING HOLES ON BACK PLATE ⇒ COLD GALVANISED ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 130 - 145MM WITH PLATED ADJUSTMENT HARDWARE ⇒ STAINLESS STEEL PIN WITH PLATED SAFETY CHAIN AND KEY RING ⇒ OVERALL DIMENSIONS 310 H x 230 W x 180 D WEIGHT 4.2KG
	HDVB45MA <b>MARINE GRADE ALLOY</b>	<b>EXTINGUISHER BRACKET MARINE STRAP ALLOY BASE 4.5KG/9L</b> ⇒ 5MM THICK MARINE GRADE ALUMINIUM BACK AND BASE PLATES ⇒ 3 X MOUNTING HOLES ON BACK PLATE / 4 X MOUNTING HOLES ON BASE ⇒ PROTECTION RUBBERS FITTED TO BACK PLATE ⇒ ADJUSTABLE HEAVY DUTY BLACK CARGO WEBBING STRAP WITH STAINLESS STEEL BUCKLE AND PIN ⇒ OVERALL DIMENSIONS 300 H x 180 W x 200 D WEIGHT 1.5KG
	1OHB	<b>HEAVY DUTY VEH BRACKET 4.5-6KG BLACK 812 145-158MM</b> ⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES ⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE ⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS ⇒ ARMS SUIT EXTINGUISHERS 145 - 158MM ⇒ OVERALL DIMENSIONS 300 H x 240 W x 160 D WEIGHT 2.2KG


## SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

### HEAVY DUTY VEHICLE BRACKETS - 2.5KG










	CODE	DESCRIPTION
	5DC	<b>HEAVY DUTY VEHICLE BRACKET 2 - 2.5KG BLACK 105-115MM</b> <ul style="list-style-type: none"> <li>⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE</li> <li>⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT &amp; REAR PROTECTION RUBBERS</li> <li>⇒ ARMS SUIT EXTINGUISHERS 105 - 115MM</li> <li>⇒ OVERALL DIMENSIONS 290 H x 200 W x 160 D WEIGHT 1.5KG</li> </ul>
	5HB	<b>EXTINGUISHER BRACKET 2.5- 4.5KG BLACK 809 128-143MM</b> <ul style="list-style-type: none"> <li>⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE</li> <li>⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT &amp; REAR PROTECTION RUBBERS</li> <li>⇒ ARMS SUIT EXTINGUISHERS 128 - 143MM</li> <li>⇒ OVERALL DIMENSIONS 290 H x 200 W x 170 D WEIGHT 1.8KG</li> </ul>
	5HBM	<b>EXTINGUISHER BRACKET 2.5KG FLAMESTOP CHUBB 132MM</b> <ul style="list-style-type: none"> <li>⇒ 3MM THICK BLACK POWDER COATED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 6 X MOUNTING HOLES IN BACK PLATE, 5 X MOUNTING HOLES IN BASE PLATE</li> <li>⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT &amp; REAR PROTECTION RUBBERS</li> <li>⇒ ARMS SUIT EXTINGUISHERS 132MM</li> <li>⇒ OVERALL DIMENSIONS 290 H x 190 W x 190 D WEIGHT 2.0KG</li> </ul>
	HDVB27QGA	<b>HEAVY DUTY 2 - 2.5KG FIRE EXTINGUISHER VEHICLE BRACKET</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK COLD GALVANISED PAINTED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 4 X MOUNTING HOLES IN BACK PLATE</li> <li>⇒ MILD STEEL HOLDING ARMS FITTED WITH FRONT &amp; REAR PROTECTION RUBBERS</li> <li>⇒ ARMS SUIT EXTINGUISHERS 110 - 130MM</li> <li>⇒ OVERALL DIMENSIONS 305 H x 190 W x 160 D WEIGHT 3.7KG</li> </ul>
	HDVB25NZG	<b>HEAVY DUTY EXTINGUISHER BRACKET 2.5KG NEW ZEALAND 2 STRAP GAL</b> <ul style="list-style-type: none"> <li>⇒ 5MM THICK COLD GALVANISED MILD STEEL BACK AND BASE PLATES</li> <li>⇒ 3MM THICK PAINTED MILD STEEL ARMS</li> <li>⇒ 4 X MOUNTING HOLES IN ARM BACKS</li> <li>⇒ ARMS FITTED WITH FRONT AND REAR PROTECTION RUBBERS</li> <li>⇒ BOTH ARM LATCHES FITTED WITH SAFETY PINS</li> <li>⇒ ADDITIONAL NECK SECURING LANYARD WITH R PIN FOR ADDITIONAL SAFETY</li> </ul>

## SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

### HEAVY DUTY VEHICLE BRACKETS - REGA KNAPSACK

	CODE	DESCRIPTION
	HDVBRK	<p>HEAVY DUTY VEHICLE TRUCK BRACKET REGA KNAPSACK</p> <p>SUITS PART NUMBER BPFF</p> <p>⇒ DESIGNED TO SECURELY HOLD REGA 16L FIRE FIGHTING KNAPSACK ON VEHICLE</p> <p>⇒ HEAVY DUTY STEEL CONSTRUCTION WITH RED POWDER COATED FINISH</p> <p>⇒ 4 X MOUNTING HOLES</p> <p>⇒ INCLUDES WEBBING STRAP AND SPRING LOADED ATTACHMENT</p>






### LIGHT DUTY VEHICLE BRACKETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	VB895A	EXTINGUISHER BRACKET 895 BLACK 2KG CO2 / 2.5 - 4.5KG DCP ADJUSTABLE		VB45RRC	VEH BRK 4.5KG REPLACE- MENT RUBBER STRAP FOR VB23R & VB45R
	VB23R	VEH BRK 2.3KG RUBBER STRAP 860 ADJUSTABLE 75MM - 108MM		VB9RRC	VEH BRK 9.0KG REPLACE- MENT RUBBER STRAP FOR VB9R BRACKET
	VB45R	VEH BRK 4.5kg RUBBER STRAP 862 ADJUSTABLE 125MM - 178MM		HDVB25B	VEH BRK DCP 2.5KG CHUBB BLACK VEHICLE BRACKET 120-125MM
	VB9R	VEH BRK 9.0KG RUBBER STRAP 864 ADJUSTABLE 178MM - 205MM		VB1C	EXTINGUISHER BRACKET 1KG PVC LIGHT DUTY VEHICLE BRACKET
				VB1CM	VEH BRK DCP 1.0KG CHUBB 109288 METAL LIGHT VEHICLE BRACKET





## SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

### LIGHT DUTY VEHICLE BRACKETS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	VB1DA	FIRE EXTINGUISHER BRACKET FITS 1.0 - 1.5KG DCP CYLINDER		VB23Q	FIRE EXTINGUISHER BRACKET 2.3KG QUELL KIDDE DCP VEHICLE BRACKET
	HDVB2LQ	FIRE EXTINGUISHER BRACKET 2KG DCP MINING C/W HOSE CLIP		VB25F	VEH BFK 2.5KG FIREX ABE LIGHT DUTY
	VB23C	FIRE EXTINGUISHER BRACKET 2.3KG CHUBB KIDDE DCP C/W HOSE CLIP			

### EXTINGUISHER HANGERS - UNDERGROUND MINES

	CODE	DESCRIPTION
	DEHUM	DOUBLE EXTINGUISHER HANGERS UNDERGROUND MINES 1275MM ⇒ DESIGNED TO SECURELY HOLD 2 x EXTINGUISHERS ⇒ 1275MM DROP HEIGHT ⇒ POWDER COATED SIGNAL RED
	DEHUMA	DOUBLE EXT HANGER ADJUSTABLE UNDERGROUND MINES 1660MM ⇒ DESIGNED TO SECURELY HOLD 2 x EXTINGUISHERS ⇒ 1660MM DROP HEIGHT ADJUSTABLE ⇒ ADJUSTMENT SECURED WITH DOUBLE PINS & CHAINS ⇒ POWDER COATED SIGNAL RED

# SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

## EXTINGUISHER WALL BRACKETS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	WB9DFO	WALL BRACKET 9.0KG DCP FIREOUT RED FW/CHUBB/ FIREX/KIDDE		WBDEG9	WALL BRK DCP 9.0KG E/GARD 80MM BRACKET
	WBCQ	WALL BRK CO2 QUELL/ CHUBB 43MM BRACKET 2.5 & 4.5KG DCP 2 & 3.5KG CO2		WBFSAB	WALL BRK FORK STYLE BRACKET WORMALD A/W A/F OLD SODA ACID 20MM
	WBDQ	WALL BRK DCP QUELL/ CHUBB 65MM BRACKET 9KG DCP, 9LT & 5KG CO2		WB2DQ	WALL BRK DCP 2.23KG Q RED FORK BRACKET 65MM
	WB9DCR	WALL BRK DCP 4.5KG & CO2 3.5 - 5KG CH FM F x FW BRACKET 55MM		WBSC	WALL BRK CHUBB SLOT BRACKET 65MM
	WBEBC	WALL BRK EXT I BEAM CLAMP M12		WBDL	WALL BRK DCP/CO2 LARGE 60MM 9 KG W/INT - 5KG CO2 FM BRACKET
	WBAWF	WALL BRACKET DOUBLE ENDED FITS MOST EXTINGUISHERS 55MM / 75MM		WBJT	WALL BRK J TYPE 9.0LT AW AF F/M BFI B/M WORM BRANDS 15MM
	WB9DBFI	WALL BRK DCP 9KG W/C 7LT BFI BRACKET		WBFWPS	WALL BRK AW/AF WORMALD PREM 80MM BRACKET OFFSET FORK STYLE



SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

NOTES

SECTION 7 VEHICLE & GENERAL EXTINGUISHER BRACKETS

## SECTION 8 FLAMMABLE LIQUID STORAGE CABINETS

### FLAMMABLE LIQUID STORAGE CABINETS

#### QUALITY MANUFACTURED TO EXCEED AS 1940 – 2004

- ◆ UNIQUE DUAL SEAL DESIGN FOR ADDED SAFETY
- ◆ UNIQUE THREE-POINT LATCHING SYSTEM AND FLUSH MOUNT KEY LOCK HANDLE
- ◆ PATENTED AUTOMATED SEQUENTIAL CLOSING & LOCKING MECHANISM ON ALL 2 DOOR MODELS WITH ALL ALLOY CONTACT POINTS ELIMINATING SPARK RISK
- ◆ TWO STANDARD 50MM DIAMETER FLASH ARRESTORS AIDS SAFER FUME EXTRACTION
- ◆ UNIQUE SHEER-WELD FINISH WITH NO EXPOSED RIVETS ELIMINATES CATCH RISK
- ◆ DOUBLE WALLED THERMAL BARRIER
- ◆ 180 DEGREE DOOR OPENING ON ALL MODELS FOR IMPROVED ACCESS
- ◆ OPTIONAL EARTHING POINT AND CABLE SUPPLIED WITH ALL MODELS

	CODE	DESCRIPTION
	CFLSS30	FLAMMABLE LIQUID STORAGE CABINET 30LT SINGLE DOOR CLASS 3 UNDER BENCH TYPE  SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS
	CFLSS100	FLAMMABLE LIQUID STORAGE CABINET 100LT 2 DOOR CLASS 3 UNDER BENCH TYPE  SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS
	CFLSS160	FLAMMABLE LIQUID STORAGE CABINET 160LT 2 DOOR CLASS 3 UPRIGHT  SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS
	CFLSS250	FLAMMABLE LIQUID STORAGE CABINET 250LT 2 DOOR CLASS 3 UPRIGHT  SEE SPECIFICATION CHART ON FOLLOWING PAGE FOR DIMENSIONS

## SECTION 8 FLAMMABLE LIQUID STORAGE CABINETS

### FLAMMABLE LIQUID STORAGE CABINETS






#### CABINET FEATURES









- ♦ ALL MODELS COME WITH FULLY ADJUSTABLE AND REMOVABLE SHELVING
- ♦ 160L & 250L MODELS COME WITH UNDER SUMP SKIDS ALLOWING MOBILITY BOTH EMPTY AND FULLY LOADED
- ♦ 160L & 250L MODELS COME WITH UNDERSIDE SAFETY STRAPPING TO PREVENT CABINET TIPPING
- ♦ 30L & 100L MODELS COME WITH UNDERSIDE CORNER LEVELLING BOLTS
- ♦ 30L & 100L MODELS SUITABLE FOR UNDER-BENCH STORAGE
- ♦ ETCH UNDERCOAT WITH HIGH GLOSS POWDER COAT FINISH
- ♦ SINGLE MOVING PART ON CLOSING MECHANISM REDUCES MAINTENANCE
- ♦ YELLOW CABINETS AVAILABLE FOR CLASS 2 & 3: FLAMMABLE SUBSTANCES
- ♦ CLASS 8: CORROSIVE (Blue), CLASS 6.1: POISONS/TOXIC (White), CLASS 5.1: OXIDIZING AGENT (Yellow), CLASS 5.2: ORGANIC PEROXIDE SUBSTANCES (Yellow) AND CLASS 9: MISCELLANEOUS CABINETS (Yellow) ALSO AVAILABLE

MODEL	CAPACITY (L)	HEIGHT (MM)	WIDTH (MM)	DEPTH (MM)	WEIGHT (KG)	DOORS	SHELVES	DUAL VENTS	EARTH CABLE	LEVELLING BOLTS	BASE SKIDS	INTERNAL SUMP	SAFETY STRAP UND
CFLSS030	30	800	505	500	53	1	1	Y	Y	Y	N	Y	N
CFLSS100	100	800	1100	500	100	2	1	Y	Y	Y	N	Y	N
CFLSS160	160	1295	1100	500	138	2	2	Y	Y	N	Y	Y	Y
CFLSS250	250	1825	1100	500	187	2	3	Y	Y	N	Y	Y	Y

## SECTION 9 SIGNS &amp; LABELS



## LOCATION SIGNS - PVC - STANDARD

	CODE	DESCRIPTION	DIMENSIONS (MM)
	LSFEPG	LOC SIGN PVC EXT SMALL	150 W x 225 H
	LSFEPR	LOC SIGN PVC EXT SMALL RE	150 W x 225 H *** REFLECTIVE***
	LSFEPMG	LOC SIGN PVC EXT MEDIUM	225 W x 300 H
	LSFEPL	LOC SIGN PVC EXT LARGE	300 W x 455 H
	LSFHRPG	LOC SIGN PVC FHR SMALL	150 W x 225 H
	LSFHRRMG	LOC SIGN PVC FHR MEDIUM	230 W x 300 H
	LSFHRPL	LOC SIGN PVC FHR LARGE	300 W x 450 H
	LSFBPG	LOC SIGN PVC F BLANKET SMALL	150 W x 225 H
	LSFBPM	LOC SIGN PVC F BLANKET MEDIUM	215 W x 315 H



	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSFEIP	LOC SIGN PVC EXT INSIDE SMALL 150 W x 225 H		LSFAPM	LOC SIGN PVC FIRE ALARM MEDIUM PICTO 230 W x 300 H
	LSFHRIIP	LOC SIGN PVC FHR INSIDE SMALL 150 W x 225 H		LSFAPIRP	LOC SIGN PVC FIRE ALARM PANEL INSIDE ROOM 450 W x 150 H
	LSFEHRPS	LOC SIGN PVC EXT & FIRE HOSE REEL 150 W x 225 H		LSFABT	LOC SIGN PVC FIRE ALARM BELL 220 W x 190 H
	LSFAP	LOC SIGN PVC FIRE ALARM SMALL PICTO 155 W x 210 H		LSEAP	LOC SIGN PVC EVACUATION ALARM PICTO 155 W x 205 H

## SECTION 9 SIGNS & LABELS

### LOCATION SIGNS - PVC - STANDARD

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSMCP	LOC SIGN PVC MANUAL CALL POINT 150 W x 225 H		LSFA	LOC SIGN PVC FIRST AID 150 W x 225 H

### LOCATION SIGNS - PVC - RIGHT ANGLE & STAND OFF








	CODE	DESCRIPTION	DIMENSIONS (MM)
	LSRAFEP	LOC SIGN R/A PVC PICTO EXT SMALL 150 W x 225 H	
	LSRAFEP	LOC SIGN R/A PVC PICTO EXT MEDIUM 220 W x 320 H	
	LSRARFEP	LOC SIGN R/A PVC PICTO EXT REF SMALL 155 W x 225 H	***REFLECTIVE***
	LSRARFEP	LOC SIGN R/A PVC PICTO EXT REF MEDIUM 215 W x 325 H	***REFLECTIVE***
	LSRAFHR	LOC SIGN R/A PVC PICTO FHR SMALL 155 W x 225 H	
	LSRAFHRM	LOC SIGN R/A PVC PICTO FHR MEDIUM 200 W x 300 H	
	LSRARFHRM	LOC SIGN R/A PVC PICTO FHR REF MEDIUM 200 W x 300 H	***REFLECTIVE***

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSRAFHHYP	LOC SIGN R/A PVC FHR & HYDRANT 150 W X 225 H		LSRAFEHRPS	LOC SIGN R/A PVC FIRE EXT & HOSE REEL 160 W x 230 H
	LSRAFHRHL	LOC SIGN R/A PVC FHR & HYDRANT LARGE 240 W x 320 H		LSRAFHH	LOC SIGN R/A PVC FH & HYDRANT 230 W x 300 H
	LSRAFEHRP	LOC SIGN R/A PVC FIRE EXT & HOSE REEL 215 W x 320 H		LSRAFB	LOC SIGN R/A PVC FIRE BLANKET 160 W x 230 H







## SECTION 9 SIGNS &amp; LABELS

## LOCATION SIGNS - PVC - RIGHT ANGLE &amp; STAND OFF continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSRAFHY	LOC SIGN R/A PVC FIRE HYDRANT WITH ARROW 215 W x 320 H		LSRAFHREXT	LOC SIGN R/A PVC FHR FIRE EXT 230 H x 160 W
	LSRAMCP	LOC SIGN R/A PVC MANUAL CALL POINT 150 W x 225 H		LSSOFEP	LOC SIGN S/O PVC FIRE EXT SM DOUBLE SIDED 125 W x 150 H
	LSRAPWIP	LOC SIGN R/A PVC W.I.P WARDEN INTERCOM POINT 150 W x 225 H		LSSOFAPM	LOC SIGN S/O PVC FIRE ALARM MED DOUBLE SIDED 250 W x 300 H
	LSRAFA	LOC SIGN R/A PVC FIRE ALARM SMALL 160 W x 210 H			

## LOCATION SIGNS - SELF ADHESIVE - VEHICLE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSSAFES	LOC SIGN S/A FIRE EXT SMALL SUIT VEHICLE 80 W x 120 H		LSSAFBS	LOC SIGN S/A FIRE BLANKET SMALL SUIT VEHICLE 80 W x 120 H
	LSSAFERS	LOC SIGN S/A FIRE EXT REFLECT SUIT VEHICLE 100 W x 100 H		LSSAFAS	LOCATION SIGN S/A FIRST AID VEHICLE SIZE 80 W x 120 H



## SECTION 9 SIGNS & LABELS




### LOCATION SIGNS - SELF ADHESIVE - GENERAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSSAFE	LOC SIGN S/A FIRE EXT SMALL 150 W x 225 H		LSSA-FHRM	LOC SIGN S/A FHR MEDIUM 215 W x 315 H
	LSSAFER	LOC SIGN S/A FIRE EXT ***REFLECTIVE*** 155 W x 225 H		LSSAFHRD	LOCATION SIGN S/A FIRE HOSE RESIN FOR DUAL CABINET
	LSSAFEM	LOC SIGN S/A FIRE EXT MEDIUM 225 W x 300 H		LSSASERD	LOCATION SIGN S/A SAFETY EQUIP RESIN FOR DUAL CABINET
	LSSAFB	LOC SIGN S/A FIRE BLANKET 150 W x 225 H		LSSAFERD	LOCATION SIGN S/A FIRE EXT RESIN FOR DUAL CABINET
	LSSAFHR	LOC SIGN S/A FHR SMALL 150 W x 225 H		LSSA-FEPRS	LOCATION SIGN S/A FIRE EXT PICTO RESIN SMALL 80 x 80
	SSAFAP	LOC SIGN S/A FIRE ALARM BELL PICTO 220 W x 190 H			







## SECTION 9 SIGNS &amp; LABELS

## LOCATION SIGNS - METAL - STANDARD

	CODE	DESCRIPTION	DIMENSIONS (MM)
	LSFEMS	LOC SIGN METAL EXT SMALL	150 W x 225 H
	LSFERMS	LOC SIGN METAL EXT REFLECT SM	150 W x 225 H ***REFLECTIVE***
	LSDSERMS	LOC SIGN METAL D/SIDE EXT REF SMALL	150 W x 225 H ***REFLECTIVE***
	LSFEMM	LOC SIGN METAL EXT MEDIUM	210 W x 320 H
	LSFEML	LOC SIGN METAL EXT LARGE	300 W x 450 H
	LSFHRMS	LOC SIGN METAL FHR SMALL	150 W x 225 H
	LSFHRMM	LOC SIGN METAL FHR MEDIUM PICTO	210 W x 320 H
	LSFHRML	LOC SIGN METAL FHR LARGE	300 W x 450 H



	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSFAMM	LOC SIGN METAL FIRE ALARM PICTO MED 255 W x 300 H		LSFHYML	LOC SIGN METAL FIRE HYD LGE ARROW 600 W x 450 H
	LSFAMS	LOC SIGN METAL FIRE ALARM SMALL 150 W x 225 H			

## LOCATION SIGNS - METAL - RIGHT ANGLE




	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSRAFEMS	LOC SIGN R/A METAL EXT SMALL 150 W x 225 H		LSRAFHR1MM	LOC SIGN R/A METAL HYD U/GROUND ***REFLECTIVE*** 200 W x 300 H
	LSRAFEMM	LOC SIGN R/A METAL EXT MEDIUM 200 W x 300 H		LSRAFHRMS	LOC SIGN R/A METAL FHR SMALL 150 W x 225 H
	LSRAFER1MM	LOC SIGN R/A METAL EXT U/GROUND ***REFLECTIVE*** 200 W x 300 H		LSRAFHRMS	LOC SIGN R/A METAL FHR SMALL ***REFLECTIVE*** 150 W x 225 H

## SECTION 9 SIGNS & LABELS



### LOCATION SIGNS - METAL - BOARDS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SLBMS	SIGN LOC BOARD METAL EXTINGUISHER SMALL 450 W x 600 H		SLBML	SIGN LOC BOARD METAL EXTINGUISHER LARGE 600 W x 900 H

### LOCATION SIGNS - ALUMINIUM

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LSFEAS	LOCATION SIGN FIRE EXTINGUISHER ALUMINIUM 150 W x 225 H x 0.6MM		LSFBA	LOCATION SIGN FIRE BLANKET ALUMINIUM 150 W x 225 H x 0.6MM
	LSFEMLA	LOCATION SIGN FIRE EXTINGUISHER LARGE ALUMINIUM W/ ANTI GRAFF			

### LOCATION SIGNS - CORFLUTE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SLBCS	SIGN LOC BOARD CORFLUTE EXTINGUISHER SMALL 450 W x 600 H		SLBCL	SIGN LOC BOARD CORFLUTE EXTINGUISHER LARGE 600 W x 900 H

## SECTION 9 SIGNS &amp; LABELS









## IDENTIFICATION SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
	IDDAPPG	ID DISC PVC PICTO DCP ABE 190 W x 260 H		IDWCG	ID DISC PVC WET CHEMICAL 250 W x 190 H
	IDDAG	ID DISC PVC DCP ABE 190 W x 190 H		IDFPPG	ID DISC PVC PICTO FOAM 190 W x 260 H
	IDCPP	ID DISC PVC PICTO CO2 190 W x 260 H		IDFG	ID DISC PVC A/F 190 W x 190 H
	IDCG	ID DISC PVC CO2 190 W x 190 H		IDDBPP	ID DISC PVC PICTO DCP BE 190 W x 260 H
	IDWPPG	ID DISC PVC PICTO A/W 190 W x 260 H		IDDBG	ID DISC PVC DCP BE 190 W x 190 H
	IDWG	ID DISC PVC A/W 190 W x 190 H		IDPNS	ID DISC PVC PICTO NO SMOKE 190 W x 190 H



## SECTION 9 SIGNS & LABELS

### IDENTIFICATION SIGNS - SELF ADHESIVE





	CODE	DESCRIPTION		CODE	DESCRIPTION
	IDSADAP	ID DISC S/A DCP ABE PICTO 190 W x 260 H		IDSAWC	ID DISC S/A WET CHEMICAL 190 W x 190 H
	IDSADA	ID DISC S/A DCP ABE 190 W x 190 H		IDSAAF	ID DISC S/A AIR FOAM 190 W x 190 H
	IDSAC	ID DISC S/A CO2 190 W x 190 H		IDSADB	ID DISC S/A DCP BE 190 W x 190 H
	IDSAAW	ID DISC S/A AIR WATER 190 W x 190 H		IDSANS	ID DISC S/A NO SMOKING PICTO 190 W x 190 H

### IDENTIFICATION SIGNS - METAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
	IDDAM	ID DISC METAL DCP ABE 190 W x 190 H		IDWCM	ID DISC METAL W/CHEMICAL 190 W x 190 H
	IDDAMR	ID DISC METAL DCP ABE <b>**REFLECTIVE**</b> 220 W x 225 H		IDFM	ID DISC METAL A/F 190 W x 190 H
	IDCM	ID DISC METAL CO2 190 W x 190 H		IDFMR	ID DISC METAL A/F <b>**REFLECTIVE**</b> 220 W x 225 H
	IDCMR1	ID SIGN METAL CO2 <b>**REFLECTIVE**</b> CLASS 1 MINES		IDDBM	ID DISC METAL DCP BE 190 W x 190 H
	IDWM	ID DISC METAL A/W 190 W x 190 H			

## SECTION 9 SIGNS &amp; LABELS

## GENERAL SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPEAA	SIGN POLY EMERGENCY ASSEMBLY AREA 600 W x 450 H		SPHBV	SIGN PVC HYDRANT BOOSTER 300 W x 240 H
	SPEEW	SIGN POLY EMERGENCY EYE WASH 200 W x 250 H		SPFHPRM	SIGN PVC FIRE HYDRANT PUMP ROOM MEDIUM 315 W x 215 H
	SPFEFA	SIGN PVC FIRE EXTINGUISHER & FIRST AID 95 W x 290 H		SPSB	SIGN PVC FIRE SPRINKLER BOOSTER 330 W x 225 H
	SPFHM	SIGN PVC FIRE HYDRANT MEDIUM 315 W x 215 H		SPFHHL	SIGN PVC FIRE HOSE & HYD LARGE 370 W x 230 H
	SPFHAM	SIGN PVC FIRE HYD + ARROW MED 210 W x 320 H		SPFHMM	SIGN PVC FIRE HOSE & HYD MED 215 W x 300 H
	SPFHVAS	SIGN PVC FIRE HYD VERT ARROW STRIP 130 W x 450 H		SPFHHL	SIGN PVC FHR & HYD USAGE LARGE 440 W x 395 H
	SPFHYDS	SIGN PVC FIRE HYD STRIP 500 W x 100 H		SPHRHM	SIGN PVC HR & HYDRANT MED 215 W x 315 H 50MM LETTERS
	SPFHB	SIGN PVC FIRE HYDRANT BOOSTER 315 W x 215 H		SPFHRHL	SIGN PVC FHR & HYDRANT LARGE 440 W x 300 H 75MM LETTERS











## SECTION 9 SIGNS & LABELS

### GENERAL SIGNS - PVC - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPFHRHM	SIGN PVC FHR & HYDRANT MED 215 W x 315 H 40MM LETTERS		SPFPL	SIGN PVC FIRE POINT LARGE 900 W x 600 H
	SPFHRL	SIGN PVC FIRE HOSE REEL LARGE 225 W x 300 H WHITE BORDER		SPFPS	SIGN PVC FIRE POINT STRIP 410 W x 65 H
	SPFHRULS	SIGN PVC FHR USE STRIP LGE 440 W x 95 H		SPF	SIGN PVC FIRE 50 W x 100 H WHITE ON RED
	SPFHRS	SIGN PVC FHR STRIP 485 W x 100 H		SPFAPS	SIGN PVC FIRE ALARM PANEL STRIP 520 W x 65 H
	SPFHRRP	SIGN PVC FHR PENALTIES APPLY FOR ILLEGAL USE 190 W x 190 H		SPFASS	SIGN PVC FIRE ALARM STRIP SML 150 W x 70 H RED ON WHITE
	SPFEFHR	SIGN PVC FIRE HOSE REEL FIRE EXT WHITE ON RED 445 W x 155 H		SPFES	SIGN PVC FIRE EQUIPMENT STRIP 500 W x 100 H
	SPES	SIGN PVC FIRE EXT STRIP 450 W x 155 H		SPSPRS	SIGN PVC SPRINKLER PUMP ROOM STRIP 500 W x 100 H
	SPFPUS	SIGN PVC FIRE PUMP STRIP 495 W x 130 H		SPPASS	SIGN PVC P.A.S.S. EXTINGUISHER BC

## SECTION 9 SIGNS &amp; LABELS
















## GENERAL SIGNS - DOORS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPFDWG	SIGN PVC FIRE DOOR WHITE GREEN 330 x 120		SPFSDD-NOBS	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT BLACK/SILVER 320 x 120
	SPFDDNO	SIGN PVC FIRE DOOR DO NOT OBSTRUCT WHITE/GREEN 320 x 120		SPFSDD-NORW	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT RED/WHITE 320 x 120
	SPFDDNO-NO	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN WHITE/GREEN 320 x 120		SPFSDD-NONOBBS	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN BLACK/SILVER 320 x 120
	SPFDD-NONOBBS	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN BLACK/SILVER 320 x 120		SPFSDNO-NO	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN WHITE/GREEN 320 x 120
	SPFDD-NONOWR	SIGN PVC FIRE DOOR DO NOT OBST DO NOT KEEP OPEN WHITE/RED 320 x 120		SPFSD-NONOWR	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN WHITE/RED 320 x 120
	SPFSDDNO	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT WHITE/GREEN 320 x 120		SPFSD-NOWR	SIGN PVC FIRE SMOKE DOOR DO NOT OBSTRUCT WHITE/RED 320 W x 120 H
	SPFSDD-NOWR	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT WHITE/RED 330 x 120		SPFSD-NORW	SIGN PVC FIRE SMOKE DOOR DO NOT OBSTRUCT RED/WHITE 320 W x 120 H
	SPFSDD-NOBW	SIGN PVC FIRE SAFETY DOOR DO NOT OBSTRUCT BLACK/WHITE		SPFSD-NOBW	SIGN PVC FIRE SMOKE DOOR DO NOT OBSTRUCT BLACK/WHITE 320 W x 120 H



## SECTION 9 SIGNS & LABELS

### GENERAL SIGNS - DOORS - PVC - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPFSDNO	SIGN PVC FIRE SMOKE DOOR DO NOT OBSTRUCT WHITE/GREEN 320 W x 120 H		SPRACES	SIGN PVC RACE 220 W x 305 H
	SPFD-NONOWR	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120		SPRFE	SIGN PVC OFFENCES FIRE EXITS LOC GOV WHITE/RED 150 W x 225 H
	SPFDNONO	SIGN PVC FIRE SMOKE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN WHITE/GREEN 320 x 120		SPRFES	SIGN PVC OFFENCES FIRE EXITS LOC GOV BLACK / SILVER 150 W x 225 H
	SPFDNON-ORW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN 320 x 120		SPRFER	SIGN PVC OFFENCES FIRE EXITS EPA ACT WHITE/RED 150 W x 225 H
	SPFD-NONOBW	SIGN PVC FIRE SMK DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN BLACK/WHITE 320 x 120		SPRFEES	SIGN PVC OFFENCES FIRE EXITS EPA ACT BLACK/SILVER 150 W x 200 H
	SPEEDNO	SIGN PVC EMERGENCY EXIT DO NOT OBSTRUCT WHITE/RED 320 x 120		SPRFEW	SIGN PVC OFFENCES FIRE EXITS EPA ACT RED/WHITE 150 W x 225 H
	SPFEDNO	SIGN PVC FIRE EXIT DO NOT OBSTRUCT WHITE/GREEN 300 x 120		SPUREL SPUREM SPURES	SIGN PVC USE RIGHT EXT LGE 500W x 350H MED 400W x 350H SML 255W x 175H
	SPRA	SIGN PVC ***REFLECTIVE*** ARROW ONLY WHITE/GREEN 105 W x 140 H			


















## SECTION 9 SIGNS &amp; LABELS

## GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSARFH	SIGN S/A FIRE HYDRANT ***REFLECTIVE*** 430 W x 260 H		SSAFHRHS	SIGN S/A FIRE HOSE REEL & HYDRANT SMALL 225 W x 300 H
	SSAFH	SIGN S/A FIRE HYDRANT 320 W x 215 H		SSAFHRFH	SIGN S/A FHR & FIRE HOSE 290 W x 190 H
	SSAFHPS	SIGN S/A FIRE HYDRANT STRIP PICTO 300 W x 100 H		SSAFHRWR	SIGN S/A FHR SQUARE 330 W x 330 H
	SSAFHS	SIGN S/A FIRE HYDRANT STRIP 500 W x 100 H		SSAFHRPS	SIGN S/A FHR STRIP PICTO 300 W x 100 H
	SSAHB	SIGN S/A HYDRANT BOOSTER 315 W x 215 H		SSAFHR	SIGN S/A FHR STRIP 500 W x 100 H
	SSAFHH	SIGN S/A FIRE HOSE & HYDRANT 225 W x 300 H		SSAFHRU	SIGN S/A FHR TO BE USED IN CASE OF FIRE 500 W x 100 H
	SSAFHHS	SIGN S/A FIRE HOSE & HYDRANT STRIP 500 W x 100 H		SSAFHP	SIGN S/A FIRE HOSE STRIP PICTO 300 W x 100 H
	SSAFHRH	SIGN S/A FHR & HYDRANT 435 W x 300 H		SSAFEIS	SIGN S/A FIRE EXT INSIDE STRIP 455 W x 50 H











## SECTION 9 SIGNS & LABELS

### GENERAL SIGNS - SELF ADHESIVE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSAFDR1	SIGN S/A FIRE DEPOT <b>**REFLECTIVE**</b> UNDERGROUND 440 W x 350 H		SSAD-NOMP	SIGN S/A DO NOT USE MOBILE PHONE PICTO 100 DIA VINYL
	SSAFDR	SIGN S/A FIRE DEPOT <b>***REFLECTIVE***</b> CLASS 2 310 W x 225 H		SSANSS	SIGN S/A NO SMOKING STRIP 410 W x 125 H
	SSAFDR1S	SIGN S/A FIRE DEPOT <b>***REFLECTIVE ***</b> SML UNDERGROUND 300 W x 200 H		SSADNOS	SIGN S/A DO NOT OBSTRUCT W/R STRIP 70 H x 310 W
	SSAFD	SIGN S/A FIRE DEPOT 315 W x 215 H		SSAE	SIGN S/A EXIT 285 W x 140 H
	SSAEPS	SIGN S/A EXT STRIP PICTO 300 W x 100 H		SSAEP	SIGN S/A EXIT PICTO 310 W x 110 H
	SSAIBF	SIGN S/A IN CASE OF FIRE BREAK FRONT 120 W x 40 H		SSAER	SIGN S/A EXIT <b>**REFLECTIVE**</b> 285 W x 140 H
	SSAIBG	SIGN S/A IN CASE OF EMERGENCY BREAK GLASS 125 W x 75 H		SSAEMB	SIGN S/A EXT MISSING 190 W x 190 H
	SSAFHC	SIGN S/A FH IN CIRCLE WHITE / CLEAR 170 x 170			










## SECTION 9 SIGNS &amp; LABELS

## GENERAL SIGNS - SELF ADHESIVE - continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSAFEX	SIGN S/A FIRE EXIT 350 W x 125 H WHITE/GREEN		SSAFSD-NONOR	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN WHITE/RED
	SSAFDNO	SIGN S/A FIRE DOOR DO NOT OBSTRUCT WHITE/RED 320 W x 120 H		SSASDWG	SIGN S/A SMOKE DOOR WHITE/GREEN 300 W x 120 H
	SSAFD-NOG	SIGN S/A FIRE DOOR DO NOT OBSTRUCT WHITE/GREEN 320 W x 120 H		SSAFSMD-NO	SIGN S/A FIRE SMOKE DOOR DO NOT OBSTRUCT WHITE/RED 320 W x 120 H
	SSAFSDNO	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT WHITE/RED 300 W x 120 H		SSAFSMD-NONOWR	SIGN S/A FIRE SMOKE DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN WHITE/RED 320 W x 120 H
	SSAFSD-NONO	SIGN S/A FIRE SAFETY DOOR DO NOT OBSTRUCT DO NOT KEEP OPEN WHITE/GREEN		SSAOFE	SIGN S/A OFFENCES FIRE EXITS LOC GOVT ACT 225 W x 155 H





## SECTION 9 SIGNS & LABELS

### GENERAL SIGNS - METAL

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SMFHM	SIGN METAL FIRE HYDRANT MED 315 W x 215 H		SFHHM	SIGN METAL FIRE HOSE & HYDRANT 225 W x 300 H
	SMFHL	SIGN METAL FIRE HYDRANT LGE 450 W x 300 H		SMFHRP	SIGN METAL FHR PENALTIES APPLY FOR ILLEGAL USE 190 W x 190 H
	SMFHXL	SIGN METAL FIRE HYDRANT X-LGE 600 W x 450 H		SMSB	SIGN METAL SPRINKLER BOOSTER 300 W x 200 H
	SFHRML	SIGN METAL FIRE HYDRANT <b>**REFLECTIVE**</b> LARGE 450 W x 300 H		SMSSV	SIGN METAL SPRINKLER STOP VALVE 300 W x 300 H
	SMHS	SIGN METAL BACK H HYDRANT 75 W x 150 H		SMER	SIGN METAL EXIT <b>***REFLECTIVE***</b> 290 W x 150 H
	SMFHP	SIGN METAL FIRE HYDRANT PUMP 300 W x 300 H		SMFSDD-NOSB	SIGN METAL FIRE SAFETY DOOR DO NOT OPEN BLACK/SILVER
	SMHB	SIGN METAL HYDRANT BOOSTER 300 W x 220 H			

## SECTION 9 SIGNS &amp; LABELS



## EXIT SIGNS - PVC

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPE	SIGN PVC EXIT 350 W x 150 H		SELAP	SIGN EXIT ARROW LUMINOUS ARROW PICTO 150 W x 150 H
	SPFE	SIGN PVC FIRE EXIT STRIP 350 W x 130 H		SELRLE	SIGN EXIT LUM S/S RUNNING MAN PICTO LEFT EXIT 400 W x 150 W
	SPEEPB	SIGN PVC EMERGENCY EXIT PUSH BAR TO OPEN WHITE ON GREEN		SELRRE	SIGN EXIT LUM S/S RUNNING MAN PICTO RIGHT EXIT 400 W x 150 H
	SPNES	SIGN PVC NO EXIT STRIP 330 W x 175 H		SELRLP	SIGN EXIT LUM S/S RUNNING MAN PICTO LEFT PVC 300 W x 100 H
	SPFER	SIGN PVC FIRE EXIT ***REFLECTIVE*** 355 W x 130 H		SELR RP	SIGN EXIT LUM S/S RUNNING MAN PICTO RIGHT PVC 300 W x 100 H
	SELFEP	SIGN PVC LUM FIRE EXIT PICTO 300 W x 100 H		SELRP	SIGN EXIT LUM S/S RUNNING MAN PICTO PVC 440 W x 180 H
	SELEEO	SIGN PVC LUM EMERGENCY EXIT EMERGENCY USE ONLY 400 W x 150 H		SELRPS	SIGN EXIT LUM S/S RUNNING MAN PVC PICTO SMALL 180 W x 180 H
	SELEE	SIGN PVC LUM EMERGENCY EXIT 400 W x 150 H			




SECTION 9 SIGNS & LABELS

ENGRAVED SIGNS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SEFSVB	SIGN FIRE SERVICE VALVE BRASS 120 W x 35 H 8MM LETTERS		STEF-SVHR	SIGN FIRE SERVICE VALVE PVC ENGRAVED 175 W x 50 H










SIGN ADHESIVE

	CODE	DESCRIPTION
	SA	SIGN ADHESIVE 420 GRAM TUBE PVC ADHESIVE




NOTES

## SECTION 9 SIGNS & LABELS

### FIRE LABELS - EXTINGUISHER PICTOGRAM

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RPABE	LABEL RATING PICTO ABE 155 W x 50 H		RPAWS	LABEL RATING PICTO A/W SMALL 85 W x 25 H
	RPABES	LABEL RATING PICTO ABE SMALL 85 W x 25 H		RPBE	LABEL RATING PICTO BE & CO2 100 W x 50 H
	RPAF	LABEL RATING PICTO AFFF (FOAM) 155 W x 50 H		RPBES	LABEL RATING PICTO BE SMALL 55 W x 25 H
	RPAFS	LABEL RATING PICTO AFFF SMALL 85 W x 25 H		RPWC	LABEL RATING PICTO WET CHEM 200 W x 50 H
	RPAW	LABEL RATING PICTO A/WATER 155 W x 50 H			

### FIRE LABELS - EXTINGUISHER PRESSURE TEST

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LPTA	LABEL P/TEST ALUMINIUM 2MPa 35 W x 35 H		LPTAA	LABEL PRESSURE TEST BLANK 35 W x 35 H
	LPTA25	LABEL P/TEST ALUMINIUM 2.5MP 35 W x 35 H			

## SECTION 9 SIGNS & LABELS

### FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LPBL	LABEL PLAIN BLACK LARGE CO2 500 W x 50 H		LFT	LABEL FIRE TRAINER 100 W x 100 H
	LPBLL	LABEL PLAIN BLUE LARGE 500 W x 50 H		LS050	LABEL INFORMATION (REMOTE RELEASE) R-102 ANSUL
	LPLG	LABEL PLAIN LIME GREEN METAL FIRE EXT 480 W x 55 H		LSAAFSS	LABEL SELF ADH AUTO- MATIC FIRE SUPPRES- SION SYS 165 W x 270 H
	LPTL	LABEL PLAIN TAN LARGE WET CHEM 500 W x 50 H		LS030	LABEL SYSTEM (SAFETY WARNING) R102 ANSUL
	LPWL	LABEL PLAIN WHITE LARGE DCP 700 W x 60 H		LSACSR	LABEL S/A CANDY STRIPE RED/WH CLASS 1 <b>*REFLECTIVE *</b> 50 x 0.8M
	LPWM	LABEL PLAIN WHITE MEDIUM 450 W x 45 H		LSAPD	LABEL S/A PARTIAL DISCHARGE SHEETS OF 10 / 20 / 30 / 40
	LPWS	LABEL PLAIN WHITE SMALL 400 W x 35 H		LSAS	LABEL S/A SEAL TIE THE BREAKING OF THIS SEAL 80 W x 20 H
	LCI	LABEL CORROSION INHIBI- TOR 60 W x 35 H		LC2FO	LABEL CO2 2.0 KG FIREOUT 5B:E RATING
	LCOND	LABEL CONDEMNED DO NOT USE 179 W x 20 H		LC35FO	LABEL CO2 3.5KG FIREOUT 10B:E RATING
	LFHRFO	LABEL FHR FIREOUT 175 DIA S/A		LC5FO	LABEL CO2 5.0 KG FIREOUT 10B:E RATING
	LFHRNN	LABEL FHR NO NAME 180 DIA S/A		LDA9FO	LABEL DCP ABE 9.0KG FIREOUT 10A-80B:E RATING



















## SECTION 9 SIGNS &amp; LABELS

## FIRE LABELS - EXTINGUISHER TYPE &amp; ANCILLARY continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LAF9FO	LABEL AIR FOAM 9LTR FIREOUT 4A-30B:E RATING		LC35CG	LABEL CO2 3.5KG CHUBB GENUINE
	LAW9FO	LABEL AIR WATER 9LTR FIREOUT 4A RATING		LC5WG	LABEL CO2 5KG WORMALD GENUINE
	LAFF3NN	LABEL FOAM 3F FLUORINE FREE RECHARGE LABEL		LCCG	LABEL CO2 5.0KG CHUBB GENUINE 10BE 210 W x 210 H
	LAF	LABEL AIR FOAM 300 W x 135 H		LCL	LABEL CO2 LARGE (3.5 & 5.0KG) 555 W x 140 H
	LAFCG	LABEL AIR FOAM CHUBB GENUINE 3A:20BE		LCS	LABEL CO2 SMALL 2KG 380 W x 100 H
	LAFQ	LABEL AIR FOAM Q GENUINE 3A30BE 290 W x 150 H		LCSS	LABEL CO2 SMALL SWIVEL ELBOW 160 W x 255 H
	LAFQ2	LABEL AIR FOAM QUELL SERIES 2 250 W x 140 H		LDA	LABEL DCP ABE SMALL LIFT HANDLE 125 W x 120 H
	LAFW91	LABEL AIR FOAM WORM 9.1LTR GEN3A:30B SILVER 300 W x 170 H		LDA45QG	LABEL DCP ABE 4.5KG Q GENUINE 4A:80B:E 290 W x 150 H
	LAW	LABEL AIR WATER RATING 3A 300 W x 150 H		LDA45WG	LABEL DCP ABE 4.5KG W GENUINE 4A:60B:E 280 W x 135 H
	LAWF	LABEL AIR WATER 9.1L FIREX GENUINE 3A		LDA45WG 80	LABEL DCP ABE 4.5KG W GENUINE 4A:80B:E
	LAWQG	LABEL AIR WATER Q GENUINE 3A 290 W x 150 H		LDA9CG	LABEL DCP ABE 9KG CH GENUINE 6A:80B:E 230 W x 220 H

## SECTION 9 SIGNS & LABELS

### FIRE LABELS - EXTINGUISHER TYPE & ANCILLARY continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LDA9FG	LABEL DCP ABE 9KG FIREX GEN 4A:80B:E 295 W x 155 H		LDBS	LABEL DCP BE SMALL W/O HOSE 400 W x 125 H
	LDA9FM	LABEL DCP ABE 9KG F/M AMEREX BRASS VALVE GEN		LDBSH	LABEL DCP BE SMALL C/W HOSE 400 W x 125 H
	LDA9QG	LABEL DCP ABE 9KG Q GENUINE 6A:80B:E 290 W x 150 H		LDBWNN	LABEL DCP BE NO NAME 600 W x 125 H
	LDA9WG	LABEL DCP ABE 9KG WORM GENUINE 6A:80B:E 295 W x 145 H		LDCMCG	LABEL DCP METAL FIRES CHUBB GENUINE 180 W x 250 H
	LDAQNNS	LABEL DCP ABE Q N N SQUARE 245 W x 190 H		LDS	LABEL DCP BE SMALL LIFT HANDLE TYPE 125 W x 120 H
	LDAS	LABEL DCP ABE SMALL W/O HOSE 400 W x 125 H		LDSM	LABEL DCP SWORDSMAN 225 W x 105 H
	LDASH	LABEL DCP ABE SMALL C/W HOSE 400 W x 125 H		LMDA	LABEL MOBILE DCP ABE PICTO 185 W x 185 H
	LDAWNN	LABEL DCP ABE NO NAME 600 W x 125 H		LMDB	LABEL MOBILE DCP BE PICTO 185 W x 185 H
	LDBQNNS	LABEL DCP BE Q N N SQUARE 245 W x 200 H		LMF	LABEL MOBILE FOAM OPERATING 180 W x 240 H



## SECTION 10 SUPPRESSION SYSTEMS

### STAT-X FIRE SUPPRESSION SYSTEMS



#### Stat-X Aerosol Fire Suppression

#### Your Choice for Special Hazard Fire Protection

**Stat-X** devices are termed condensed aerosol agent generators because they generate an ultra-fine suspension of highly ionized potassium fire fighting particles upon actuation. Suitable for machinery spaces, unoccupied spaces and normally unoccupied spaces **Stat-X** generators come in a variety of sizes. Actuation can take place by electrical, thermal or manual activation and upon discharge fills the protected area with a soft suspension of **Stat-X** agent without "super-pressurizing" the protected space and inhibits the fire chain reaction.

Due to the minute particle size, agent particles remain suspended for an extended period of time to prevent re-ignition while also absorbing heat from the fire.

Post fire clean-up is simple and replacement generators can be reinstalled immediately meaning virtually no unprotected period.

Carrying key approvals worldwide, **Stat-X** is by far the most efficient fire suppression agent by weight currently available.

#### Key Features

- ⇒ **Highly effective** - rapid class A & B fire suppression
- ⇒ **Compact** - weight & space saving up to 90% compared to gaseous systems
- ⇒ **Easy to install** - non-pressurized, no cylinders or pipe work necessary
- ⇒ **Virtually maintenance free** - SS construction, 10 year service life
- ⇒ **Cost saving** - significant install & maintenance savings over normal systems
- ⇒ **Minimal post fire downtime** - simply replace generators and re arm system
- ⇒ **Non-corrosive, non-conductive** - extensive testing on many materials
- ⇒ **Non-toxic** - approved for unoccupied and normally unoccupied areas
- ⇒ **Environmentally friendly** - zero ozone depleting & global warming potential
- ⇒ **Extensive testing & approvals** - including UL, CSIRO & numerous marine
- ⇒ **Selected by US and Australian Military** - for vehicle and marine applications




Orders P: 02 4954 0333 E: [sales@awfs.com.au](mailto:sales@awfs.com.au)



## SECTION 10 SUPPRESSION SYSTEMS

### STAT-X FIRE SUPPRESSION SYSTEMS


#### STAT-X MANUAL OR THERMAL ACTIVATION GENERATORS

	CODE	DESCRIPTION
	S129997	STAT-X 30 T THERMAL or MANUAL GENERATOR
	S129998L	STAT-X 60 T LONG THERMAL or MANUAL GENERATOR
	S129999	STAT-X 100 T THERMAL or MANUAL GENERATOR
	S130000	STAT-X 250 T THERMAL or MANUAL GENERATOR
	S130000L	STAT-X 250 T LONG THERMAL or MANUAL GENERATOR
	S130001	STAT-X 500 T THERMAL or MANUAL GENERATOR
	S140000	STAT-X 1000 M T THERMAL or MANUAL GENERATOR

#### STAT-X MANUAL OR THERMAL ACTUATORS

	S132161	STAT-X HEAD THERMAL/MANUAL 70C BRASS <b>HORIZONTAL</b> PULL
	S132162	STAT-X HEAD THERMAL/MANUAL 70C BRASS <b>VERTICAL</b> PULL
	S132163	STAT-X HEAD THERMAL/MANUAL 95C BRASS <b>HORIZONTAL</b> PULL
	S132164	STAT-X HEAD THERMAL/MANUAL 95C BRASS <b>VERTICAL</b> PULL
	S132165	STAT-X HEAD THERMAL/MANUAL 123C BRASS <b>HORIZONTAL</b> PULL
	S132166	STAT-X HEAD THERMAL/MANUAL 123C BRASS <b>VERTICAL</b> PULL
	S130006	STAT-X 316 STAINLESS STEEL <b>MANUAL ONLY VERTICAL</b> PULL
	S130007	STAT-X 316 STAINLESS STEEL <b>MANUAL ONLY HORIZONTAL</b> PULL




#### STAT-X ELECTRIC GENERATORS

	S129984	STAT-X 30 E ELECTRIC GENERATOR
	S129985L	STAT-X 60E LONG ELECTRIC GENERATOR
	S129986	STAT-X 100E ELECTRIC GENERATOR
	S129987	STAT-X 250E ELECTRIC GENERATOR
	S129988	STAT-X 500E ELECTRIC GENERATOR
	S129989	STAT-X 1000 ELECTRIC GENERATOR
	S129990	STAT-X 1500 ELECTRIC GENERATOR
	S129991	STAT-X 2500 ELECTRIC GENERATOR







# SECTION 10 SUPPRESSION SYSTEMS

## STAT-X FIRE SUPPRESSION SYSTEMS

### STAT-X GENERATOR MOUNTING BRACKETS

	CODE	DESCRIPTION
	S129993	STAT-X 30/60 STAINLESS STEEL MOUNT/BRACKET
	S129994	STAT-X 100 STAINLESS STEEL MOUNT/BRACKET
	S136186	STAT-X VEHICLE BRACKET FOR 30/60 ST/ST HEAVY DUTY
	S132844	STAT-X VEHICLE BRACKET FOR 100 ST/ST HEAVY DUTY
	S130396	STAT-X VEHICLE BRACKET FOR 250/500/1000ME/1000MT HEAVY DUTY
	S130397	STAT-X VEHICLE BRACKET FOR 1000E/1500E/2500E HEAVY DUTY
	S129995	STAT-X VEHICLE BRACKET FOR 250/500/1000ME/1000MT
	S129996	STAT-X VEHICLE BRACKET FOR 1000E/1500E/2500E

### STAT-X CONTROL & DETECTION

	CODE	DESCRIPTION		CODE	DESCRIPTION
	S001-926	STAT-X LIGHT VEHICLE PANEL		S045-928	STAT-X LV/MV PANEL MOUNTING BRACKET
	S020-040	STAT-X 9V LITHIUM BATTERY FOR LV PANEL		S135982	STAT-X CABLE MANUAL RELEASE KIT 1M
	S47129	STAT-X REMOTE MANUAL ACTUATOR FOR LV PANEL		S135983	STAT-X CABLE MANUAL RELEASE KIT 3M
	S001-927	STAT-X MARINE CONTROL PANEL		S135984	STAT-X CABLE MANUAL RELEASE KIT 6M

## SECTION 10 SUPPRESSION SYSTEMS

### STAT-X FIRE SUPPRESSION SYSTEMS

#### STAT-X CONTROL & DETECTION

	CODE	DESCRIPTION		CODE	DESCRIPTION
	S130423	STAT-X THERMAL SWITCH		SSP668-332	STAT-X 3k3 2watt END OF LINE RESISTOR (USE W/ MV PANELS)
	S001-930	STAT-X THERMAL SWITCH KIT WITH 300MM FLY LEAD & JUNCTION		S12011F	SMOKE DETECTOR MARINE GRADE CONVENTIONAL OPTICAL
	S001-987.1	STAT-X END-OF-LINE MODULE FOR USE WITH LV & VS-MK11		S12012F	THERMAL DETECTOR 90oC MARINE GRADE TYPE C
	S001-987.4	STAT-X END-OF-LINE RESISTOR KIT FOR MARINE		S12016F	STAT-X THERMAL DETECTOR 60oC HOCHIKI MARINE GRADE DCDAR3/M
	S001-987.3	STAT-X 1k ohm END OF LINE RESISTOR ASSEMBLY		S12013F	DETECTOR BASE MARINE GRADE CONVENTIONAL
	S001-984.4	STAT X INLINE BRASS ENCLOSURE WITH CONNECTOR BLOCK		S12014F	STAT-X OPTION WATER TIGHT DETECTOR MOUNT BOX C/W GLANDS
	SH8069	STAT-X LINEAR HEAT DETECTION CABLE RED 177-189oC		S132830	STAT-X SOUNDER/STROBE 9-15V AMBER
				S132831	STAT-X SOUNDER/STROBE 18-30V AMBER
	SH9650	STAT-X LINEAR HEAT DETECTION CABLE WHITE 229-251oC		S132445	STAT-X SOUNDER/STROBE 12V RED
				S31015F	STAT-X SOUNDER/STROBE 24V RED



# SECTION 10 SUPPRESSION SYSTEMS

## STAT-X FIRE SUPPRESSION SYSTEMS

### STAT-X THREAD ADAPTORS - ELECTRICAL GENERATORS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	S130166	STAT-X M20 CABLE GLAND ADAPTOR 3/4" NPT SUIT FR CABLE		S075-077	STAT-X PG9 METAL CABLE GLAND SUITS GKW CABLE
	SCGM20	STAT-X CABLE GLAND METAL 20MM SUITS FR CABLE		S132648	STAT-X REDUCING BUSH 3/4 BSP X 1/2 BSP SUITS M20 CABLE GLAND
				S132649	STAT-X ST/ST ELBOW 3/4IN NPT X 3/4IN BSP
	S136053	STAT-X PG9 CABLE GLAND ADAPTOR 3/4" NPT		S040-080	STAT-X ENCLOSURE ALUMINIUM IP65 58 x 64 x 36

### STAT-X CABLING & FASTENERS












	CODE	DESCRIPTION		CODE	DESCRIPTION
	S132514	STAT-X FUSE HOLDER BLADE WATERPROOF C/W FAIL LIGHT		S130132	DEUTCH CONNECTOR 2 PIN
				S130134	DEUTCH CONNECTOR 4 PIN
	S132515	STAT-X FUSE BLADE 5 AMP		S129924	STAT-X DT CLIP S/STEEL SUITS DT04
	S87060	GKW TWIN CORE FIRE RATED 87060 CABLE (2 X 0.75MM)		S103198	STAT-X P-CLIP 19MM(1XM6) SUITS 1/2INCH HOSE HOLDS GROMMETS
	S87061	GKW FOUR CORE FIRE RATED 87061 CABLE (4 X 0.75MM) 87061		S128819	P-CLIP TO SUIT TWO CORE CABLE OR PYROTUBE
	S121256	TWIN CORE FIRE RATED CABLE MARINE FR 2 X 0.75MM 121256		S90950	STAT-X SILICON GROMMET SUIT LHD/ GKW TWIN CORE
	S128713	FOUR CORE FIRE RATED CABLE MARINE FR 4 X 0.75MM 128713		S103248	STAT-X RUBBER GROMMET SUIT FR TWO CORE/GKW FOUR CORE



## SECTION 10 SUPPRESSION SYSTEMS

### STAT-X FIRE SUPPRESSION SYSTEMS

#### STAT-X LABELS









	CODE	DESCRIPTION		CODE	DESCRIPTION
	S66551	STAT-X LABEL VS CAUTION SHUT DOWN SINGLE		S66547	STAT-X LABEL 'WARNING MAY OPERATE AUTOMATICALLY'
	S66538	STAT-X LABEL 'AS5062 IN CASE OF FIRE INITIATE EMERGENCY'		S66548	STAT-X LABEL 'DO NOT ENTER'
	S66539	STAT-X LABEL 'AS5062 IN CASE OF FIRE- SAFELY STOP MACHINE'		S66549	STAT-X LABEL 'EVACUATE ON SOUNDING OF ALARM'
	S66545	STAT-X LABEL 'AS5062 FIRE SYSTEM ISOLATOR'		S66549AL	STAT-X LABEL 'EVACUATE ON SOUNDING OF ALARM' ALUMINIUM
	S66544	STAT-X LABEL 'AS5062 BATTERY ISOLATION'		S137060	STAT-X LABEL 'CABLE MANUAL RELEASE'
	S66546	STAT-X LABEL 'AS5062 DISCHARGE DELAY'			

#### STAT-X TESTING & DEMONSTRATION EQUIPMENT

	CODE	DESCRIPTION		CODE	DESCRIPTION
	TEMP INDICATOR STICKER (10PK)			SUSB-232-1	STAT-X USB TO RS232 CONVERTER
	S136003	40-71DEG SERIES A			
	S136004	77-116DEG SERIES B			
	S136007	121-160DEG SERIES C			
	S136005	166-204DEG SERIES D			
	S136006	210-260DEG SERIES E			
	S14590	STAT-X E-MATCH TESTER			

SECTION 10 SUPPRESSION SYSTEMS

SCHRADER VALVES, CAPS & TOOLS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SV	SCHRADER VALVE NICKEL PLATED		SVCORE	SCHRADER VALVE CORE
	SVB	SCHRADER VALVE 1/8 INCH BSP TAPER THREAD + CAP FIXED SYSTEM		SVCM	SCHRADER VALVE CAP METAL NICKEL PLATED
	SVFS	SCHRADER VALVE FLAMESTOP		SVCP	SCHRADER VALVE CAP PLASTIC
	SVQ	SCHRADER VALVE SYSTEMS C/W CAP		SVCR	SCHRADER VALVE CORE REMOVER

## SECTION 10 SUPPRESSION SYSTEMS

### SUPPRESSION SYSTEM SPARES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSTE	SPRINKLER SPANNER EXPOSED SPRINKLER		G2563LFB	GAUGE 2500 KPA LIQUID FILLED 63MM DIA 1/4 BSP BOTTOM ENTRY
	SSTR	SPRINKLER SPANNER RECESSED SPRINKLER		G2563LFR	GAUGE 2500KPA LIQUID FILLED 63MM DIA 1/4 BSP REAR ENTRY
	G1000LFB	GAUGE 1000KPA LIQUID FILLED 100MM DIA 100-1000KPA 3/8IN		G4000LFB	GAUGE 4000KPA LIQUID FILLED SS BOTTOM ENTRY 1/4" BSPT
	G1600L	GAUGE 1600 KPA LARGE FACE 100MM DIA FACE 0-1600KPA		G1200LF	GAUGE 1200KPA LIQUID FILLED 900-2500KPA
	G1600LFL	GAUGE 1600 KPA LIQUID FILLE 100MM DIA 0-1600KPA 3/8IN BSP		G1600LF	GAUGE 0-900-1600-2500 38MM DIA LIQUID FILLED REAR ENTRY
	G1600LFS	GAUGE 1600 KPA LIQUID FILLED 63MM DIA 0-1600KPA 1/4INCH BSP		G1622	GAUGE 1622 KPA WFS FOAM SYSTEM 37MM FACE
	G2500LFB	GAUGE 2500KPA LIQUID FILLED 100MM DIA 3/8 BSP BOTTOM ENTRY		GA78707	GAUGE ANSUL RS NITROGEN VALVE 78707
	G2500LFBH	GAUGE 2500KPA LIQUID FILLED SS 63MM DIA 3/8 BSP BOTTOM ENTRY		FLK74	FUSIBLE LINK K 165 DEGREE F 74 DEGREE CELSIUS
	G2500R	GAUGE 2500 KPA 63MM DIA FACE REAR ENTRY 1/2 INCH BSP 0-2500		FLA74	FUSIBLE LINK A 165 DEGREES F 74 DEGREE CELSIUS



## SECTION 10 SUPPRESSION SYSTEMS

## SUPPRESSION SYSTEM SPARES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	C142G	CARTRIDGE CO2 142 GRAM FOR REMOTE ACTUATORS OLD QUELL / FSI		FE2205	FITTING EMT 1/2 IN COMPRESSION COUPLING 50 PER BOX
	CPRSQ	CAP PLASTIC RED SYSTEM QUELL WORMALD		NCORVSW	NOZZLE CAP VEHICLE SYSTEMS C/W LANYARD WIRE RETAINER OFF ROAD
	DHCAK	DISCH HOSE CO2 SYSTEM CONNECT 510MM ACTUATORS INCL NIPPLE		NCORVSWP	NOZZLE CAP BLACK PVC HIGH TEMP SMALL
	DHCFS	DISCH HOSE CO2 SYSTEM 450MM - 510MM C/W SWIVEL ENDS		NCORVSWPL	NOZZLE CAP RED PVC HIGH TEMP LARGE
	DHCMK	DISCH HOSE CO2 SYSTEM MANIFOLD & ACTUATOR 800MM C/W NIPPLE		RGVS	PYROTUBE RUBBER GROMMET MOUNT SUPPRESSION SYSTEMS
	DHNCS	DISCH HORN J803380 CO2 1/2 INCH S TYPE METAL HORN		LSAAFSS	LABEL SELF ADH AUTOMATIC FIRE SUPPRESSION SYS 165MM W x 270MM H
	FE1210	FITTING EMT 1/2 IN SET SCREW CONNECTOR 50 PER BOX			

SECTION 10 SUPPRESSION SYSTEMS








LINEAR HEAT DETECTION CABLE

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SH8069	LINEAR HEAT DETECTION CABLE RED 177 - 189o C		SH9650	LINEAR HEAT DETECTION CABLE WHITE 229 - 251o C





## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

### EVACUATION SIRENS



	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSA120	SIREN WARNING STAND ALONE 120DBA @ 1MT OUTPUT 600 Hz NOM AIR RAID NOISE		SHHEB	SIREN HAND HELD ECOBLAST C/W HAND PUMP FOR RECHARGE
	SHH	SIREN WARNING HAND HELD ALLOY 105 - 110DB @ 1M AIR RAID NOISE		SMPS	SIREN MEGAPHONE PISTOL GRIP EVAC SIREN OUTPUT 25 WATT MAX
	SHHP	SIREN WARNING HANDHELD PLASTIC 105 - 110DB @ 1M AIR RAID NOISE		SWP	SCOTTY 0782 SAFETY WHISTLE 112 DECIBEL BLAST C/W KEY RING
	SAH	SIREN AIR HORN UP TO 117DB			

### ESCAPE LADDERS




	CODE	DESCRIPTION		CODE	DESCRIPTION
	LF13	ESCAPE LADDER 3.96MT (13FT) 2 STORY FOLD-AWAY LADDER		LF25	ESCAPE LADDER 7.62MT (25FT) 3 STORY FOLD-AWAY LADDER
					
					

## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

### LOCK OUTS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LODH	LOCK OUT DUAL HASP Z/P METAL 1 3/4 & 3/4 DIAM 6 PADLOCKS		LOH	LOCK OUT HASP SINGLE SCISSOR RED METAL 1INCH DIA 4 3/8 L 4 PAD

### RESCUE TOOLS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RQTI	RESCUE ME TOOL CUTS SEAT BELTS SHATTERS TEMPERED GLASS		RQEBGHW	RESCUE TOOL VEHICLE EMERGENCY BREAK GLASS HAMMER C/W WEBB CUTTER
	SESK	SAFETY EQUIP KNIFE CUTTERS SUIT FIRE HOSE / EXT BAGS			

### FIRE RAKES, AXES & FIRE BEATERS




	CODE	DESCRIPTION		CODE	DESCRIPTION
	RHCA	FIRE RAKE HOE ORANGE HEAD WITH FIBREGLASS HANDLE		FBEATF	FIRE SWATTER FIBREGLASS HANDLE RUBBER BEATER 1430MM L
	APMFG	AXE PULASKI AXE / MATTOCK WITH FIBREGLASS HANDLE		AFH	AXE FIREFIGHTING AXE / SPIKE WITH FIBREGLASS HANDLE
	APM	AXE PULASKI AXE/ MATTOCK TIMBER HANDLE		AFHM	AXE FIREMANS HATCHET MULTI USE WITH SHEATH

## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

### FIRE LIGHTER

	CODE	DESCRIPTION		CODE	DESCRIPTION
	FBFL	FIRE BUG FIRE LIGHTER 4L FIRE LIGHTER		FBWO	FIRE BUG WICK ONLY
	FBFL5LR	FIRE BUG FIRE LIGHTER 5L RETRACTABLE WAND		FBWCB	FIRE BUG WICK CLAMP & BOLT
	FBWA	FIRE BUG WAND ASSEMBLY C/W WICK		FBLO	FIRE BUG LID C/W O RING & LABEL

### COLLAPSIBLE FIRE FIGHTER BACK PACKS

	CODE	DESCRIPTION
	BPFFS	BACK PACK WATER SPRAYER RED KNAPSACK COLLAPSIBLE
	BPFFSY	BACK PACK WATER SPRAYER YELLOW KNAPSACK COLLAPSIBLE
	BPFFSPO	BACK PACK 16LT KNAPSACK SOFT DUAL ACTION PUMP ONLY



- ◇ 15 - 16LT capacity HF welded flexible tank
- ◇ Manufactured from UV resistant reinforced material
- ◇ Highly effective double action hand pump with Jet / fog functions
- ◇ Ergonomic design with adjustable shoulder and waist straps

## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

### REGA FIRE FIGHTER BACK PACKS



- ◇ **16 Litre polyethylene tank with dual action brass plunger action pump**
- ◇ **No. 8 bushfire nozzle straight jet / flat fantail Spaying capacity 1.25 Litres per minute**
- ◇ **Dimensions 650 mm (H) x 495 mm (W)**
- ◇ **Optional heavy duty vehicle mounting bracket Ensures safe and secure attachment to vehicles**









CODE	PRODUCT DESCRIPTION
BPFF	REGA KNAPSACK 16LT RIGID PVC FIRE FIGHTER SPRAYER
HDVBRK	VEHICLE TRUCK BRACKET REGA KNAPSACK TO SUIT P/N BPFF

### REGA FIRE FIGHTER BACK PACK PARTS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RBPPA	BACKPACK PUMP ASSEMBLY C/W HOSE AND PUMP (ALT P/N 109724)		BPLO	BACK PACK LID ONLY 109792 FOR REGA POLYTHENE 16L (ALT P/N 109792)
	RBPPO	BACKPACK PUMP ASSEMBLY ONLY (ALT P/N 109727)		BPLS	BACK PACK LID SEAL 16LT PVC REGA POLYTHENE 16L (ALT P/N 109701)
	RBPHSUB	REGA BACK PACK HOSE ASSEMBLY C/W ELBOW & VALVE TAIL		BPFSA	BACK PACK REGA FIRE FIGHTER 16L PVC STRAINER ASSEMBLY (ALT P/N 109763)
	RBPHO	BACK PACK HOSE ONLY BARE POLY FOR REGA UNDERARM PUMP (ALT P/N 109777)		BPFOK	BACK PACK FIRE FIGHTER 16L PVC OVERHAUL KIT (ALT P/N 109778)

## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

### REGA FIRE FIGHTER BACK PACK PARTS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	RBPN	BACK PACK PUMP NOZZLE ASSY FOR REGA UNDERARM PUMP (ALT P/N 109753)		RBPC	BACK PACK CLIP C/W CHAIN 16L PVC UNDERARM PUMP REGA (ALT P/N 109715)
	RBPHTV	BACK PACK HOSE TAIL VALVE FOR REGA UNDERARM PUMP (ALT P/N 109770)		RBPHC	BACK PACK HOSE CLAMP FOR REGA 16L PVC UNDERARM PUMP (ALT P/N 103330)
	RBPEO	BACK PACK ELBOW ONLY FOR UNDERARM PUMP ASSEMBLY (ALT P/N 109775)		RBPSO	BACK PACK STRAP ONLY 10971 REGA POLY 16L 1130MM L (ALT P/N 109711)
	RBPOS	BACK PACK OUTLET SOCKET REGA POLY 16L (ALT P/N 109703)		RBPSPO	BACK PACK SHOULDER PAD ONLY REGA POLY 16L (ALT P/N 109713)
	RBPOSN	BACK PACK BACKING NUT TO SUIT REGA OUTLET SOCKET (ALT P/N 109708)		RBPBO	BACK PACK BUCKLE ONLY 109712 REGA POLY 16L (ALT P/N 109712)

### RURAL FIRE HOSE NOZZLES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	NPG475	NOZZLE PISTOL GRIP HANDLINE 38MM BSP 115 - 475LPM VARIABLE PATTERN		NDAJ	NOZZLE 25MM BSP ALUM DIAL A JET 3-5-8MM & FOG SPRAY MID SCREW
	NPG150	NOZZLE PISTOL GRIP HANDLINE 25MM BSP 19 - 150 LPM VARIABLE PATTERN		KDAJ12	SERVICE KIT DIAL A JET 12




SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

VEHICLE MOUNT FIRE HOSE REEL

Designed to be mounted on light trucks or trailers, this hose reel incorporates high quality, durable core components in an economical package suitable for rural land owners and community fire trailers. The hose reel is easily deployed and operated by a single person.

Designed to be used with portable fire fighting pumps, the hose reel has a maximum working pressure of 20bar (2000 kPa) and is easily connected with a 25mm (1") BSP male brass inlet fitting.

Fitted with a 30m long premium rubber hose to resist kinking and a plated brass jet, spray, fog nozzle this unit is fully pressure tested once assembled.



CODE	DESCRIPTION
HR3019VM	HOSE REEL 30M X 19MM VEHICLE MOUNT

BUSHFIRE HOSE KITS

Our hose kits are available with either alloy Storz couplings or brass BSP couplings in both 25mm and 38mm sizes and are suitable for use with most fire fighting pumps.

Hose kits are constructed using quality lined lay flat hose material meeting international approvals attached to couplings using bandit clamps and protective hose sheaths.

Kits are supplied with a triple purpose jet, spray , fog hose nozzle, hose strap and poly storage bag. Multiple hoses can be joined together to achieve additional reach.



CODE	DESCRIPTION
FHKIT25ST30	FIRE HOSE KIT 25MM x 30M 25 STORZ WITH NOZZLE
FHKIT38ST30	FIRE HOSE KIT 38MM x 30M 38 STORZ WITH NOZZLE
FHKIT25B30	FIRE HOSE KIT 25MM x 30M 25 BSP WITH NOZZLE
FHKIT38B30	FIRE HOSE KIT 38MM x 30M 38 BSP WITH NOZZLE

## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

### SCOTTY FIRE FIGHTER NOZZLES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	NPGSFF	NOZZLE PISTOL GRIP SCOTTY 4037 38MM BSP FEMALE GRP RED		S4005PN	SCOTTY 4005 PENETRATOR NOZZLE ONLY
	N38PSR	NOZZLE 38MM BSP F GRP OFF - FOG RED SCOTTY FIREFIGHTER TWIST 280LPM		BFM	SCOTTY 4095 FOAM BRANCH HOSE REEL STORZ C/W 2 x 19MM + INDUCTOR
	N38PSRLF	NOZZLE 38MM BSP F GRP OFF - FOG RED TWIST LOW FLOW 56 - 189LPM		NSAAF	SCOTTY 4020 AIR ASPIRATING FOAM NOZZLE 15GPM - 57LPM
	NDAJS	SCOTTY 4044 DIAL A FLOW NOZZLE REVOLVER TYPE RATES 3 6 9 12		NSAAFS	SCOTTY 4015 AIR ASPIRATING FOAM NOZZLE 8GPM @ 60 PSI
	NPSOV	NOZZLE PVC SHUT OFF VALVE ONLY 38MM BSP		SMEFNA	SCOTTY 4039MX MEDIUM EXPANSION FOAM NOZZLE ATTACHMENT
	S400580	SCOTTY 4005 PENETRATING NOZZLE C/W BALE ARM SHUT OFF			

### SCOTTY FORESTRY COUPLINGS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SQCF	FORESTRY CONNECTION FEMALE 1.5 INCH BSP FLURO YELLOW GF NYLON		SQCM	FORESTRY CONNECTION MALE 1.5 INCH BSP FLURO YELLOW GF NYLON

## SECTION 11 SAFETY & BUSHFIRE EQUIPMENT

### SCOTTY SQUALL WALLS & FITTINGS




	CODE	DESCRIPTION		CODE	DESCRIPTION
	SSW405615	SCOTTY SQUALL WALL 15GPM 4056 38MM BSP FEMALE		SSW405650M	SCOTTY SQUALL WALL 50GPM 4056 38MM BSP MALE
	SSW405615M	SCOTTY SQUALL WALL 15GPM 4056 38MM BSP MALE		S3WV	SCOTTY 3 WAY VALVE 3 x 1.5 INCH BSP MALE THREAD PORTS 4050
	SSW405630	SCOTTY SQUALL WALL 30GPM 4056 38MM BSP FEMALE		ARS4082BSP	SCOTTY 4082 REDUCER 38MM BSP MALE TO 25MM BSP FEMALE GRP
	SSW405630M	SCOTTY SQUALL WALL 30GPM 4056 38MM BSP MALE			

### SCOTTY FIRE FIGHTER EQUIPMENT













	CODE	DESCRIPTION		CODE	DESCRIPTION
	SBP	SCOTTY 4000BP 19L BACK PACK SOFT WITH WATER HAND PUMP		SSHS	SCOTTY 4579 SUPER HYDRANT SPANNER
	BPSLO	BACK PACK SCOTTY LID ONLY		SSWMB	SCOTTY SPANNER WRENCH TRUCK MOUNT BRACKET SUITS SSHS
	SLW	SCOTTY 4577 STORZ COUPLING & LUG WRENCH			

## SECTION 12 SERVICE CONSUMABLES &amp; EQUIPMENT

## SEALING TIES

SEALING TIES - STANDARD			SEALING TIES - HIGHER TENSION		
	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPCPB	SEAL PVC COLOR BLUE		SPCPPB	SEAL PVC HI/ T BLUE
	SPCPBK	SEAL PVC COLOR BLACK		SPCPPG	SEAL PVC HI/T GREEN
	SPCPBN	SEAL PVC COLOR BROWN		SPCPPO	SEAL PVC HI/T ORANGE
	SPCPG	SEAL PVC COLOR GREEN		SPCPPR	SEAL PVC HI/T RED
	SPCPGY	SEAL PVC COLOR GREY		SPCPPW	SEAL PVC HI/T WHITE
	SPCPO	SEAL PVC COLOR ORANGE		SPCPY	SEAL PVC HI/T YELLOW
	SPCPPK	SEAL PVC COLOR PINK	SEALING TIES - OTHER		
	SPCPPU	SEAL PVC COLOR PURPLE		SETC	SEAL EXTINGUISHER TIE CLEAR
	SPCPR	SEAL PVC COLOR RED		SL10	SEAL CRIMP TYPE & TIE PVC RED SEAL/ BLK TIE
	SPCPW	SEAL PVC COLOR WHITE			
	SPCPY	SEAL PVC COLOR YELLOW			










## SERVICE COLLARS, TAGS &amp; HOLDING RINGS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SENCP	SERVICE EQUIP NECK COLLAR 76MM PURPLE NOTICE OF H/TEST PK50		STA13	SERVICE TAG ALLOY CURRENT AS1851 RECORD WITHOUT PRESSURE TEST
	SENCB	SERVICE EQUIP NECK COLLAR 53MM BLUE NOTICE OF H/TEST PK50		STM	SERVICE TAG STEEL AS1851 MAINTENANCE SERVICE MINES OK
	SENCY	SERVICE EQUIP NECK COLLAR 45MM YELLOW NOTICE OF H/TEST PK100		STPY	SERVICE TAG MAINTENANCE POLY PROP YELLOW UNDERGROUND
	SENCGY	SERVICE EQUIP NECK COLLAR 43MM GREY NOTICE OF H/TEST PK100		STSA	SERVICE TAG SELF ADHESIVE LGE 100MM W x 55 MM H OVERSIZE
	SENCGN	SERVICE EQUIP NECK COLLAR 33MM GREEN NOTICE OF H/TEST PK100		STPAS	SERVICE TAG SELF ADHESIVE SML 85MM W x 45MM H STD SIZE
	STA	SERVICE TAG ALLOY MAINTENANCE SERVICE		STFDSA	SERVICE TAG FIRE DOOR SELF ADHESIVE AS1851 80MM x 30MM




## SECTION 12 SERVICE CONSUMABLES & EQUIPMENT

### SERVICE TAGS & HOLDING RINGS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	STFHA	SERVICE TAG FIRE HOSE ALLOY		STOOSC	SERVICE TAG OUT OF SERVICE SYNTHETIC
	STPSS	SERVICE TAG SAFETY SHOWER/EYE WASH STATION		STRHL	SERVICE TAG RING HOLDING LGE 30MM
	STA5062	SERVICE TAG ALLOY MAINTENANCE VEH SYS AUST STANDARD 5062		STRHS	SERVICE TAG RING HOLDING SML 25MM
	STP5062	SERVICE TAG POLY MAINTENANCE VEH SYS AUST STANDARD 5062		STHP	SERVICE TAG HOLDING POUCH TAG COVER
	STFSVHR	TAG FIRE SERVICE VALVE CLOSE ONLY TO SERVICE HOSE REELS			

### PRE-FORMED BANDIT CLAMPS & BANDIT CLAMP TOOLS

	CODE	DESCRIPTION
	CBHT	CLAMP BANDIT HAND TOOL 6MM - 20MM WIDE CLAMPS
	CBHTA	CLAMP BANDIT HAND TOOL ADAPTER TO SUIT JR PREFORMED CLAMPS LEVER



CODE	DESCRIPTION
BC19HRH	BANDIT CLAMP 19MM HOSE CLAMP 25.4MM ID x 9.5MM W
BC25LF	BANDIT CLAMP 25MM HOSE CLAMP 38.1MM ID x 6.4MM W
BC38LF	BANDIT CLAMP 25MM - 38MM HOSE CLAMP 50.8MM ID x 9.53MM W
BC44LFW	BANDIT CLAMP 38MM HOSE CLAMP 44.5MM ID x 15.9MM W
BC50LF	BANDIT CLAMP 50MM HOSE CLAMP 63.5MM ID x 12.7MM W
BC65LF	BANDIT CLAMP 65MM HOSE CLAMP 69MM ID x 12.7MM W
BC76	BANDIT CLAMP 65MM HOSE CLAMP 76.2MM ID x 12.7MM W





## SECTION 12 SERVICE CONSUMABLES &amp; EQUIPMENT

## NUMBER PUNCHES &amp; SERVICE TOOLS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	PNP	PUNCH NUMERICAL PREMIUM GRADE PERMA-FIX NUMBERS		BCN	BRUSH CLEAN NYLON WITH NYLON HANDLE
	PSHP3	PUNCH SINGLE HOLE INDUSTRIAL 50MM REACH 3MM ROUND HOLE		BNB	BRUSH CLEAN VALVES NYLON BRISTLE WIRE WOOD HANDLE
	PCOA	PLIERS CLAMP O TYPE SUITS DOUBLE-EAR CLAMPS		BVCB	BRUSH CLEAN VALVES BRASS WIRE SUIT ALLOY VALVES
	SSDP	SCALES DIGITAL PORTABLE BATTERY OPERATED < 50kg		BVCM	BRUSH CLEAN VALVES METAL WIRE WOOD HANDLE
	SETEL	SERVICE EQUIP TORCH EXTENDED WAND LIGHT 16 INCH STD BULB		COS	SMOKE DETECTOR CAN OF SMOKE TESTER 100G
	SECIM2	SERVICE EQUIPMENT CYLINDER INSPECTION MIRROR x 2 MAGNIFY		SEVTKIT	SMOKE DETECTOR TEST KIT C/W DISPENSER TELESCOPIC POLE & CAN OF SMOKE
	ORRK	O RING REMOVAL KIT		SESHDTKIT	SMOKE & HEAT DETECTOR TEST KIT
	SENSS	SERVICE EQUIP NUMBERS STAMP SET 0-8 (6 SAME AS 9)		COS250	SMOKE DETECTOR TEST CAN OF SMOKE 250G (FOR USE WITH SESHDTKIT)
	BAN	BRUSH APERTURE NYLON WIRE TWIST STEEL HANDLE		SG	SPANNER GAUGE
	BCB	BRUSH CLEAN BRASS NYLON HANDLE			

## SECTION 12 SERVICE CONSUMABLES & EQUIPMENT

### RECHARGE & TEST ADAPTORS

RECHARGE ADAPTORS			HYDRO TEST ADAPTORS		
	CODE	DESCRIPTION		CODE	DESCRIPTION
	RAKIT	RECH ADAPT DCP KIT 8 ADAPTORS		HTAKIT	HYDRO TEST ADAPTOR KIT DCP A/W & A/F 8 ADAPTORS
	RA1	RECHARGE ADAPTOR W/EG/FW/FG/EV FIREOUT / BFI - AD41		HTAKITC	HYDRO TEST ADAPTOR KIT CO2 4 ADAPTORS 9/11/12/13
	RA2	RECHARGE ADAPTOR F/STOP F/BOX AD40		HTA1	PRESSURE TEST ADAPTOR FM/ANS SENTRY / FM / AMX
	RA3	RECHARGE ADAPTOR FM/BM/ANS/FEX		HTA2	PRESSURE TEST ADAPTOR AMEREX F/M ANS GEM
	RA4	RECHARGE ADAPTOR FM/BM/WORM/EG FW		HTA3	PRESSURE TEST ADAPTOR F/M
	RA5	RECHARGE ADAPTOR CHUBB/KIDDE		HTA4	PRESSURE TEST ADAPTOR Q CH WOR E/G F/W F/G F/S F/B
	RA7	RECHARGE ADAPTOR WORM SENTRYGEM		HTA5	PRESSURE TEST ADAPTOR BFI FOTON
	RA8	RECHARGE ADAPTOR FIREBOX 2kg QUELL CHUBB		HTA6	PRESSURE TEST ADAPTOR AMEREX FIREMASTER
	RA9	RECHARGE ADAPTOR WORM SENTRYGEM		HTA7	PRESSURE TEST ADAPTOR WORMALD, E/G 2KG
	RACNW	RECHARGE ADAPTOR CO2 NYLON SNAP IN WASHER		HTA8	PRESSURE TEST ADAPTOR CHUBB - SWORDSMAN

## SECTION 12 SERVICE CONSUMABLES &amp; EQUIPMENT

## RECHARGE &amp; TEST ADAPTORS continued

## HYDRO TEST ADAPTORS CONTINUED

	CODE	DESCRIPTION
	HTA9	PRESSURE TEST ADAPTOR CO2 CHUBB
	HTA10	PRESSURE TEST ADAPTOR WORMALD
	HTA11	PRESSURE TEST ADAPTOR CO2 F/S F/X F/B BFI F/M WFS Q93
	HTA12	PRESSURE TEST ADAPTOR CO2 WORMALD

## HYDRO TEST ADAPTORS CONTINUED
















	CODE	DESCRIPTION
	HTA13	PRESSURE TEST ADAPTOR CO2 GEM
	HTA14	PRESSURE TEST ADAPTOR FIREX
	HTA15	PRESSURE TEST ADAPTOR - CHUBB FIREX

## RECHARGE &amp; TESTING EQUIPMENT

	CODE	DESCRIPTION		CODE	DESCRIPTION
	BBAG	BAG BLOWOUT		FM	FUNNEL MEDIUM 250MM LONG TOP DIA 265MM SPOUT DIA 55MM
	PPB	POWDER PAIL BAG CONTROLS FLOW OF POWDER FROM PAIL		FS	FUNNEL SMALL 370MM LONG TOP DIA 150MM SPOUT DIA 18MM
	FL	FUNNEL LARGE 300MM LONG TOP DIA 265MM SPOUT DIA 28MM		SL	SCOOP LARGE
	REBP	RECH EQUIP BUCKET PUMP 0 - 820 PSI (0 - 5.6 MPA)		REPO	RECH EQUIP PAIL OPENER ALLOY

# SECTION 12 SERVICE CONSUMABLES & EQUIPMENT

## RECHARGE AGENTS

DRY CHEM DCP AB(E)			AFFF & FLUOROPROTEIN FOAM 3% continued		
	DCA2590	DRY CHEM DCP AB(E) 20KG PAIL H/P HIGH GRADED 90% POWDER		R3FFP	RECHARGE 3% FLUOROPROTEIN FOAM CONCENTRATE 20 LITRE DRUM
	DCA5090	DRY CHEM DCP AB(E) 50KG DRUM H/P HIGH GRADED 90% POWDER	AFFF & FLUOROPROTEIN FOAM 6%		
FLUORINE FREE FOAM 3%				R6ASCC	RECHARGE 6% AFFF SINGLE CHARGE 540ML EXT CHARGE
	R3FFPF20	RECHARGE 3% FLUORINE FREE FOAM F3 PROTEC 20 L DRUM		R6AF20L	RECHARGE 6% AFFF FOAM SOLUTION 20 LITRE DRUM
	R3FFPF200	RECHARGE 3% FLUORINE FREE FOAM F3 PROTEC 200 L DRUM		R6A200L	RECHARGE 6% AFFF FOAM SOLUTION 200 LITRE DRUM
	R3FFFS1000L	RECHARGE FOAM 3% FLUORINE FREE RE-HEALING 1000L RF3	SPECIALTY & ALCOHOL RESISTANT FOAMS		
FLUORINE FREE FOAM 6%				R3FI- CAOB20	3% FOAM I.C.A.O.B AVIATION ALCOHOL RESISTANT 20 LITRE DRUM
	R6FFPF20	RECHARGE 6% FLUORINE FREE FOAM F3 PROTEC 20 L DRUM		R6FI- CAOB20	6% FOAM I.C.A.O.B AVIATION ALCOHOL RESISTANT 20 LITRE DRUM
	R6FFPF200	RECHARGE 6% FLUORINE FREE FOAM F3 PROTEC 200 L DRUM		R6FI- CAOB200	RECHARGE 6% AFFF ICAO/B FOAM AVIATION DEFENCE 200 LITRE DRUM
AFFF & FLUOROPROTEIN FOAM 3%				RARC20	RECHARGE ARC FOAM POLAR SOLVENT ALCOHOL RESISTANT 20 LITRE DRUM
	R3F20L	RECHARGE 3% AFFF FOAM SOLUTION 20 LITRE DRUM		RFHEX20	RECHARGE FOAM HIGH EXPANSION 20 LITRE DRUM
	R3F200L	RECHARGE 3% AFFF FOAM SOLUTION 200 LITRE DRUM	TRAINING FOAM		
	R3F1000L	RECHARGE 3% AFFF FOAM SOLUTION 1000 LITRE BULK BIN		RTF20	RECHARGE TRAINING FOAM 20 LITRE DRUM



## SECTION 13 FIRE EXTINGUISHER SPARE PARTS &amp; FITTINGS

## GAUGES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	G620	GAUGE 620 KPA A/W 35MM FACE		G700S	GAUGE 700 KPA SMALL 25MM FACE
	G620A	GAUGE 620 KPA A/W 37MM FACE		G700SA	GAUGE 700 KPA SMALL A 25MM FACE
	G690	GAUGE 690 KPA DCP A/W A/F 30MM FACE		G700ESS	GAUGE 700 KPA EBUR STYLE SS SMALL 20MM FACE
	G690A	GAUGE 690 KPA - A 37MM FACE		G700E	GAUGE 700 KPA EBUR STYLE C/PLATED BRASS SML 20MM FACE
	G690FM	GAUGE 690 KPA A/W A/F F/MASTER GEN S/STEEL INT 35MM		G700FB	GAUGE 700 KPA FIRE BOX SML 20MM C/W O RING
	G690SS	GAUGE 690 KPA A/W & A/F W/C S/STEEL CASE & THREAD		G700SSFB	GAUGE 700 KPA S/S FIRE BOX SML 20MM C/W O RING
	G690W	GAUGE 690 KPA S/S BOURDON F/M A/W A/F W/C 100LB		G1000	GAUGE 1000 KPA LARGE 35MM FACE
	G700	GAUGE 700 KPA A/W A/F 35MM FACE		G1000A	GAUGE 1000 KPA LGE A 37MM FACE
	G700A	GAUGE 700 KPA A/W A/F 37MM FACE		G1000FB	GAUGE 1000 KPA FIRE BOX SM 20MM C/W O RING
	G700BO	GAUGE 700 KPA SMALL 25MM BFI O RING TYPE		G10BFI	GAUGE 10 BAR BFI C/W O RING 1.0KG 2.5KG & 9L A/FFF 1000KPA
	SG	SPANNER GAUGE			



## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### GAUGES continued























	CODE	DESCRIPTION		CODE	DESCRIPTION
	G1000E	GAUGE 1000 KPA EBUR STYLE C/PLATED BRASS SMALL 20MM FACE		G1345A	GAUGE 1345 KPA DCP A 37MM FACE
	G1030	GAUGE 1030 KPA 35MM FACE		G1350	GAUGE 1350 KPA FOAM SYSTEM 103850 37MM FACE
	G1030A	GAUGE 1030 KPA - A 37MM FACE		G1350A	GAUGE 1350 KPA LGE A 37MM FACE
	G1034	GAUGE 1034 KPA LGE 35MM FACE		G1350E	GAUGE 1350 KPA EBUR STYLE C/PLATED BRASS SMALL 20MM FACE
	G1035	GAUGE 1035 KPA 35MM FACE		G1350SA	GAUGE 1350 KPA SMALL A 25MM FACE
	G1035A	GAUGE 1035 KPA - A 37MM FACE		G1350OR	GAUGE 1350 KPA WITH O RING 35MM FACE FLAMESTOP A/F MOBILE
	G1100FB	GAUGE 1100 KPA FIRE BOX SML 20MM C/W O RING		G1350WO A	GAUGE 1350 KPA C/W O RING SUITS WORMALD PREMIUM RANGE
	G1200	GAUGE 1200 KPA FOAM SYSTEM 37MM FACE		G1400FSS	GAUGE 1400 KPA DCP F/STOP SML 19MM FACE C/PLATED BRASS ORING
	G1200EO	GAUGE 1200 KPA O RING STYLE EVERSAFE EXTINGUISHERS		G14BFI	GAUGE 14 BAR BFI C/W O RING 4.5KG & 9.0KG 1400 KPA
	G1207	GAUGE 1207 KPA 35MM FACE		G1500F	GAUGE 1500 KPA FIREX LGE 35MM FACE
	G1345	GAUGE 1345 KPA DCP 35MM FACE		G1500FB	GAUGE 1500 KPA FIRE BOX SM 20MM C/W O RING

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS &amp; FITTINGS

## GAUGES continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	G1620	GAUGE 1620 KPA 35MM FACE		G1620A	GAUGE 1620 KPA LGE A 37MM FACE

## HANDLES &amp; LEVERS


	CODE	DESCRIPTION		CODE	DESCRIPTION
	HB45DBM	HANDLE BOTTOM DCP 4.5KG B/M		HBDFMSS	HANDLE BOTTOM F/M BRASS VALVE DCP CO2 A/W A/F ST/STEEL
	HBCCS	HANDLE BOTTOM CO2 DCP A/F A/W W/CHEM CHUBB STRAIGHT - RED		HBDG	HANDLE BOTTOM DCP 1.13 & 2.1KG GEM SENTRY ALUMINIUM
	HBCE	HANDLE BOTTOM CO2/ DCP EVERSAFE RED		HBDQ	HANDLE BOTTOM MK4 Q S/STEEL CHUBB AQUALLOY
	HBCF	HANDLE BOTTOM CO2 2-5KG FIREX FW BFI SS FRONT & SIDE PORT		HBDW	HANDLE BOTTOM DCP WORMALD OLD
	HBCQ	HANDLE BOTTOM CO2 QUELL RED CO2 AW WC AF E/G W DCP PREMIUM		HBDWI	HANDLE BOTTOM DCP INT / SENTRY 2.7KG - 9.0KG RED
	HBCQSS	HANDLE BOTTOM 316 ST/ST Q/CH W DCP PREMIUM RANGE EURO VALVE		HBWW	HANDLE BOTTOM AW/AF 9.0L W WORMALD SILVER
	HBD12DC	HANDLE BOTTOM DCP 1.5 & 2.3KG CHUBB GENERIC BRANDS SHORT		HLCBF	HANDLE & LEVER ASSY CO2 BFI 2KG - 5KG C/W PIN ST/STEEL
	HBD1C	HANDLE BOTTOM DCP 1.0KG BLACK CHUBB MODEL 2040/01		HLDBF	HANDLE & LEVER ASSY DCP 2-9 KG A/W A/F - C/W PIN BFI
	HBDBM	HANDLE BOTTOM DCP BLAZMASTER		HVCMSS	HANDLE CHUBB MOBILE VALVE STAINLESS STEEL
	HBDEGC	HANDLE BOTTOM DCP 9.0KG EG CUT HALF MOON FG - USE WITH L9DE		LT45DBM	LEVER TOP DCP 4.5KG B/MASTER
	HBDF	HANDLE BOTTOM DCP FOTON FIREX S/STEEL		LT9DE	LEVER TOP DCP 4.5-9.0KG EG/FG DIMPLE RED - USE WITH HBDEGC

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### HANDLES & LEVERS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	LTCE	LEVER TOP CO2/DCP EVERSAFE RED		LTDF	LEVER TOP DCP FOTON/FIREX STAINLESS STEEL
	LTCQ	LEVER TOP CO2 QUELL RED CO2 AW WC AF E/G W DCP PREMIUM		LTDFM	LEVER TOP F/M ALLOY VALVE C/W RIVET
	LTCQSS	LEVER TOP CO2 316 SS Q CH W DCP PREMIUM RANGE EURO VALVE		LTDFMSS	LEVER TOP F/M BRASS VALVE DCP CO2 A/W A/F ST/STEEL
	LTD12DC	LEVER TOP DCP 1.5KG & 2.3KG CHUBB GENERIC BRANDS SHORT		LTDG	LEVER TOP DCP 1.1 & 2.7 GEM SENTRY ALUMINIUM
	LTD9S	LEVER TOP DCP 9.0KG SENTRY/INT STAINLESS STEEL DIMPLE		LTDQ	LEVER TOP MARK 4 QUELL CHUBB WET CHEMICAL STAINLESS STEEL
	LTDBM	LEVER TOP DCP BLAZEMASTER		LTDW	LEVER TOP DCP WORMALD OLD
	HBDFM	HANDLE BOTTOM F/M ALLOY VALVE C/W RIVET		LTCCS	LEVER TOP CO2 DCP A/W A/F W/CH CHUBB STRAIGHT - RED

### RIVETS

	CODE	DESCRIPTION
	RAWW	RIVET AW/AF HANDLE WORMALD 30MM
	RCQ	RIVET CO2 QUELL HANDLE SHORT
	RCQ3	RIVET CO2 QUELL MK3 SELLOCK 30MM
	RDBF	RIVET CO2/DCP BFI HANDLE 27MM
	RDBM	RIVET DCP BLAZEMASTER 25MM
	RDC	RIVET DCP CO2 CHUBB BFI BRASS QUELL & GENERIC BRANDS 30MM
	RDFM	RIVET DCP FIREMASTER 18MM
	RDQ	RIVET DCP QUELL CHUBB AQUALLOY BFI ST/ST 25MM
	RDS21	RIVET DCP 2.1KG SENTRY HANDLE 23MM
	RDWI	RIVET DCP WORMALD INTER HANDLE 4.5KG SENTRY ALLOY 30MM
	RDWP	RIVET DCP WORM PREMIUM NICKEL PLATED 29.5MM
	RL21GS	RIVET DCP 2.1KG SENTRY LEVER 18MM
	SPCHW	SELLOCK ROLL PIN CO2 DCP OLD WORMALD VALVES 36MM

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS &amp; FITTINGS

## CHECK STEMS DCP &amp; AW/AF

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CS1DC	CHECK STEM DCP 1.0KG CHUBB 2040/01 MODEL SPINDLE		CSDWA	CHECK STEM DCP WORMALD A 4.5KG-9.0KG SPINDLE 67mm
	CS25DC	CHECK STEM DCP 1-2.5KG CHUBB SPINDLE		CSAW91	CHECK STEM A/W 9.1L WORMALD SPINDLE 41.44MM
	CSDC99SS	CHECK STEM STAINLESS STEEL CHUBB DCP 99 SERIES		CSAW-WEUA	CHECK STEM A/W DCP EURO/00 A WORM PREMIUM SPINDLE 45MM
	CSCDC	CHECK STEM A/W A/F DEFENCE CYL CHUBB 10L A/W 9.1L A/F SPINDLE		CS23DFM	CHECK STEM DCP 2.3KG-9KG F/M ALUMINIUM VALVE SPINDLE 52MM
	CSDC90A	CHECK STEM DCP SER 90 CH A A/W A/F W/C SPINDLE 40.0MM		CSDFM	CHECK STEM DCP/AW/AF F/MASTER SPINDLE FOR BRASS VALVE 66.7MM
	CSDC99	CHECK STEM DCP SER 99 CH A/W A/F W/C DCP SPINDLE		CSDFMA	CHECK STEM DCP/AW/AF F/MASTER SPINDLE FOR BRASS VALVE 66.7MM
	CS1DQ	CHECK STEM DCP 1-2KG QUELL SPINDLE		CS25DBM	CHECK STEM DCP 2.3-2.5KG B/M (4.5KG OLD) SPINDLE
	CSAWQ	CHECK STEM A/W & DCP QUELL SPINDLE 4.5 & 9.0KG A/W & A/F		CS1DFG	CHECK STEM DCP 1KG EG/FG/FW SPINDLE
	CSAWBA	CHECK STEM A/W 9L DCP B/M A QUELL BAGER FIREX SPINDLE		CS23DEG	CHECK STEM DCP 2-2.3KG EG/FG/ FW SPINDLE 37.3mm
	CSAWWEU	CHECK STEM A/W DCP EURO/00 W/C WORMALD PREMIUM SPINDLE		CS23DEGA	CHECK STEM DCP 2-2.3KG EG/FG A SPINDLE 37.3MM
	CSDWI	CHECK STEM DCP WORMALD INT. SPINDLE - 67.9MM		CS9DEGA	CHECK STEM DCP 4.5-9KG E/G F/G SPINDLE 48.2MM

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### CHECK STEMS DCP & AW/AF continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CS1DFSZX	CHECK STEM DCP 1KG FLAMESTOP ZX MODEL		CS1DBF	CHECK STEM DCP 1.0KG BFI SPINDLE
	CS15DFSZX	CHECK STEM DCP 1.5 - 2.5KG FLAMESTOP ZX MODEL		CSAW9BF	CHECK STEM A/W A/F BFI SPINDLE
	CS2DFS	CHECK STEM DCP 2 - 9KG F/S F/G SV5 VALVE W/C A/W A/F SPINDLE		CSDGA	CHECK STEM DCP GEM ALLOY SPINDLE
	CS9DFSZX	CHECK STEM 4.5KG - 9KG F/STOP ZX MODEL		CSDGBA	CHECK STEM DCP GEM BRASS SPINDLE
	CSDFB	CHECK STEM DCP 2 - 9KG FIRE BOX SPINDLE		CS9DEV	CHECK STEM DCP EVERSAFE 2 - 9KG SPINDLE
	CSAWFB	CHECK STEM A/W A/F W/C FIREBOX SPINDLE		CS9DF	CHECK STEM DCP 1 - 9KG FIREX FOTON COMMON SPINDLE 46MM
	CSIDFB	CHECK STEM DCP 0.75 - 1.5KG FIRE BOX SPINDLE		CSDA	CHECK STEM DCP 4.5-9KG ANSUL BRASS SPINDLE FOR BRASS VALVE
	CS9DBF	CHECK STEM DCP 2KG - 9KG BFI FOT SPINDLE 46MM NOMINAL LENGTH		CSDB	CHECK STEM DCP BUCKEYE SPINDLE
	CS9DBFIS	CHECK STEM DCP BFI FIREMAN SHORT SPINDLE 43.06MM		CS21DSA	CHECK STEM DCP 2.1KG SENTRY A SPINDLE 41MM














## SECTION 13 FIRE EXTINGUISHER SPARE PARTS &amp; FITTINGS

## CHECK STEMS CO2

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CSCC	CHECK STEM CO2 CHUBB SPINDLE		CSCBFS2	CHECK STEM CO2 2KG BFI STEEL CYL BRASS HEAD 1 O RING 53.3MM
	CSCQ3	CHECK STEM CO2 Q MARK 3 (LONG TYPE 55MM) SPINDLE		CSCBF2	CHECK STEM CO2 2KG BFI ALLOY CYL BRASS HD 2 O RINGS 51.25MM
	CSCQ	CHECK STEM CO2 Q SQUEEZE GRIP OLD SPINDLE		CSCAN	CHECK STEM CO2 ANSUL SPINDLE
	CSCQAC	CHECK STEM CO2 QUELL ALUMINIUM CYLINDER SPINDLE		CSCFM	CHECK STEM CO2 FIREMASTER FIREBOSS SPINDLE
	CSCQN	CHECK STEM CO2 QU ELL NEW MK3 CEODEUX EURO (SHORT) SPINDLE		CSCFMA	CHECK STEM CO2 FIREMASTER FIREBOSS SPINDLE
	CSCW	CHECK STEM CO2 WORMALD SPINDLE		CSCEV	CHECK STEM CO2 EVERSAFE SPINDLE
	CSCTN	CHECK STEM CO2 TYCO NEW/EG WORM F/BOSS F/M 96 QUE SPINDLE		CSCFB2	CHECK STEM CO2 FIRE BOX SPINDLE 2KG 53MM
	CSCTNA	CHECK STEM CO2 TYCO NEW E/G A WORM F/BOSS F/M 96 QUE SPINDLE		CSCFB	CHECK STEM CO2 FIRE BOX SPINDLE 3.5KG AND 5.0KG 50MM
	CSCBF	CHECK STEM CO2 3.5 - 5KG BFI ALLOY CYL BRASS HEAD 2 O RINGS		CSCFE	CHECK STEM CO2 FIREX FOTON SPINDLE - SHORT
	CSCBF1	CHECK STEM CO2 3.5 - 5 KG BFI WITH 2 O RINGS		CSCFS	CHECK STEM CO2 FLAMESTOP WORMALD SPINDLE
	CSCBF2A	CHECK STEM CO2 2KG BFI ALLOY CYL BRASS HD 2 O RINGS 51.75MM		CSCFSN	CHECK STEM CO2 FLAMESTOP NEW SPINDLE
	CSCBFS	CHECK STEM CO2 3.5-5kg BFI STEEL CYL BRASS HEAD 1 O RING		CSCFSGA	CHECK STEM FLAMESTOP 55.3mm GENERIC CO2 VALVE WHESV50A

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### CHECK STEM SPRINGS










	CODE	DESCRIPTION		CODE	DESCRIPTION
	SAWEU	SPRING C/STEM A/W WORM EURO/00		SECQ	SPRING ELBOW CO2 QUELL
	SCFG	SPRING C/STEM CO2 FIREGARD		SCSDE	SPRING C/STEM DCP E/GARD F/WORLD
	SFCS	SPRING C/STEM DCP 2 - 9KG F/STOP STAIN/STEEL INTERNAL MODEL		SCSWC	SPRING C/STEM A/W DCP ALL MODELS 1993 MK5 SS CHUBB
	SDI	SPRING C/STEM DCP W INTER		SDIC	SPRING C/STEM DCP 1.0KG CHUBB
	SCAS	SPRING C/STEM CO2 ANSUL SENTRY		SCSCC	SPRING C/STEM CO2 CH ALL MODELS
	SCCWE	SPRING C/STEM CO2 WORM/GEM EURO B1010 VALVE			

### CHECK SEATS & SEALS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CSTDW	CHECK SEAT DCP WORMALD		CSTCW	CHECK SEAT CO2 WORM/KIDDE OLD BRASS SEAT
	CSTCC	CHECK SEAT CO2 CHUBB TO FIT SPINDLE		CSTCVLQ	CHECK SEAL CO2 BACK GLAND VCUP LURENE CO2 Q
	CSTCCN	CHECK SEAT CO2 CHUBB NEW		CSTDQ	CHECK SEAT AW/DCP QUELL
	CSTCTN	CHECK SEAT CO2 TYCO NEW		ORCK	O RING CHECK SEAT CO2 WORMALD
	CSTRFG	CHECK SEAT RUBBER FIREGARD (Q) OLD QUELL CO2 - FITS VARIOUS		ORCSKCW	O RING CHECK SEAT CO2 W/KIDDIE

# SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

## SERVICE KITS





	CODE	DESCRIPTION		CODE	DESCRIPTION
	CSDM	SERVICE KIT C/STEM DCP MAJOR WORMALD SPINDLE		KCO2G	SERVICE KIT CO2 GEM, WORM, F/M FBOSS - NZ, EURO
	CSDMI	SERVICE KIT C/STEM DCP MINOR WORMALD		KCO2F	SERVICE KIT CO2 FIREX FOTON
	KAWEU	SERVICE KIT A/W A/F W/C TYCO EURO		KCO2K	SERVICE KIT CO2 WORMALD OLD
	KCO2AS	SERVICE KIT CO2 ANSUL SENTRY C/STEM & BURST DISC ASSEMBLY		KDMOB	SERVICE KIT 76/86/90 BALL VALVE CHUBB DCP / FOAM MOBILES
	KCO2ASM	SERVICE KIT CO2 ANSUL SENTRY MODIFIED C/STEM SPRING WASHER			

## BURSTING DISC














	CODE	DESCRIPTION		CODE	DESCRIPTION
	BDACFM	BURST DISC ASSY CO2 FIREMASTER BURST DISC REPLACEMENT KIT		BDCQ	BURST DISC CO2 QUELL (OLD) 16.8MM
	BDCE	BURST DISC CO2 EVERSAFE COMES WITH WASHER		BDCTN	BURST DISC CO2 TYCO NEW, WORM, EG 190 BAR 2KG - 5KG, QUELL
	BDCF	BURST DISC CO2 F/GUARD 14.2MM		BDCW	BURST DISC CO2 WORMALD KIDDE OLD 13.85MM
	BDCFM	BURST DISC CO2 F/MASTER FIREBOSS 12.55MM		BDDCQC	BURST DISC DUST CAP Q CO2
	BDCFS	BURST DISC CO2 FLAMESTOP FIREBOX 8MM		BDRP	BURST DISC RETAINER PLUG CO2 WORMALD BRASS

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### BURSTING DISC continued




















	CODE	DESCRIPTION		CODE	DESCRIPTION
	BDRPE	BURST DISC RETAINER PLUG CO2 TYCO EURO VALVE		WSBDCF	WASHER SEAL BURST DISC CO2 FG COPPER 18MM OD x 12.5MM ID x 1.6MM
	WSBDCP	WASHER PVC SEAL BURST DISC CO2 CHUBB BRANDS		WBDCW	WASHER BURST DISC CO2 WORM OLD
	WBDCC	WASHER SEAL BURST DISC CO2 CH			

### VALVE ASSEMBLIES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	BVDM	BALL VALVE FOAM DCP MOBILE 20MM FEM x FEM STAINLESS STEEL VALVE		VACWEU	VALVE ASSY CO2 EURO/00 PARALLEL THREAD O RING SEAL
	VA9DBF	VALVE ASSY DCP 2KG - 9KG BFI		VADC	VALVE ASSY DCP CHUBB 1000 KPA RED HANDLES LEVERS
	VA9DE	VALVE ASSY DCP 4.5KG 9KG E/G F/W PLATED MODEL TWIN PIN		VADCS	VALVE ASSY DCP CHUBB 1000 KPA SHORT RED HANDLES LEVER
	VAC2FB	VALVE ASSY CO2 FIRE BOX 2KG SWIVEL TYPE - SIDE PORT		VADQ4	VALVE ASSY DCP 2.3 - 9KG QUELL CHUBB 1350 KPA ST/STEEL HANDLES
	VACBFI	VALVE ASSY CO2 FIREX / BFI / FLAMESTOP FRONT PORT 3.5-5KG		VADWP	VALVE ASSY DCP WORM PREMIUM C/W GAUGE
	VACC	VALVE ASSY CO2 CHUBB 2-5KG NO S/TUBE OR O RING		VAWC	VALVE ASSY A/WATER FOAM CHUBB 700 KPA RED HANDLE AND LEVER
	VACM	VALVE ASSY CO2 MOBILE WAND TYPE CHUBB		VAWQ	VALVE ASSY A/W QUELL MK6 CHUBB POST 04 SILVER HANDLES

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS &amp; FITTINGS

## SAFETY PINS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SPS3	SAFETY PIN SPRING R TYPE 316 STAINLESS STEEL		SPW	SAFETY PIN WATER WORMALD FLAMESTOP 4.5KG & 9.0KG DCP
	SPSI3	SAFETY PIN STRAIGHT SIDE SHAFT 316 STAINLESS STEEL 3.18MM DIA		SPCQ	SAFETY PIN CO2 C/W RING FITS QUELL / WORMALD 50MM
	SPSL3	SAFETY PIN STRAIGHT LONG 316 STAINLESS STEEL 43MM		SPPRW	SAFETY PIN PVC 0.9KG ABE WORM RED
	SPSL	SAFETY PIN (STRAIGHT LONG) CENTER SHAFT		SPPSL	SAFETY PIN PLATED (STRAIGHT/LONG) CENTRE SHAFT
	SPSIM	SAFETY PIN STRAIGHT SIDE SHAFT 304 STAINLESS STEEL 3.84MM DIA		SPSLM	SAFETY PIN STRAIGHT- LONG 3.84MM CENTER SHAFT 45MM ST/STEEL
	SPSWR	SAFETY PIN C/W HOLD RING 55MM LONG x 4MM THICK		SPSN	SAFETY PIN (STRAIGHT NARROW) CENTER SHAFT
	SPSI	SAFETY PIN STRAIGHT INTER SIDE SHAFT		SPSS	SAFETY PIN STRAIGHT SHORT CENTER SHAFT FITS
	SPDWP3	SAFETY PIN DOUBLE PRONG 316 STAINLESS STEEL		SPSSVB	SAFETY PIN SPRING 316 ST/STEEL C/W 45MM RING - VEH BRKT TYPE
	SPDWP	SAFETY PIN DCP DOUBLE PRONG WORM PREM FW		SPCA	SAFETY PIN CHAIN & RINGS ASSY
	SPDPE	SAFETY PIN DOUBLE PRONG EG EXELGARD			











## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### ELBOWS & FILLER TUBES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	ECFM	ELBOW CO2 3.5 - 5KG FIREMASTER		FTC91	FILLER TUBE 9.1L CHUBB MODEL AW0900D
	ECFMT2	ELBOW CO2 2KG F/MASTER TUBE FIREBOSS		FTQ6	FILLER TUBE Q MK6 A/W A/F CHUBB A/W A/F POST 2004
	ECS	ELBOW CO2 SMALL BRASS FG/QU			

### SCHRADER VALVES

	CODE	DESCRIPTION		CODE	DESCRIPTION
	SV	SCHRADER VALVE NICKEL PLATED		SVCORE	SCHRADER VALVE CORE
	SVB	SCHRADER VALVE 1/8 INCH BSPT TAPER THREAD + CAP FIXED SYSTEM		SVCM	SCHRADER VALVE CAP METAL NICKEL PLATED
	SVFS	SCHRADER VALVE FLAMESTOP		SVCP	SCHRADER VALVE CAP PLASTIC
	SVQ	SCHRADER VALVE SYSTEMS C/W CAP		SVCR	SCHRADER VALVE CORE REMOVER

# SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

## DIFFUSERS, ADAPTORS & APPLICATORS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CIDC	CHARGE INDICATOR DISC CH RED SWORDSMAN		D5CC	DIFFUSER CO2 3.5 - 5KG CHUBB MODEL CO500D
	CIDQ	CHARGE INDICATOR DISC QUELL		D5CFM	DIFFUSER CO2 5KG F/MASTER
	D2CC	DIFFUSER CO2 2KG CHUBB MODEL CO200C		D5CFS	DIFFUSER CO2 3.5 - 5kg F/STOP HORN
	D2CCA	DIFFUSER ADAPTOR CO2 2KG CHUBB		D5CQ	DIFFUSER CO2 5KG QUELL
	D2CWM	DIFFUSER ADAPTOR CO2 2KG WORM MALE		D5CW	DIFFUSER CO2 5KG WORMALD OLD
	D355CTE	DIFFUSER CO2 3.5 - 5KG TYCO EURO		DACQ	DIFFUSER ADAPTOR CO2 QUELL
	D35CFG	DIFFUSER HEAD CO2 FIREGARD		RACW	RECOIL ADAPTOR CO2 WORMALD OLD QUELL
	D35CQ	DIFFUSER CO2 3.5KG QUELL		DA2CHC	DISCH ADAPTOR CO2 2KG HORN CH QUELL VALVE TO CHUBB FIT
	D35CW	DIFFUSER CO2 3.5KG WORMALD OLD		DACHQ	DISCH ADAPTOR CO2 HOSE Q
	DC35HFG	DIFFUSER CO2 3.5KG HORN F/GARD		NWCC	DISCH ADAPTOR WET CHEMICAL CHUBB























## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### DISCHARGE NOZZLES & CAPS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	DAAFQ	DISCH NOZZLE APPLICATOR AFFF CHUBB / FLAMESTOP/ QUELL		DN1DFB	DISCH NOZZLE DCP 0.75KG FIREBOX
	DNDFMQ	DISCH NOZZLE DCP/ FOAM MOBILE SQUEEZE GRIP BLACK PVC		DN1DFM	DISCH NOZZLE DCP 1.0KG FMASTER AMEREX
	DNFF	DISCH NOZZLE A/F FOTON/FIREX C/W BRASS DISCHARGE DIFFUSER		DN1DFMA	DISCH NOZZLE DCP 1.0KG AMEREX SUIT MODEL EC1.0ABE
	DNWCC	DISCH NOZZLE W/CHEM 7L CHUBB		DN27DWP	DISCH NOZZLE DCP 2.7KG WORM PR PREMIUM
	DN113G	DISCH NOZZLE DCP 1.13KG GEM SENTRY		DN45DF	DISCH NOZZLE DCP 4.5KG FOTON FIREX & 2.5KG FOTON FIREX
	DN12DE	DISCH NOZZLE DCP 1KG 2KG E/G		DN45DWP	DISCH NOZZLE DCP 4.5KG WORM PR PREMIUM
	DN15DAC	DISCH NOZZLE DCP 1.5KG ABE CHUBB		DN9DF	DISCH NOZZLE DCP 9.0KG FIREX
	DN1DAC	DISCH NOZZLE DCP 1.0KG BE/ABE CHUBB		DN9DWP	DISCH NOZZLE DCP 9.0KG WORM PR PREMIUM
	DN1DAC04	DISCH NOZZLE DCP 1KG ABE CHUBB 04 MODEL BLACK PVC		DNDCC	DISCH NOZZLE DUST CAP CHUBB SWORDSMAN
	DN1DBC04	DISCH NOZZLE DCP 1KG BE CHUBB 04 MODEL RED PVC		DNDCCQ	DISCH NOZZLE DUST CAP QUELL FOAM SYSTEM / DCP HOSE
	DN1DBFI	DISCH NOZZLE DCP 1.0KG BFI		DND CWI	DISCH NOZZLE DUST CAP W INT



















# SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

## DISCHARGE HOSES DCP, WC, AW & AF

	CODE	DESCRIPTION		CODE	DESCRIPTION
	DH2DE	DISCH HOSE DCP 2.0KG E/GARD F/WORLD		DH45DBM	DISCH HOSE DCP 4.5KG B/MASTER
	DH2DQ	DISCH HOSE DCP 2.0KG QU/CH 2.5KG & 3.0KG 280MM		DH45DC	DISCH HOSE DCP 4.5KG ABE & BE CH & GENERIC BRANDS FLAMEGUARD
	DH225DC	DISCH HOSE DCP 2.25KG ABE CH CHUBB SWORDSMAN		DH45DEG	DISCH HOSE DCP 4.5KG E/G F/G EXELGARD / FIREGARD / FIRWORLD
	DH23DAQ	DISCH HOSE DCP 2.3KG ABE Q/CH 350MM		DH45DF	DISCH HOSE DCP 4.5KG FIREX FOTON C/W NOZZLE
	DH23DFM	DISCH HOSE DCP 2.3KG F/MASTER		DH45DFM	DISCH HOSE DCP 4.5KG F/MASTER AMEREX - BRASS HEAD (ABE)
	DH23DQ	DISCH HOSE DCP 2.3KG QUELL BE POST 2004 CHUBB 300MM OVERALL		DH45DG	DISCH HOSE DCP 4.5KG GEM/SENT
	DH25DAC	DISCH HOSE DCP 2.5KG ABE CHUBB POST 2004 280MM		DH45DQ	DISCH HOSE DCP 4.5KG ABE QUELL CHUBB POST 2004 CH KIDDE 350MM
	DH25DBM	DISCH HOSE DCP 2.5kg B/M		DH9DAC	DISCH HOSE DCP 9.0kg ABE CHUBB & GENERIC BRANDS FLAMEGUARD
	DH25DC	DISCH HOSE DCP 2.5kg ABE BE CH GENERIC BRANDS FLAMEGUARD 280M		DH9DAFM	DISCH HOSE DCP 9.0kg F/MASTER AMEREX - ALLOY HEAD (ABE)
	DH25DWI	DISCH HOSE DCP 2.5kg W INTER GEM RANGE		DH9DASM	DISCH HOSE DCP 9.0kg ABE S/MAN SWORDSMAN - SEE DH9DSM FOR BE
	DH45DASM	DISCH HOSE DCP 4.5kg ABE S/MAN		DH9DBF	DISCH HOSE DCP 9.0kg BFI C/W NOZZLE

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### DISCHARGE HOSES DCP, WC, AW & AF continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	DH9DC	DISCH HOSE DCP 9.0KG CHUBB & GENERIC BRANDS FLAMEGUARD		DHWCC	DISCH HOSE W/CHEM CH/QU ASSY AQUALOY 7L C/W NOZZLE NIPPLE
	DH9DEG	DISCH HOSE DCP 9.0KG E/G F/G F/W		DH9WC	DISCH HOSE A/W 9.0L CHUBB FLAMESTOP/ PYRENE /FLAMEGARD
	DH9DF	DISCH HOSE DCP 9.0KG FIREX FOTON C/W NOZZLE		DHAWFM	DISCH HOSE A/W 9.0L F/MASTER
	DH9DFM	DISCH HOSE DCP 9.0KG F/MASTER C/W NOZZLE BRASS HEAD (ABE)		DHWQ	DISCH HOSE A/W 9.0L QUELL CHUBB A/W POST 2004 - 480MM
	DH9DG	DISCH HOSE DCP 9.0KG GEM / SENT		DH9IFC	DISCH HOSE A/F 9.1L CHUBB F/S DEFENCE FOAM C/W NOZZLE
	DH9DQ	DISCH HOSE DCP 9.0KG QUELL ABE & BE - CHUBB POST 04		DH9AFC	DISCH HOSE A/F 9.0L HOSE ASSY CHUBB FOAM
	DH9DSM	DISCH HOSE DCP 9.0KG BE SWORDSMAN		DHAFFM	DISCH HOSE A/F 9.0L F/MASTER C/W NOZZLE
	DH9DWI	DISCH HOSE DCP 9.0KG W INTER GEM RED NOZZLE		DHFF	DISCH HOSE A/F FIREX/ FOTON C/W DISCH NOZZLE & DIFFUSER
	DH7WCFB	DISCH HOSE W/CHEM 7.0L F/BOX		DHFQ	DISCH HOSE A/F 9.0L QUELL CHUBB POST 04 - NOZZLE DAAFQ






# SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

## DISCHARGE HOSES & HORNS CO2














	CODE	DESCRIPTION		CODE	DESCRIPTION
	DHCC	DISCH HOSE CO2 CHUBB MALE / FEMALE		DHN2CC	DISCH HORN CO2 2KG CHUBB FIREBRAKE
	DHCCRA	DISCH HOSE CO2 CHUBB RIGHT ANGLE MODEL C0350C		DHNCWE	DISCH HORN CO2 BELL WORMALD FM EGARD QUELL CH FITS MOST HOSES
	DHCW	DISCH HOSE CO2 WORMALD OLD MALE x FEMALE		DHN2C	DISCH HORN CO2 2KG (6 INCH) BAKELITE OLD
	DHCWE	DISCH HOSE CO2 WORM EG EURO PREM LGE FEMALE x SML FEMALE		DHN2CBFI	DISCH HORN CO2 2KG BFI
	DHACBFI	DISCH HOSE ASSY CO2 BFI C/W HOSE & HORN 3.5KG / 5.0KG		DHN2CF	DISCH HORN/ELBOW CO2 2KG FIREX FOTON AMEREX
	DHACF	DISCH HOSE ASSY CO2 FIREX/FOTO R/A FIT C/W HORN & DIFFUSER		DHN2CFB	DISCH HORN CO2 2KG FIREBOX
	DHACFB	DISCH HOSE ASSY CO2 FIREBOX 3.5/5.0KG C/W HORN & DIFFUSER		DHN2CFM	DISCH HORN CO2 2KG F/M FIREBOS
	DHACFM	DISCH HOSE ASSY CO2 F/MASTER C/W NOZZLE		DHN2CFS	DISCH HORN CO2 2KG FLAMESTOP
	DHCFG	DISCH HOSE CO2 FIREGUARD FEMALE x FEMALE		DHN2CTN	DISCH HORN CO2 2KG TYCO NEW W PREMIUM
	DHCFO	DISCH HOSE CO2 3.5 KG AND 5 KG FIREOUT		DHNCBFI	DISCH HORN CO2 BFI 3.5KG TO 5.0KG C/W HAND GRIP
	DHCFX	DISCH HOSE CO2 FIREX/ FOTON/FST 3.5 - 5.0KG HOSE ONLY FRONT FIT		DHNCC	DISCH HORN CO2 BELL TYPE FITS ALL TYPES

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### DISCHARGE HOSES & HORNS CO2 continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	DHNC DH	DISCH HORN CO2 BELL TYPE WITH DETACH HANDLE - SUITS SM HEX NUT		DHNE SACQ	DISCH HORN/ELBOW SWIVEL ASSY CO2 2KG & 2.27KG QUELL BFI
	DHNCF	DISCH HORN CO2 FIREX / FOTON 3.5KG & 5.0KG FLAT/LONG			

### RETAINERS CLIPS & STRAPS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	CPSN	CLIP PVC RETAINER DISCHARGE HOSE SWORDSMAN		RSC	RETAINER STRAP CLIP HOSE
	RCCFMH	RETAINER CLIP CO2 FM HORN		RSCP	RETAINER STRAP HOSE & CLIP ASSEMBLY BLACK PVC - 660MM
	RCCO2	RETAINER CLIP CO2 HORN		RSDH	RETAINER STRAP DISCH HOSE 710MM x 8.8MM BLACK HEAVY DUTY
	RCDHNCC	RETAINER CLIP DISCHARGE NOZZLE TO SUIT DHNCC		RSPCFS	RETAINER SAFETY PIN BLACK PVC 2001 CHUBB MODEL / FLAMESTOP
	RS200	RETAINER STRAP 196MM x 2.5MM WHITE - LIGHT DUTY 100 PER BAG		RSPP	RETAINER SAFETY PIN GREEN PVC CHUBB & GENERIC BRANDS
	RS200B	RETAINER STRAP 200MM x 4.8MM BLACK / HEAVY DUTY 100 PER BAG		RSPPP	RETAINER SAFETY PIN BLACK PVC AMEREX
	RS300B	RETAINER STRAP 300MM BLACK			










## SECTION 13 FIRE EXTINGUISHER SPARE PARTS &amp; FITTINGS

## O RINGS WASHERS &amp; SEALS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	ORCK	O RING CHECK SEAT CO2 WORMALD		ORNB	O RING NECK DCP B/M 9KG ,BFI AW WC 2.5KG 4.5KG 9.0KG 7L 9L
	ORCSKCW	O RING CHECK SEAT CO2 W/KIDDIE		ORNBS	O RING NECK DCP BFI EVERSAFE 1KG, 2KG CO2
	ONDI	O RING NECK DCP INT		ORNCC	O RING NECK CO2 CHUBB 3.5 5.0 11.5KG DCP/FIREX/FS DCP & CO2
	ORDCN	O RING NECK DCP CHUBB 99 SERIES		ORNCQ	O RING NECK CO2 CHUBB QUELL
	ORDNSN	O RING NECK DCP NU-SWIFT		ORNCW	O RING NECK CO2 WORM OLD A/W & A/F A/W E/G
	ORDQN	O RING NECK DCP QUELL SAME AS ORNDW		ORNCWE	O RING NECK CO2 WORM PREMIUM EURO
	ORECFM	O RING ELBOW CO2 FM		ORND1E	O RING NECK DCP 1kg E/GARD
	ORFTC	O RING FILLER TUBE CHUBB		ORND2E	O RING NECK DCP 2 - 2.3KG E/G F/WORLD
	ORH2345FM	O RING DISCH HOSE 2.3 4.5 DCP FIREMASTER		ORNDAC	O RING DCP A/W CHUBB OLDER STYLE
	ORH9FM	O RING DISCH HOSE 9KG FM FIREMASTER		ORNDNC	O RING NECK DCP 9.0KG CHUBB SUITS VALVE VADC
	ORN21DG	O RING NECK DCP 2.1KG GEM SENT		ORNDCG	O RING NECK CHUBB GENERIC BRANDS A/W A/F DCP WET CHEM
	ORN9DF	O RING NECK DCP 2- 9KG FOTON FIREX		ORNDFB	O RING NECK DCP 2-9KG F/BOX, 2.25KG F/M

## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### O RINGS WASHERS & SEALS continued





	CODE	DESCRIPTION		CODE	DESCRIPTION
	ORNDFG	O RING NECK DCP FG,EG,FM & FW		ORFHRGB	O RING HOSE REEL GOOSE NECK BFI
	ORNDFS	O RING NECK DCP 2KG - 9KG F/STOP F/STOP CO2		ORFHRSB	O RING HOSE REEL SHAFT BFI & DURA
	ORNDSM	O RING NECK DCP SWORDSMAN		ORFHRSQ	O RING FHR SHAFT Q/CH F/FIT
	ORNDW	O RING NECK DCP WORMALD OLD & MK11 H/D HOSE REEL CHUBB		ORFHRSVW	O RING FHR STOP VALVE WORMALD LARGE 26.7MM ID x 1.78MM
	ORNDWE	O RING NECK DCP WORM PREMIUM EURO, DCP EVERSAFE		ORFHRSVW S	O RING FHR STOP VALVE WORMALD SMALL 15.8MM ID x 13MM 1.5THICK
	ORNFGC	O RING NECK CO2 F/GARD & QUELL		WBDCC	WASHER SEAL BURST DISC CO2 CH
	ORNGS	O RING NECK GEM SENTRY		WBDCW	WASHER BURST DISC CO2 WORM OLD
	ORNGSQ	O RING DCP GEM SENTRY QUAD 33.5MM OD x 26.5MM ID x 3.6MM TH		WCFS	WASHER CIRCLIP FLAMESTOP E SHAPE EXTERNAL MODEL
	ORNWC	O RING NECK A/WATER CHUBB		WCSA	WASHER CAP SODA ACID EXT
	ORNWFX	O RING NECK A/W A/F FIREX		WDSRW	WASHER DCP SPRING RETAIN OLD W
	ORNWQ	O RING NECK AW/AF 2-9KG QUELL POST 2004 CHUBB AW/AF 2-9KG		WECFM	WASHER ELBOW CO2 F/M WHITE FIB
	ORFHFRB	O RING FHR FIREBOX & APEX		WFCFG	WASHER FIBRE CO2 F/GARD CHUBB RED THIN TYPE

# SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

## O RINGS WASHERS & SEALS continued

	CODE	DESCRIPTION		CODE	DESCRIPTION
	WFCTEU	WASHER FIBRE CO2 TYCO EURO RED VALVE		WSNSCP	WASHER SEAL N/S CHARGE PLUG
	WFWCWS	WASHER FIBRE WHITE CO2 WORMALD SPINDLE SEAT		WSP	WASHER SHAKE PROOF
	WSASMG	WASHER SEAL ALUM S/MAN GENUINE ORIGINAL TYPE		WSVSCW	WASHER SEAL VALVE SEAT CO2 GASKET WORM/K OLD - ANNEALED
	WSBDCF	WASHER SEAL BURST DISC CO2 FG COPPER 18MM OD x 12.5MM ID x 1.6		WTDSM	WASHER TEFLON DCP S/MAN
	WSBDGP	WASHER PVC SEAL BURST DISC CO2 CHUBB BRANDS		WNCH	WASHER NYLON SUITS CO2 HOSES WHITE
	WSCAN	WASHER SEAL CO2 ANSUL		WSAC	WASHER SEAL ALUM CHUBB S/MAN


## SIPHON TUBE ADAPTORS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	STAAW	SIPHON TUBE ADAPTOR - FITS NEW TUBE TO OLD WORM ROUND VALVE		STADIC	SIPHON TUBE ADAPTOR 1.0kg DCP CHUBB MODEL 2040/01 EXT
	STAAWW	SIPHON TUBE ADAPTOR 9.1LT A/W A/F WORM DCP WORM PREM BRASS		STADFW	SIPHON TUBE ADAPTOR DCP EG FW













## SECTION 13 FIRE EXTINGUISHER SPARE PARTS & FITTINGS

### SIPHON TUBES

	CODE	DESCRIPTION
	ST115DQ	SIPHON TUBE DCP 11.5KG Q MK4 597MM GREEN ADAPTOR
	ST1DC	SIPHON TUBE DCP 1.0KG CHUBB 219MM WHITE ADAPTOR
	ST15DC	SIPHON TUBE DCP 1.5KG CHUBB & GENERIC BRANDS 274.5MM GREY AD
	ST23DQ	SIPHON TUBE DCP 2.3KG QUELL 350MM USE ST45DQ
	ST25DC	SIPHON TUBE DCP 2.5KG CHUBB & GENERIC BRANDS
	ST25DI	SIPHON TUBE DCP 2.5KG INTER 315MM
	ST2CCS	SIPHON TUBE CO2 2.0KG CHUBB 354MM GREEN ADAPTOR STEEL CYL
	ST2DQ	SIPHON TUBE DCP 2.0KG Q MK4 260MM GREEN ADAPTOR
	ST35CCS	SIPHON TUBE CO2 3.5KG CHUBB 448MM GREEN ADAPTOR STEEL CYL
	ST45DBFI	SIPHON TUBE DCP 4.5KG BFI GREY PVC C/W ADAPTOR 362MM
	ST45DC	SIPHON TUBE DCP 4.5KG CHUBB PVC 374MM BLACK ADAPTOR
	ST45DFG	SIPHON TUBE DCP 4.5KG F/G E/G F/W
	ST45DI	SIPHON TUBE DCP 4.5KG INTER 372MM
	ST45DQ	SIPHON TUBE DCP 2.3 4.5KG CHUB QUELL MK4 347MM GREEN ADAPTOR
	ST49DQSS	SIPHON TUBE DCP 4.5KG 9KG Q M4 502MM GREEN ADAPTOR ST ST CYL
	ST5CCS	SIPHON TUBE CO2 5KG CHUBB 618MM GREEN ADAPTOR STEEL CYL
	ST6DQ	SIPHON TUBE DCP 6.0KG Q MK4 395MM BLACK ADAPTOR
	ST6HSC	SIPHON TUBE HYDRO SPRAY 6L CHUBB 362MM BLACK TIPS
	ST75DC	SIPHON TUBE DCP 7.5KG CHUBB 405MM BLACK ADAPTOR
	ST91FCD	SIPHON TUBE A/F 9.1L CHUBB DEFENCE CYL 530MM BLACK ADAPTOR
	ST91WC	SIPHON TUBE A/W A/F 9L 10L 502MM CHUBB GREEN TIPS
	ST9DBF	SIPHON TUBE DCP 9.0KG BFI GREY PVC C/W ADAPTOR 455MM
	ST9DC	SIPHON TUBE DCP 9.0KG CHUBB 535MM BLACK ADAPTOR
	ST9DFG	SIPHON TUBE DCP 9.0KG F/G E/G F/W 445MM
	ST9DI	SIPHON TUBE DCP 9.0KG INTER 465MM
	ST9DQ	SIPHON TUBE DCP 9KG QUELL MK4 515MM GREEN ADAPTOR
	ST9DW	SIPHON TUBE DCP 9.0KG WORMALD PREMIUM 430MM LONG
	STAWC	SIPHON TUBE A/W A/F 9L CHUBB MODEL 525MM WHITE TIPS
	STAWEM	SIPHON TUBE A/W A/F W/C W E/G 553MM BLACK TIPS PRE 2005
	STAWFM	SIPHON TUBE A/W F/MASTER 530MM
	STAWQ	SIPHON TUBE A/W A/F QUELL MK6 CHUBB POST 2004 530MM

## SECTION 14 BUILDING PRODUCTS

## FIRE COLLARS &amp; PIPE COLLARS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	FCHB65	FIRE COLLAR BLUE HIGH CAST IN COLLAR 40MM - 65MM		FCR40	FIRE COLLAR 40MM RETROFIT FLANGED
	FCHB100	FIRE COLLAR BLUE HIGH CAST IN COLLAR 80MM - 100MM		FCR50	FIRE COLLAR 50MM RETROFIT FLANGED
	FCHB150	FIRE COLLAR BLUE HIGH CAST IN COLLAR 150MM		FCR100	FIRE COLLAR 100MM RETROFIT FLANGED
	FCLG40	FIRE COLLAR GREEN LOW CAST IN COLLAR 40MM		FCRUC	FIRE COLLAR UNICOLLAR ROLL 2250MM x 150MM x 15MM SEGMENTS
	FCLG50	FIRE COLLAR GREEN LOW CAST IN COLLAR 50MM		FCC	FIRE COLLAR CONDUIT COLLAR ID 32MM
	FCLG100	FIRE COLLAR GREEN LOW CAST IN COLLAR 100MM			

## FIRE PILLOWS

	CODE	DESCRIPTION		CODE	DESCRIPTION
	FP4	FIRE PILLOW 40MM THICK x 250MM L x 100MM W		FP12	FIRE PILLOW 40MM THICK x 300MM L x 250MM W
	FP8	FIRE PILLOW 40MM THICK x 250MM L x 200MM W		FP16	FIRE PILLOW 40MM THICK x 600MM L x 250MM W

SECTION 14 BUILDING PRODUCTS

FIRE SEALANT

	CODE	DESCRIPTION		CODE	DESCRIPTION
	FS300G	FIRE SEALANT 300 ML TUBE GREY		FS600G	FIRE SEALANT 600 ML SAUSAGE GREY
	FS300W	FIRE SEALANT 300 ML TUBE WHITE		FS600W	FIRE SEALANT 600 ML SAUSAGE WHITE

# AWFS GENERAL TERMS & CONDITIONS OF SALE

## GENERAL TERMS AND CONDITIONS OF SALE

ANY REFERENCE TO "THE SUPPLIER" REFERS TO AUSTRALIA WIDE FIRE SUPPLIES ABN 80 393 915 621. ANY REFERENCE TO "THE CUSTOMER" REFERS TO THE PURCHASER OF GOODS. IF YOU DO NOT UNDERSTAND ANY OF THE TRADING TERMS AND CONDITIONS CONTAINED IN THIS DOCUMENT IT IS RECOMMENDED THAT YOU SEEK INDEPENDENT LEGAL ADVICE..

1. **Acceptance** – Any instructions received by the Supplier from the Customer in relation to the supply of goods shall constitute acceptance of the terms and conditions contained herein.
2. **Payment terms** – The agreed trading terms are 30 days. Payment is due on all invoices 30 days from the date on the invoice.
3. **Account keeping fees** – The Customer hereby agrees and acknowledges that at the absolute discretion of the Supplier, an account keeping fee of 2% per month, or the maximum rate permissible by law, may be levied on any overdue amounts that remain unpaid by the required due date. The Customer agrees that this fee represents a reasonable pre estimate of the loss suffered by the Supplier in relation to overdue amounts.
4. **Dishonour fees and collection costs** – The Customer agrees to indemnify the Supplier for any dishonoured cheque fees incurred. Further, in the event that the Customer's account is in default of these trading terms the Customer will also indemnify the Supplier against its collection fees and any reasonable legal costs incurred by the Supplier, provided the Customer has been provided reasonable opportunity to remedy the default and has failed to do so.
5. **Stop supply** – The Supplier may withdraw credit facilities to the Customer at any time upon reasonable notice. Without limiting the Supplier's rights to withdraw credit, the Supplier reserves the right to stop supply and place the account on hold when the Customer is in default of the Trading Terms, until such time as the Customer remedies the default and the Supplier agrees to recommence supply.
6. **Application** – These Trading Terms apply to all transactions in relation to which the Customer is supplied goods and or services (including on credit). If any future contract between the Supplier and the Customer is inconsistent with these Terms of Trade, then these Trading Terms will apply unless the subsequent contract refers to and specifically alters these Trading Terms in writing.
7. **Variation to Customer details** – Should there be any variation to any of the information supplied by the Customer in this application or in the structure of the Customer's business (such as the conversion to or from a company or trust or the appointment of new directors), the Supplier shall be notified in writing. Until a new application form is signed and approved in writing by the Supplier, then the original application and those person(s) who signed as guarantor(s) shall remain liable to the Supplier as though all goods and services were supplied to the original Customer.
8. **Amendments** – The supplier reserves the right to amend these Trading Terms and will publish any amended version of the Trading Terms on its website. The Customer will be provided with reasonable notice prior to any changes of the Trading Terms. In the event that the Customer reasonably considers that the variation causes the Customer a material detriment, the Customer may terminate these Trading Terms without penalty.
9. **Assignment** – The Supplier shall be entitled at any time to assign its rights under these Trading Terms to its successors, nominated transferees or assigns, (including but not limited to, where applicable, personal guarantees), and that these Trading Terms shall not be in any way affected or discharged pursuant to such assignment.
10. **Retention of title** – Until ALL INVOICES are paid in full, and ALL MONIES receipted and cleared, ownership of the goods remains with the Supplier, but the risk passes to the Customer on delivery. Delivery shall occur if the Supplier or its agent delivers, on delivery, and or if the Customer or its agent (s) takes delivery, at that point of delivery. Until the Supplier is paid in full, the relationship of the Customer to the Supplier shall be fiduciary in respect of the goods and the Customer shall hold the goods as bailee only for the Supplier. The Customer shall store the goods separately from its own until title has passed to the Customer.
11. **Recovery** – Should the goods be on sold to a third party before payment, or in the event of the Appointment of an Administrator, Controller, Managing Controller, receiver or Receiver Manager (as those terms are used in the *Corporations Act 2001* (Cth)), or entry into an Informal/Formal Deed of Arrangement under the *Bankruptcy Act 1966* (Cth) by the Customer, or any other insolvency event of the Customer, then the Customer hereby assigns to the Supplier its right of recovery of payment from the third party. The money(ies) resulting from the sale of the goods are to be specifically earmarked and placed in a separate account on trust for the Supplier, until payment in full is made to the Supplier for the cost of the goods only, to guarantee clear passage of ownership to the third party innocent purchaser.
12. **Retaking Possession** – In the event the Customer is in default of the Trading Terms, and after failing to remedy any breach of the Trading Terms after notice and a reasonable period of time, then the Supplier may upon notice to the Customer, enter upon the premises where the goods are reasonably expected to be stored for the sole purpose of retaking possession of the said goods. The Customer indemnifies and holds harmless the Supplier, its servants or agents in relation to loss or damage as a result of the retaking of possession of said goods. Further, in the event the supplier exercises its right of retaking possession of the said goods, the Customer grants power of sale to the Supplier to resell the said goods and the Customer acknowledges that any shortfall owing after the said goods are resold will be the responsibility of the Customer. Notwithstanding any other provision of these Trading terms, it is expressly agreed by the Customer that the Supplier may sue for the price of all goods delivered to the Customer or for damages, notwithstanding that ownership in those goods has not been passed to the Customer.
13. **Delivery** – Deliveries shall be made during normal business hours. Deliveries required outside normal business hours will be delivered upon the request of the Customer, and any additional charges will be the sole responsibility of the Customer. In the event the Customer or the Customer's agent is not on site to accept delivery, then the Customer must pay the cost for redelivery of any goods. Any date of delivery quoted in any correspondence, quotation or invoice is an estimated delivery time frame only and is subject to industrial disturbances, delay in transit, damage to goods in transit, shortage of goods and any other cause beyond reasonable control of the Supplier.
14. **PPSR** – The Supplier reserves the right to register any security interest provided by the Customer ("the grantor") which creates a performance obligation to secure payment owed by the Customer to the Supplier pursuant to the Personal Property Securities Act 2009 (Cth).

# AWFS GENERAL TERMS & CONDITIONS OF SALE

- 15. Service of Documents** – The Customer acknowledges that service of all documents will be by prepaid postal addressed envelope to the trading address nominated on the application unless a new address is provided by the Customer and such new address is acknowledged by return in writing from the Supplier, or another nominated address at the discretion of the Supplier. The Customer expressly acknowledges that service is deemed to be effected after the expiration of 2 business days from the date of posting of the documents.
- 16. Access to site** – The Customer at all times is responsible to ensure suitable access to its site for delivery of goods. The Customer indemnifies and saves harmless the Supplier, and or its servants or agents any loss or damage, in the event the Customer fails to provide suitable access to the site for delivery, or whilst on site delivering, except to the extent that any loss or damage is caused or contributed to by the negligence of the Supplier or its servants or agents.
- 17. Price** – Unless a separate agreement is in place all goods are sold at the price current at the time of purchase as determined by the Supplier. The price of the goods is at the Suppliers works. Costs and charges for freight and handling at the point of delivery to the Customer or Customer's agent are payable by the customer unless otherwise stated on the quotation. All prices may be subject to change without notice. If requested the Customer will be provided a quotation for the purchase price of the goods, and the costs for delivery at the time of ordering. All quotes remain current for 14 days only from the date of the quotation or as otherwise stated on quotation.
- 18. Financial information** – The Customer agrees to provide financial information as is reasonably required by the Supplier from time to time, for the assessment of current and future credit limits only. The Supplier and the Customer further agree that such information shall be treated as strictly confidential and shall not be disclosed to any third party(ies) without the express written permission of the Customer.
- 19. Claims** – It is the responsibility of the Customer to carefully inspect the goods immediately when they are delivered. Claims that the goods fail to meet the guarantees under the *Australian Consumer Law* must be made in accordance with the requirements of that legislation. Claims that the products fail to meet the manufacturer's warranty, suitable quality standard, or claims relating to incorrect goods shipped or incorrect quantities received will only be recognised if made in the first instance by phone within 72 hrs of delivery, and also in writing within 7 days of delivery. Claims outside this period will be at the absolute discretion of the Supplier, and its decision final and binding on the Customer. All claims that the goods fail to meet the manufacturer's warranty or suitable quality standard must be returned in original condition and packaging and complete in every detail and such goods will only be accepted if the freight is prepaid by the Customer unless other agreements have been made in writing.
- 20. Returns & cancellations** – In the event the Customer elects to return goods or cancel goods on order for any reason other than failure to comply with *Australian Consumer Law* they must first seek written return authorisation from the Supplier. Acceptance of returns not covered under *Australian Consumer Law* will be at the absolute discretion of the Supplier and may at the absolute discretion of the supplier attract a 10% handling and restocking fee on the invoice amount involved. The Customer agrees that this represents a reasonable pre estimate of the loss that the Supplier will suffer in restocking and administrative charges.
- 21. Special Orders** – Special orders attract a 50% deposit which will be debited to the Customer's account upon receipt of a written order for goods outside the Supplier's normal stock lines, or for goods which are specifically modified to meet the customers' requirements. The classification of what stock lines are normally held and those not held by the Supplier and what constitutes a modification is at the absolute discretion of the Supplier and may change from time to time. NOTE unless goods breach the consumer guarantees under *Australian Consumer Law*, no return of, or cancellation of special orders will be accepted.
- 22. Warranties** – All goods are warranted by the manufacturer's warranty, if any, as is furnished by the manufacturer thereof. To the extent permitted by law, all implied warranties are expressly excluded. Nothing in these Trading Terms shall be read or applied so as to exclude, restrict or modify, or have the effect of excluding, restricting or modifying, any condition, warranty, guarantee, right or remedy implied by law (including the *Competition and Consumer act 2010* (CTH)) and which by law cannot be excluded, restricted or modified.
- 23. Damages** – To the extent permitted by law, if the Customer is entitled to the benefit of any implied terms which cannot be excluded, the Supplier's liability shall be limited, as its option in the supply of goods to:
  - (a) The replacement of the goods or the supply of equivalent goods:
  - (b) The payment of the costs of replacing the goods or acquiring the relevant goods, or the payment of having the goods repaired:
  - (c) In the case of services, the resupply of the services: or
  - (d) The payment of the cost of having the services performed again
- 24. Limit & liability** – Subject to the Australian Consumer Law, the Supplier shall not be liable for any claims, loss, expense whatsoever, howsoever arising, or in any event in any way whatsoever for any contingent, consequential direct/indirect special, or punitive damages arising in relation thereto, and the Customer acknowledges this express limit or liability and agrees to limit any claim accordingly. Further the Supplier shall not be responsible directly or indirectly for any consequential loss or damage, or for the maintenance, use or operation of the product by the Customer, or to any third party, or from any failure of the product whether defective or not.
- 25. GST** – Expressions set out in italics in this clause 25 bear the same meaning as those expressions in the GST law.
  - A All payments have been set or determined without regard to the impact of GST.
  - B Subject to clause 25.D if the whole or any part of a payment by a party (including amounts referred to in 25.B) is the consideration for a *taxable supply*, the GST amount in respect of the payment must be paid to the Supplier of the *taxable supply* as an additional amount, at the same time and in the same manner as the payment is otherwise payable or as otherwise agreed in writing.
  - C If a payment due under this agreement is a reimbursement or indemnification by one party of an expense, loss or liability incurred by the other party, the payment will exclude any GST forming part of the amount to be reimbursed or indemnified to the extent to which the other party can claim an *input tax credit*.
  - D A party's obligation to make payment under clause 25.A is subject to a valid tax invoice being delivered to the party liable to pay for the *taxable supply*.



AWFS GENERAL TERMS & CONDITIONS OF SALE

- E Where the Supplier has become subject to any penalties or interest because of late payment by the Supplier to the Australian Taxation Office of any GST amount and that late payment is a result of the failure of the *recipient* to comply with the terms of this clause 26, the *recipient* must pay to the Supplier an additional amount on demand equal to the amount of those penalties and interest.
- F The *recipient* must indemnify the Supplier on demand in respect of all loss or damage arising from a breach by the *recipient* of its obligations under this clause 25.

- 26. **Environmental Requirements** – The Customer confirms and acknowledges that it has made all relevant enquiries in relation to all responsibilities conferred upon the Customer, by all relevant legislation, relating to storage of, use of, and disposal of any or all products supplied by the Supplier.
- 27. **Insurance** – NO INSURANCE IS PROVIDED BY THE SUPPLIER. The Customer expressly acknowledges that insurance of all goods is the responsibility of the Customer upon dispatch from the Supplier’s premises.
- 28. **Supply** – The Customer acknowledges that possession of the Suppliers pricelist, possession of an application for credit from the Supplier, an approved credit facility with the Supplier, or a quotation from the Supplier, does not constitute an agreement from the Supplier to supply goods or services to the Customer. The Supplier reserves the right to refuse to accept any purchase order from any Customer for any reason.
- 29. **Jurisdiction** – The Customer acknowledges that this contract shall be governed by the Laws of New South Wales, and the Customer hereby agrees to submit to the non-exclusive jurisdiction of the Courts of that State.

NOTES

NOTES

NOTES




Australia Wide  
Fire Supplies

Orders   P: 02 4954 0333   E: [sales@awfs.com.au](mailto:sales@awfs.com.au)

For more products and additional product information please visit

[www.awfs.com.au](http://www.awfs.com.au)



ABN: 80 393 915 621

Mail: PO Box 25 Cardiff NSW 2285

Street: Unit 5/54 Pendlebury Road Cardiff NSW 2285

[www.awfs.com.au](http://www.awfs.com.au)

Orders P: 02 4954 0333 E: [sales@awfs.com.au](mailto:sales@awfs.com.au)