

RESOLUTE



**AUSTRALIA WIDE
FIRE SUPPLIES**

ABN 80 393 915 621



RESOLUTE fire extinguisher cabinets

The RESOLUTE range is realized with a perfect combination of the best materials, in order to guarantee high mechanical resistance, polished finishes and dimensional accuracy.

Fit for nearly all fire extinguishers, thanks to the different sizes available and the use of the clamping ring, with PVC spring, suitable for diameters between 150-190mm.

Material: polypropylene, nylon, polycarbonate

Production process: injection molding

Tests: high resistance to the propagation of flames, fuel and lubricating oils, accelerated weathering test (UV rays), water and dust ingress (IP59K), dynamic compression at different temperatures

Certifications: TÜV Rheinland – Lateral protection system (conformity to 89/297/EEC Directives and UNECE Regulation №73), TÜV Rheinland (4/2010)




RESOLUTE



CP040IP




CP050IP



CP060IP



CP070IP



cod	AxBxC	axbxc	kg	mm	PALLET		
					n°		kg
CP040-50-60-70	611x310x250	552x229x150	3.5	150/170	60	100x120x270	235

RESOLUTE



6/9 kg FIRE EXTINGUISHER CABINET



CP000IP-CP010IP



CP020IP-CP030IP



cod	AxBxC	axbxc	kg	mm	PALLET		
					n°		kg
CP000IP-010IP	675x310x250	612x229x150	4.0	x2 150/170	54	143x99x266	255
CP020IP-030IP	675x310x250	612x229x150	4.0	x2 170/190	54	143x99x266	255

RESOLUTE



1. Label with fire extinguisher pictogram (dim. 8x8cm)
2. Inspection window with "OR" seal for a better water-resistance (not available for CP040IP and CP050IP)
3. Lockable
4. Ergonomic double nylon locks




RESOLUTE



- 6. Nylon pins for lid-body hinges
- 7. Internal grey EPDM seal
- 8. Bayonet cap for clamping ring, with reinforced fixing points
- 9. Extinguisher holding kit composed of:
PVC clamping spring with 4 holes,
and Nylon clamping ring available in
two sizes





RESOLVE



**AUSTRALIA WIDE
FIRE SUPPLIES**
ABN 80 393 915 021



RESOLVE fire extinguisher cabinets

The new RESOLVE line is the only complete range, realized by injection molding.

Light and functional, 6,9 and 12 kg RESOLVE fire extinguishers cabinets are the right solution in terms of price/quality ratio, in order to satisfy body builders' needs.

With a simple and linear design, a smooth and modern shape, they also give benefits in terms of logistics, because they can be stacked into each other.

Material: polypropylene

Production process: injection molding

Main features: load stability, components resistance to high and low temperatures, dust and water resistance

Certifications: TÜV Rheinland 7/2012



RESOLVE







CP170 6 kg



CP130 9 kg



CP190 12 kg



cod	AxBxC	axbxc	kg	mm	PALLET		
					n°		kg
CP170	620x335x240	550x244x204	2.4	150/170	60	122x97x265	175
CP130	715x335x240	645x244x204	2.7	170/190	40	122x71x265	130
CP190	865x335x240	795x244x204	3.2	x2 170/190	40	100x120x265	170

RESOLVE



1. Double ergonomic handles integrated in the lid
2. Inspection window with "OR" seal for a better water-resistance
3. Bayonet cap for clamping ring and 22 reinforced fixing points
4. Extinguisher holding kit composed of: PVC clamping spring with 4 attachment points, and Nylon clamping ring available in 2 sizes (150 to 190 mm)
5. PVC/resin labels (optional) 8x8 cm with extinguisher pictogram and/or company logo
6. Lockable
7. Labyrinth system against water ingress



CRYSTAL

FIRE EXTINGUISHER CABINETS



CRYSTAL fire extinguisher cabinets completes the range of next-generation fire cabinets. The eye catching design and the unique and elegant features answer to specific market needs especially for hotels, resorts, shopping centers, airports, hospitals, schools. Crystal line is available in two sizes and it is suitable for all extinguisher sizes, a solid transparent lid protects the extinguishers against weathering factors, dirt, vandalism and mishandling. A unique anti-panic handle enables a faster opening

Material: ABS and transparent Polycarbonate

Manufacturing system: Thermoforming

Fit for all extinguishers: 3-4-6-9 and 12 kg

Dimensions: 64x30x21 cm - 80x34x24 cm

Net Weight: 2,10 Kg - 2,90 kg




CP270

CRYSTAL 6 Kg



CP290

CRYSTAL 12 Kg



LOCKING PIN



6 kg



TOP

12 kg



AWFS

LOCKING PIN



	external dimensions (mm)	weight (Kg)
6kg	640x300x210	2,1
9-12kg	800x340x240	2,9





MULTI-U-BOX

RED



CMU000

TECHNICAL FEATURES

Material: polypropylene

Production Process: Injection Molding

Dimensions (mm): 645x745x296

Weight (kg): 6.7




Capacity (lt): 102

Quantity per pallet (n°): 26

Pallets dimensions (cm): 130x80x265


OPTIONAL COMPONENTS

- Inspection window (safe crash or transparent)
- Fixing kit for extinguisher (plastic ring, pvc spring and rivets for fastening)
- Vertical divider
- Horizontal shelf small / large
- Cylinder lock
- EPDM seal



PRODUCT FEATURES

- 1 Optional division of internal space through vertical/horizontal shelves according to specific needs
- 2 Marked space for pipes and cables
- 3 Cover available with or without window (safe crash / transparent)
- 4 Ergonomic handle, suitable for sealing or with key lock
- 5 Honeycomb structure of the lid
- 6 Fast body-lid fixing system
- 7 Honeycomb structure of the rear body and reinforced fixing points



APPLICATIONS



PPE



FIREFIGHTING
EQUIPMENT



HOSE REEL BOX



PPE



HOSE



FIREFIGHTING
EQUIPMENT



KEYBOX

KEY HOLDER BOX



Dimensions (mm): 134x125x45

Weight (kg): 0.17

Logistics: 20 pieces in a carton box of 55x18x18 cm

TECHNICAL FEATURES



Material: ABS

Production process: injection molding

COMPONENTS

ABS structure

Customizable window



PRODUCT FEATURES

- ❶ Made of ABS: a rigid material that makes the product extremely resistant to shocks and scratches.
- ❷ Thanks to 4 fixing points it hangs easily on the wall
- ❸ Long-lasting opening system: intuitive but not immediate
- ❹ Customizable window (breakable/grey, easy-breakable/yellow...) of 115x115x2,5mm.



OPTIONS



KB300



KB301



KB302

CURL WALL STAND RANGE



ES210

ES211

axbxc
386x400x234 kg
1,75

axbxc kg
386x400x234 1,75

